



# EVOX J8

ACTIVE TWO WAY PORTABLE ARRAY



### Description

The RCF J8 features a line source satellite module with eight 2" full-range drivers paired with a high-powered 12" woofer in a bass reflex enclosure. All powered by on-board 1400 W Class D amplification. The EVOX J Series maintains a similar footprint to the original EVOX systems, now in a portable composite enclosure. The system offers stunning sound performance with crystal-clear vocal reproduction and unparalleled musical response.

### Features

- › 128 dB Max SPL
- › 1400 Watt 2-way power
- › DSP Processing with FIRPHASE
- › 12" woofer, high power 2.5" voice coil
- › 8 x 2" ultra compact fullrange 1.0" voice coil
- › 2350x350x450 mm 92.5x13.77x17.71 in (HxWxD)
- › 23,8/52.5 kg/lbs

### Part Number


13000554 EVOX J8	220-240 V	Black	EAN 8024530015541
13000555 EVOX J8	115 V	Black	EAN 8024530015558
13000567 EVOX J8 W	220-240 V	White	EAN 8024530015589
13000568 EVOX J8 W	115 V	White	EAN 8024530015596



# EVOX J8

ACTIVE TWO WAY PORTABLE ARRAY

Line Art 2D



## TECHNICAL SPECIFICATIONS

<b>Acoustical specifications</b>	Frequency Response	40 Hz ÷ 20000 Hz
	Max SPL @ 1m	128 dB
	Horizontal coverage angle	120°
	Vertical coverage angle	30°
<b>Transducers</b>	Fullrange	8 x 2.0", 1.0" v.c
	Woofer	1 x 12", 2.5" v.c
<b>Input/Output section</b>	Input signal	bal/unbal
	Input connectors	XLR, Jack
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
<b>Processor section</b>	Crossover Frequencies	220 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Volume, Boost, Mic/Line
<b>Power section</b>	Total Power	1400 W Peak, 700 W RMS
	High frequencies	400 W Peak, 200 W RMS
	Low frequencies	1000 W Peak, 500 W RMS
	Cooling	Convection
	Connections	VDE
<b>Standard compliance</b>	Safety agency	CE compliant
<b>Physical specifications</b>	Cabinet/Case Material	PP Composite
	Handles	1 Top
	Grille	Steel
	Color	Black, White
<b>Size</b>	Height	2285 mm / 89.96 inches
	Width	400 mm / 15.75 inches
	Depth	460 mm / 18.11 inches
	Weight	20.2 kg / 44.53 lbs



# EVOX J8

ACTIVE TWO WAY PORTABLE ARRAY

	<b>ACCESSORIES</b>		
<b>Cables</b>	AC XLR 3M3F	13360102	8024530006402
<b>Protections</b>	CVR EVOX J	13360407	8024530015725
	CVR-WH EVOX J	13360406	8024530015718