

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Suma Chlorsan D10.4

Revision: 2024-12-15 **Version:** 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Chlorsan D10.4

UFI: 6A1H-01R3-6000-R1NN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Hard surface cleaner.

Surface disinfectant.

for food contact surface disinfection

For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_1_1 AISE_SWED_PW_8a_1 AISE_SWED_PW_10_1 AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey România s.r.l Bucureşti, Sector 1, Strada Banul Antonache, nr. 40-44, Etaj 5 Tel: (021) 233 3893, Fax. (021) 2333896 e-mail: comenzi.romania@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible). Spitalul Clinic de Urgenta Bucuresti - Calea Floreasca nr. 8, sector 1, Bucuresti Telefon (apelabil permanent, 24 h/7z): 021 5992300, int. 182, 444, 213, 455 e-mail: spital@urgentafloreasca.ro.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

EUH031

Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 (H400) Chronic aquatic toxicity, Category 2 (H411) Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hypochlorite (active chlorine) (Sodium Hypochlorite), sodium hydroxide (Sodium Hydroxide)

Hazard statements:

EUH031 - Contact with acids liberates toxic gas.

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

H290 - May be corrosive to metals.

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hypochlorite (active chlorine)	231-668-3	7681-52-9	[-]	EUH031 Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) Corrosive to metals, Category 1 (H290)		3-10
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	931-292-6	-	1-47	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)		1-3
sodium hydroxide	215-185-5	1310-73-2		Skin corrosion, Category 1A (H314) Corrosive to metals, Category 1 (H290)		1-3

Specific concentration limits

sodium hypochlorite (active chlorine):

- Corrosive to metals, Category 1 (H290) >= 5%
- EUH031 >= 5%

sodium hydroxide:

- Corrosive to metals, Category 1 (H290) >= 0.5%
- Serious eye damage, Category 1 (H318) >= 3% > Eye irritation, Category 2 (H319) >= 0.5%
- Skin corrosion, Category 1A (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is

irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose

resuscitation. Use Ambu bag or ventilator.

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off

immediately all contaminated clothing and wash it before reuse. Immediately call a POISON

CENTRE, doctor or physician.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, $\,$

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: May cause bronchospasm in chlorine sensitive individuals.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. In case of an incident in a confined area wear suitable respiratory protection. Wear suitable protective clothing. Wear suitable gloves. Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Seveso - Lower Tier requirements (tonnes): 200

Seveso - Upper Tier requirements (tonnes): 500

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values. if available:

The manufacture of the detailed of		
Ingredient(s)	Long term value(s)	Short term value(s)
sodium hydroxide	1 mg/m ³	3 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite (active chlorine)	-	-	-	0.26
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	0.44
sodium hydroxide	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hypochlorite (active chlorine)	-	-	0.5 %	-
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available	-	- %	11
sodium hydroxide	2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hypochlorite (active chlorine)	-	-	0.5 %	-
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available	-	- %	5.5
sodium hydroxide	2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

DIVEL DIVILE IIII dialoty exposure Worker (Ing/III)				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite (active chlorine)	3.1	3.1	1.55	1.55
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	6.2
sodium hydroxide	-	-	1	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite (active chlorine)	3.1	3.1	1.55	1.55
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	1.53
sodium hydroxide	-	-	1	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hypochlorite (active chlorine)	0.00021	0.000042	0.00026	0.03
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	0.0335	0.00335	0.0335	24
sodium hydroxide	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium hypochlorite (active chlorine)	-	-	•	-
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	5.24	0.524	1.02	-
sodium hydroxide	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a
Manual transfer and dilution	AISE_SWED_PW_1_1	PW	PROC 1	60	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 16321). The use of a full-face shield or other full-face protection is

strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

Body protection: No special requirements under normal use conditions. Wear chemical-resistant clothing and boots

in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 4

Appropriate engineering controls: Provide a good standard of general ventilation. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. No special requirements under normal use conditions. **Body protection:**

Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Pale , Yellow Odour: Product specific Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value	Method	Atmospheric pressure
	(°C)		(hPa)
sodium hypochlorite (active chlorine)	Product decomposes	Method not given	1013
	before boiling		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	> 100	Method not given	
sodium hydroxide	> 990	Method not given	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable. Flash point (°C): Not applicable.

Sustained combustion: The product does not sustain combustion

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
sodium hypochlorite (active chlorine)	=	-

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable. **pH:** > 11 (neat)

ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hypochlorite (active chlorine)	Soluble		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	409.5 Soluble	Method not given	20
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark
See substance data

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hypochlorite (active chlorine)	Negligible		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< 10	Method not given	25
sodium hydroxide	< 1330	Method not given	20

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Corrosive

Relative density: ≈ 1.11 (20 °C) Relative vapour density: No data available.

Particle characteristics: No data available.

Weight of evidence

9.2.2 Other safety characteristicsNo other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids. Reacts with acids releasing toxic chlorine gas.

10.6 Hazardous decomposition products

Chlorine.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium hypochlorite (active chlorine)	LD 50	1100	Rat	OECD 401 (EU B.1)	90	Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD 50	1064	Rat	OECD 401 (EU B.1)		41000
sodium hydroxide		No data available				Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium hypochlorite (active chlorine)	LD 50	> 20000	Rabbit	OECD 402 (EU B.3)		Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD 50	> -	Rat	OECD 402 (EU B.3)		Not established
sodium hydroxide	LD 50	1350	Rabbit	Method not given		1350

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	LC 50	> 10.5 (vapour)	Rat	OECD 403 (EU B.2)	1
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data			
		available			
sodium hydroxide		No data			
		available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
sodium hypochlorite (active chlorine)	Not established	Not established	Not established	Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not established	Not established	Not established	Not established
sodium hydroxide	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Corrosive	Rabbit	OECD 404 (EU B.4)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Lyo milation and concernly				
Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Severe damage	Rabbit	OECD 405 (EU B.5)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Irritating to			
	respiratory tract			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sodium hydroxide	Not sensitising		Human repeated patch test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Not sensitising			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
sodium hydroxide	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
sodium hypochlorite (active chlorine)	No evidence for mutagenicity	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
	-	B.12/13)	test results	B.12)
amines, C12-14 (even numbered)-alkyldimethyl,	No evidence for mutagenicity, negative	OECD 471 (EU	No data available	
N-oxides	test results	B.12/13)		
sodium hydroxide	No evidence for mutagenicity, negative	DNA repair test	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	on rat	test results	B.12) OECD
		hepatocytes		475 (EU B.11)
		OECD 473		

Carcinogenicity

Carcinogenicity	
Ingredient(s)	Effect
sodium hypochlorite (active chlorine)	No evidence for carcinogenicity, negative test results
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

roxicity for reproduction							
Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hypochlorite (active chlorine)	NOAEL	Developmental toxicity Impaired fertility	5 (CI)	Rat	OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral		No evidence for reproductive toxicity
amines, C12-14 (even numbered)-alkyldimeth yl, N-oxides		Teratogenic effects	25	Rat	Non guideline test		
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hypochlorite (active chlorine)	NOAEL	50	Rat	OECD 408 (EU	90	
				B.26)		
amines, C12-14 (even numbered)-alkyldimethyl,	NOAEL	-		OECD 422,		
N-oxides				oral		
sodium hydroxide		No data				
· ·		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)		No data available			time (days)	uncolou
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hypochlorite (active chlorine)		No data				
		available				
amines, C12-14 (even numbered)-alkyldimethyl,		No data				
N-oxides		available				
sodium hydroxide		No data				
·		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hypochlorite			No data					

(active chlorine)	av	ailable			
amines, C12-14 (even	No	o data			
numbered)-alkyldimeth	av	ailable			
yl, N-oxides					
sodium hydroxide	No	o data			
	av	ailable			

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite (active chlorine)	Not applicable
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite (active chlorine)	Not applicable
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
sodium hydroxide	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
sodium hypochlorite (active chlorine)	LC 50	0.06	Oncorhynchus	Method not given	96
			mykiss	_	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LC 50	2.67-3.46	Pimephales	Similar to OECD 203	96
			promelas		
sodium hydroxide	LC 50	35	Various	Method not given	96
			species	_	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	EC 50	0.035	Ceriodaphnia dubia	OECD 202 (EU C.2)	48
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC 50	3.1	Daphnia magna Straus	OECD 202, static	48
sodium hydroxide	EC 50	40.4	Ceriodaphnia sp.	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	NOEC	0.0021	Not specified	Method not given	168
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Er C 50	0.143	Pseudokirchner iella subcapitata	Method not given	72
sodium hydroxide	EC 50	22	Photobacteriu m phosphoreum	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hypochlorite (active chlorine)	EC 50	0.026	Crassostrea virginica	Method not given	2
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			
sodium hydroxide		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hypochlorite (active chlorine)		0.375	Activated sludge	Method not given	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC 10	> -	Bacteria	Non guideline test	- hour(s)
sodium hydroxide		No data available			

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite (active chlorine)	NOEC	0.04	Menidia pelinsulae	Method not given	96 hour(s)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.42	Pimephales promelas	Method not given	302 day(s)	
sodium hydroxide		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite (active chlorine)	NOEC	0.007	Crassostrea virginica	Method not given	15 day(s)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.7	Daphnia magna	OECD 211, flow-through	21 day(s)	
sodium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, include	ling sediment	-dwelling organi	sms, if available:			
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		sediment)				
sodium hypochlorite (active chlorine)		No data				
		available				
amines, C12-14 (even numbered)-alkyldimethyl,		No data				
N-oxides		available				
sodium hydroxide		No data				
·		available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data				
		available				
sodium hydroxide		No data				
		available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data				

available

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data				
		available				
sodium hydroxide		No data				
		available				

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	115 day(s)	Indirect photo-oxidation		
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	No data available			
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium hypochlorite		No data available			
(active chlorine)					
sodium hydroxide		No data available			

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hypochlorite (active chlorine)					Not applicable (inorganic substance)
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Activated sludge, aerobe	CO ₂ production	90 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hypochlorite (active chlorine)					No data available
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available.								
Ingredient(s)	Medium & Type	Analytical	DT 50	Method	Evaluation			
		method						
sodium hypochlorite (active chlorine)					No data available			
sodium hydroxide					No data available			

12.3 Bioaccumulative potential Partition coefficient n-octanol/water (lo

artition coefficient n-octanoi/water (log i				
Ingredient(s)	Value	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	-3.42	Method not given	No bioaccumulation expected	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< -	Method not given	No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hypochlorite	No data available				
(active chlorine)					
amines, C12-14 (even					
numbered)-alkyldimeth					
yl, N-oxides					
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

	Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
	sodium hypochlorite (active chlorine)	1.12				High potential for mobility in soil
	amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available				Low mobillity in soil
ſ	sodium hydroxide	No data available				Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Waste from residues / unused

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 15* - alkalines.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

Pentru eliminarea în siguranță a produsului devenit deșeu prin expirare sau deteriorare, se solicită asistența unei persoane juridice autorizate pentru distrugerea acestuia, eliminarea făcându-se conform codului din Catalogul European al Deșeurilor.

Legislatia privind eliminarea deseurilor:

HG 856/ 2002 privind evidenta gestiunii deseurilor si pentru aprobarea listei cuprinzând deseurile, inclusiv deseurile periculoase OMAPM nr.756/2004 pentru aprobarea Normativului tehnic privind incinerarea deseurilor

HG 349/2005 privind depozitarea deseurilor

HG nr. 1061/2008 privind transportul deseurilor periculoase si nepericuloase pe teritoriul României

OUG 92/2021 privind regimul deseurilor cu modificările și completările ulterioare

Legislatia conform căreia se elimină ambalajele de produs:

Legea 249/2015 privind modalitatea de gestionarea a ambalajelor și deșeurilor de ambalaje

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1719

14.2 UN proper shipping name:

Caustic alkali liquid, n.o.s. (sodium hydroxide, sodium hypochlorite) Caustic alkali liquid, n.o.s. (sodium hydroxide, sodium hypochlorite)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5 Tunnel restriction code: (E) Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- Regulation (EU) No 528/2012 on biocidal products
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants, polycarboxylates disinfectants

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: 41. Mixtures of sodium hypochlorite classified as Aquatic Acute Category 1 [H400] containing less than 5 % active chlorine and not classified under any of the other hazard categories in Part 1 of Annex I

National regulations

- Legea nr. 319/2006 legea securitatii si sanatatii in munca
- HG nr. 1218/2006 privind stabilirea cerintelor minime de securitate si sanatate in munca pentru asigurarea protectiei lucratorilor impotriva riscurilor legate de
- prezenta agentilor chimici
 HG nr. 617/2014 privind stabilirea cadrului instituțional și a unor măsuri pentru punerea în aplicare a Regulamentului (UE) nr. 528/2012 al Parlamentului European si al Consiliului din 22 mai 2012 privind punerea la dispozitie pe piată si utilizarea produselor biocide

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005262 Version: 01.0 Revision: 2024-12-15

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit

- EC50 effective concentration, 50%
 ERC Environmental release categories
 EUH CLP Specific hazard statement
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OCCD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 PROC Process categories

- REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
 H290 May be corrosive to metals.

- +H302 Harmful if swallowed.
 +H314 Causes severe skin burns and eye damage.
 +H315 Causes skin irritation.
 +H318 Causes serious eye damage.

- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH031 Contact with acids liberates toxic gas.

End of Safety Data Sheet