



Product Service

Attestation of Conformity

No. N8A 123023 0012 Rev. 00

Holder of Attestation: **Shanghai Electric Hency Solar Technology Co. , Ltd.**

1st Floor, Building 5, No. 951, Jianchuan Road
Minhang District
201109 Shanghai
PEOPLE'S REPUBLIC OF CHINA

Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**
Mono-crystalline Silicon Photovoltaic module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 704062387202-02

Date, 2024-09-06

(Zhulin Zhang)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 123023 0012 Rev. 00

Model(s):

- 182 x 91 (mm) N type-HJT cell modules:
144 cells module:
SEC1-144D-xxxYS (xxx=560 to 595 in step of 5)

- 210 x 105(mm) N type-HJT cell modules:
132 cells module:
SEC1-132D-xxxYS (xxx=675 to 710 in step of 5)

- 182 x 91 (mm) N type-TOPCon cell modules:
144 cells module:
SEP2-144D-xxxYS (xxx=560 to 590 in step of 5)
108 cells module:
SEP2-108D-xxxYS (xxx=420 to 440 in step of 5)

- 210 x 105(mm) N type-TOPCon cell modules:
132 cells module:
SEP2-132D-xxxYS (xxx=665 to 680 in step of 5)

- 182 x 105 (mm) N type-HJT cell modules:
132 cells module:
SEC2-132D-xxxYS (xxx=600 to 630 in step of 5)
108 cells module:
SEC2-108D-xxxYS (xxx=490 to 515 in step of 5)
96 cells module:
SEC2-96D-xxxYS (xxx=435 to 455 in step of 5)

- 182 x 105 (mm) N type-TOPCon cell modules:
132 cells module:
SEP3-132D-xxxYS (xxx=585 to 620 in step of 5)
xxx stands for rated output power at STC.

Parameters:

Safety Class:	Class II
Max. system voltage:	1500V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No. 10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P. R. China.
Construction:	Framed, with Junction box, cable and connector.

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 123023 0012 Rev. 00

**Tested
according to:**

EN IEC 61730-1:2018
EN IEC 61730-1:2018/AC:2018-06
EN IEC 61730-2:2018
EN IEC 61730-2:2018/AC:2018-06

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.