

CHIC SUPREME IDRA


PELLET THERMOSTOVE



Chic, the pellet stove with a refined and timeless style, to make your home a romantic and elegant place.

Heatable area

203 m².






- 1 - Hygienic floor, in crystal
- 2 - Sliding access for leather loading
- 3 - Precious handmade handmade majolica
- 4 - Screen-printed ceramic glass and cast iron firebox door



DIMENSIONS



TECHNICAL DATA

DIMENSIONS (HXWXD)	1332X565X653
WEIGHT (KG)	207.6
HEATABLE AREA (M ²)	203
EFFICIENCY UP TO MAX (%)	95,2%
ENERGY CLASS	A+
POWER TO THE HEART (KW)	6,8 - 23,7
RATED POWER (KW)	6,5 - 22,5
POWER TO THE WATER (KW)	5 - 19,6
RADIATION (KW)	1,5 - 2,9
HOURLY PELLET CONSUMPTION (KG/H)	1,4 - 4,9
WOOD HOURLY CONSUMPTION (KG/H)	-
PELLET HOPPER CAPACITY (KG)	30,0

WARM AIR DUCTING	-
MAXIMUM SINGLE DUCTING OUTLET (M)	-
PATENTED BURNER PELLETPOWER®	SI
ROOM VENTILATION	-
PRIMARY AIR FROM OUTSIDE	SI
CO EMISSIONS (MG/M³; 13% OF O2)	86,2
CO EMISSIONS (MG/M³; 10% OF O2)	-
DUST EMISSIONS (MG/M³; 13% OF O2)	18,7
DUST EMISSIONS (MG/M³; 10% OF O2)	-
SILENCE (DB)	36
REMOTE CONTROL	-
RADIO CONTROL WITH ROOM TEMPERATURE THERMOSTAT	-
WEEKLY PROGRAMMER (3 DAILY LIGHTING)	SI
«SMART INFO» FUNCTION	SI
SYSTEM CIRCULATING PUMP	SI
EXPANSION TANK	SI
OVER PRESSURE VALVE	SI
FLUE GASEXHAUST DIAMETER (MM)	100
MIN. FLUE DRAUGHT PRESSURE (PA)	10
ELECTRIC CONSUMPTION (WATT)	90-340
HIGH TEMPERATURE SAFETY THERMOSTAT	SI

THERMOROSSI S.p.A.

Via Grumolo, 4 | 36011 Arsiero (VI) | Italy | E-mail: info@thermorossi.it

Tel: 800.44.88.77 | Fax: 0445 741657 | P.IVA 00168470243 | Iscr. REA99797 Vicenza | Cap. Sociale di 156,000,00 I.v.