## MARGHERITA EVO STONE wood cooker



Free your imagination in the kitchen thanks to the ingenious «PANEPIZZA» patented device. A single large door encloses two independent ovens: manage as much heat as you want, the upper oven is able to exploit higher temperatures thanks to a dedicated smoke path. Both ovens have a soapstone base and a dedicated thermometer. Water, baking powder and flour and a little magic happens in the house. Three seemingly very simple ingredients able to create something incredibly special and fragrant, which unites the whole family.

Heatable area  $110 \, m^2$ .





1 - Smoke outlet Ø 130mm

2 - Polished cast iron hob complete with cast iron rims

- 3 Secondary air regulation device
- 4 Cast iron frame
- 5 Cast iron firebox door


6 - Cast iron combustion chamber (HxWxD - 296x305x453)

- 7 Loading mouth (LxH 284x273)
- 8 Precious soapstone
- 9 Device for primary air regulation
- 10 Tool compartment
- 11 Enamelled oven (HxWxD-307x323x433)

12 - Upper enamelled oven with soapstone base (HxWxD-100x323x433)



## DIMENSIONS



## **TECHNICAL DATA**

	912X678
WEIGHT (KG)	232,00
HEATABLE AREA (M <sup>2</sup> )	110
EFFICIENCY UP TO MAX (%)	89,0%
ENERGY CLASS	A+
POWER TO THE HEART (KW)	13,8
RATED POWER (KW)	12,3

POWER TO THE WATER (KW)	-
RADIATION (KW)	10,1
HOURLY PELLET CONSUMPTION (KG/H)	-
WOOD HOURLY CONSUMPTION (KG/H)V	3,2
PELLET HOPPER CAPACITY (KG)	
WARM AIR DUCTING	-
MAXIMUM SINGLE DUCTING OUTLET (M)	-
PATENTED BURNER PELLETPOWER®	
ROMM VENTILATION	-
PRIMARY AIR FROM OUTSIDE	-
CO EMISSIONS (MG/M3; 13% DI O2)	760
CO EMISSIONS (MG/M3; 10% DI O2)	
DUST EMISSIONS (MG/M <sup>3</sup> ; 13% DI O2)	8,0
DUST EMISSIONS (MG/M <sup>3</sup> ; 10% DI O2)	
SILENCE(DB)	-
REMOTE CONTROL	-
RADIO CONTROL WITH ROOM TEMPERATURE THERMOSTAT	-
WEEKLY PROGRAMMER (3 DAILY LIGHTING)	-
SMART INFO FUNCTION	-
SYSTEM CIRCULATING PUMP	-
EXPANSION TANK	-
OVER PRESSURE VALVE	-
FLUE GASEXHAUST DIAMETER (MM)	130
MIN. FLUE DRAUGHT PRESSURE (PA)	12
ELECTRIC CONSUMPTION (WATT)	-
HIGH TEMPERATURE SAFETY THERMOSTAT	-

THERMOROSSI S.p.A. Via Grumolo, 4 | 36011 Arsiero (VI) | Italy | E-mail: info@thermorossi.it Tel: 800.44.88.77 | Fax: 0445 741657 | P.IVA 00168470243 | Iscr. REA99797 Vicenza | Cap. Sociale di 156,000,00 I.v.