



SERIE 2600 RACCORDI PER TUBO FERRO- Fittings for iron pipe

2600.00 - NIPLO DOPPIO - Double nipple




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
260000H010100H	20	1/8"	6	10						1/8"	0.007
260000H020200H	22	1/4"	8	14						1/4"	0.014
260000H030300H	22	3/8"	11.5	17						3/8"	0.018
260000H040400H	26.5	1/2"	15	21						1/2"	0.032
260000H050500H	30	3/4"	20	27						3/4"	0.051
260000H101000H	36	1"	26	34						1"	0.089
260000H121200H	39	1 1/4"	34	42						1 1/4"	0.133
260000H141400H	39.5	1 1/2"	40	50						1 1/2"	0.166
260000H202000H	44	2"	51	60						2"	0.250
260000H242400H	59	2 1/2"	66	77						2 1/2"	0.476
260000H303000H	60	3"	78	89						3"	0.584
260000H404000H	72	4"	102	116						4"	1.032

2800.00 - RACCORDO DRITTO FILETTO CONICO - Conical straight fitting




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
280000H030300H	31	11.5	3/8"	17						3/8"x3/8"	0.026
280000H040400H	36.5	15	1/2"	22						1/2"x1/2"	0.045
280000H050500H	41	20	3/4"	27						3/4"x3/4"	0.070
280000H101000H	47	26	1"	34						1"x1"	0.116
280000H121200H	51.5	34	1 1/4"	44						1 1/4"x1 1/4"	0.184
280000H141400H	51.5	40	1 1/2"	50						1 1/2"x1 1/2"	0.214
280000H202000H	62	51	2"	61						2"x2"	0.354

2600.F3 - NIPLO DOPPIO PROLUNGATO - Long double nipple




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600F3H040400H	34	1/2"	15	23						1/2"	0.043
2600F3H050500H	38	3/4"	20	27						3/4"	0.066
2600F3H101000H	43	1"	26	34						1"	0.104

2600.01 Gas - NIPLO SINISTRO PER GAS - Nipple for gas connection




CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
260001H042015H	33.5	W20x14 Sx	11.3	R1/2"	21					1/2"x20x1,5	0.057

2600.01 - NIPLO PER MONOFORO - Nipple + Nut + Washer




CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
260001H040300H	25.5	3/8"	10.15	1/2"	22					1/2"-3/8"-10	0.043


2600.02 - NIPLO RIDOTTO M/F - M/F Reduced nipple



CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
260002H040500A	25	3/8"	10.2	1/2"	32					1/2" M-3/4" F	0.068
260002H050400A	30	1/2"	15	3/4"	27					3/4" M-1/2" F	0.055


2600.03 - NIPLO RIDOTTO - Reduced nipple


CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
260003H020100H	22	1/8"	5	1/4"	14					1/4"-1/8"	0.013
260003H030200H	22	1/4"	8	3/8"	17					3/8"-1/4"	0.017
260003H040200H	25.5	1/4"	8	1/2"	21					1/2"-1/4"	0.029
260003H040300H	25.5	3/8"	11.5	1/2"	22					1/2"-3/8"	0.030
260003H050300H	27	3/8"	11.5	3/4"	27					3/4"-3/8"	0.047
260003H050400H	28.5	1/2"	15	3/4"	27					3/4"-1/2"	0.047
260003H100400H	32.5	1/2"	15	1"	34					1"-1/2"	0.093
260003H100500H	33.5	3/4"	20	1"	34					1"-3/4"	0.092
260003H120400H	33.5	1/2"	15	1"1/4	42					1"1/4-1/2"	0.123
260003H120500H	35	3/4"	20	1"1/4	42					1"1/4-3/4"	0.124
260003H121000H	38	1"	26	1"1/4	42					1"1/4-1"	0.131
260003H140500H	35.5	3/4"	20	1"1/2	50					1"1/2-3/4"	0.173
260003H141000H	38.5	1"	26	1"1/2	50					1"1/2-1"	0.160
260003H141200H	39.5	1"1/4	34	1"1/2	50					1"1/2-1"1/4	0.174
260003H201000H	42	1"	26	2"	60					2"-1"	0.254
260003H201200H	43	1"1/4	34	2"	60					2"-1"1/4	0.261
260003H201400H	44.5	1"1/2	40	2"	60					2"-1"1/2	0.263
260003H242000H	54	2"	51	2"1/2	77					2"1/2-2"	0.472
260003H302000H	51	2"	51	3"	89					3"-2"	0.560
260003H302400H	53.5	2"1/2	66	3"	89					3"-2"1/2	0.524
260003H402400H	66	2"1/2	66	4"	116					4"-2"1/2	1.090
260003H403000H	66.5	3"	78	4"	116					4"-3"	1.088

2800.03 - NIPLO RIDOTTO FILETTO CONICO - Conical reduced straight fitting



CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
280003H040300H	34	3/8"	11.5	1/2"	22					1/2"x3/8"	0.039
280003H050400H	39	1/2"	15	3/4"	27					3/4"x1/2"	0.065
280003H100400H	42.5	1/2"	15	1"	34					1"x1/2"	0.097
280003H100500H	44.5	3/4"	20	1"	34					1"x3/4"	0.102
280003H121000H	49.5	1"	26	1"1/4	44					1"1/4x1"	0.168
280003H141000H	49.5	1"	26	1"1/2	50					1"1/2x1"	0.200
280003H141200H	51.5	1"1/4	34	1"1/2	50					1"1/2x1"1/4	0.244
280003H201200H	57.5	1"1/4	34	2"	61					2"x1"1/4	0.342
280003H201400H	57.5	1"1/2	40	2"	61					2"x1"1/2	0.324

2600.40 - TAPPO MASCHIO - Male cap




CODICE code	A	B	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
260040H010000H	12	1/8"	13						1/8"	0.007
260040H020000H	14	1/4"	14						1/4"	0.011
260040H030000H	14	3/8"	17						3/8"	0.014
260040H040000A	16	1/2"	21						1/2"	0.023
260040H050000A	18.5	3/4"	27						3/4"	0.042
260040H100000A	20	1"	34						1"	0.077

2600.F4 - TAPPO MASCHIO CON QUADRO - Male cap with square




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600F4H010000H	12.5	18	1/8"	9						1/8"	0.008
2600F4H020000H	16.5	18	1/4"	10						1/4"	0.015
2600F4H030000H	16.5	21	3/8"	12						3/8"	0.018
2600F4H040000A	18	27	1/2"	19						1/2"	0.031
2600F4H050000A	18	31	3/4"	22						3/4"	0.040
2600F4H100000A	23	38	1"	30						1"	0.073
2600F4H120000A	25	49	1"1/4	38						1"1/4	0.137
2600F4H140000A	25	58	1"1/2	38						1"1/2	0.184
2600F4H200000A	27.5	68	2"	38						2"	0.258
2600F4H240000A	30.5	85	2"1/2	55						2"1/2	0.398
2600F4H300000A	30.5	97	3"	55						3"	0.588

2600.41 - TAPPO FEMMINA - Female cap



CODICE code	A	B	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
260041H010000H	10	1/8"	13						1/8"	0.008
260041H020000H	11	1/4"	16						1/4"	0.011
260041H030000H	10.5	3/8"	19						3/8"	0.013
260041H040000A	12	1/2"	23						1/2"	0.020
260041H050000A	14	3/4"	30						3/4"	0.036
260041H100000A	15	1"	37						1"	0.055
260041H120000A	18	1"1/4	47						1"1/4	0.101
260041H140000A	19	1"1/2	53						1"1/2	0.128
260041H200000A	20	2"	64						2"	0.174
260041H240000A	24	2"1/2	80						2"1/2	0.299

2600.43 - PROLUNGA M/M - M/M EXTENSION




CODICE code	A	B	C	D						MISURA TUBO tube size	PESO (Kg) weight (Kg)
260043H036000H	60	3/8"	11	17						3/8"x60	0.053
260043H044000H	40	1/2"	15	20.5						1/2"x40	0.044
260043H045000H	50	1/2"	15	20.5						1/2"x50	0.060
260043H045500H	55	1/2"	15	20.5						1/2"x55	0.064
260043H046000H	60	1/2"	15	20.5						1/2"x60	0.073
260043H047000H	70	1/2"	15	20.5						1/2"x70	0.083
260043H047500H	75	1/2"	15	20.5						1/2"x75	0.090
260043H048000H	80	1/2"	15	20.5						1/2"x80	0.096
260043H04B000H	100	1/2"	15	20.5						1/2"x100	0.126
260043H04B250H	125	1/2"	15	20.5						1/2"x125	0.154
260043H04B500H	150	1/2"	15	20.5						1/2"x150	0.193
260043H04B750H	175	1/2"	15	20.5						1/2"x175	0.231
260043H04B900H	190	1/2"	15	20.5						1/2"x190	0.250
260043H04C000H	200	1/2"	15	20.5						1/2"x200	0.252
260043H04C250H	225	1/2"	15	20.5						1/2"x225	0.277
260043H04C500H	250	1/2"	15	20.5						1/2"x250	0.316
260043H04D000H	300	1/2"	15	20.5						1/2"x300	0.381
260043H04E000H	400	1/2"	15	20.5						1/2"x400	0.510
260043H04F000H	500	1/2"	15	20.5						1/2"x500	0.638
260043H054000H	40	3/4"	20	26						3/4"x40	0.062
260043H055000H	50	3/4"	20	26						3/4"x50	0.081
260043H056000H	60	3/4"	20	26						3/4"x60	0.101
260043H056500H	65	3/4"	20	26						3/4"x65	0.108
260043H057000H	70	3/4"	20	26						3/4"x70	0.118


260043H057500H	75	3/4"	20	26						3/4"x75	0.125
260043H058000H	80	3/4"	20	26						3/4"x80	0.136
260043H05B000H	100	3/4"	20	26						3/4"x100	0.171
260043H05B200H	120	3/4"	20	26						3/4"x120	0.209
260043H05B250H	125	3/4"	20	26						3/4"x125	0.219
260043H05B500H	150	3/4"	20	26						3/4"x150	0.264
260043H05B750H	175	3/4"	20	26						3/4"x175	0.307
260043H05C000H	200	3/4"	20	26						3/4"x200	0.354
260043H05C250H	225	3/4"	20	26						3/4"x225	0.398
260043H05C500H	250	3/4"	20	26						3/4"x250	0.445
260043H05D000H	300	3/4"	20	26						3/4"x300	0.536
260043H05D250H	325	3/4"	20	26						3/4"x325	0.584
260043H05E000H	400	3/4"	20	26						3/4"x400	0.717
260043H05E250H	425	3/4"	20	26						3/4"x425	0.780
260043H05F000H	500	3/4"	20	26						3/4"x500	0.895
260043H05F250H	525	3/4"	20	26						3/4"x525	0.959
260043H104000H	40	1"	25	33						1"x40	0.092
260043H105000H	50	1"	25	33						1"x50	0.122
260043H106000H	60	1"	25	33						1"x60	0.146
260043H106500H	65	1"	25	33						1"x65	0.164
260043H107000H	70	1"	25	33						1"x70	0.176
260043H107500H	75	1"	25	33						1"x75	0.188
260043H108000H	80	1"	25	33						1"x80	0.201
260043H10B000H	100	1"	25	33						1"x100	0.253
260043H10B200H	120	1"	25	33						1"x120	0.320
260043H10B250H	125	1"	25	33						1"x125	0.331
260043H10B500H	150	1"	25	33						1"x150	0.390
260043H10B750H	175	1"	25	33						1"x175	0.471
260043H10C000H	200	1"	25	33						1"x200	0.526
260043H10C250H	225	1"	25	33						1"x225	0.629
260043H10C500H	250	1"	25	33						1"x250	0.673
260043H10D000H	300	1"	25	33						1"x300	0.839
260043H10D250H	325	1"	25	33						1"x325	0.890
260043H10E000H	400	1"	25	33						1"x400	1.116
260043H10E250H	425	1"	25	33						1"x425	1.169

260043H10C500H	250	1"	25	33						1"x250	0.673
260043H10D000H	300	1"	25	33						1"x300	0.839
260043H10D250H	325	1"	25	33						1"x325	0.890
260043H10E000H	400	1"	25	33						1"x400	1.116
260043H10E250H	425	1"	25	33						1"x425	1.169
260043H10F000H	500	1"	25	33						1"x500	1.384
260043H10F250H	525	1"	25	33						1"x525	1.407
260043H125000H	50	1"1/4	33	42						1"1/4x50	0.193
260043H126000H	60	1"1/4	33	42						1"1/4x60	0.234
260043H127000H	70	1"1/4	33	42						1"1/4x70	0.287
260043H128000H	80	1"1/4	33	42						1"1/4x80	0.332
260043H129000H	90	1"1/4	33	42						1"1/4x90	0.378
260043H12B000H	100	1"1/4	33	42						1"1/4x100	0.420
260043H12B200H	120	1"1/4	33	42						1"1/4x120	0.515
260043H12B300H	130	1"1/4	33	42						1"1/4x130	0.538
260043H12B500H	150	1"1/4	33	42						1"1/4x150	0.655
260043H12B800H	180	1"1/4	33	42						1"1/4x180	0.783
260043H12C000H	200	1"1/4	33	42						1"1/4x200	0.885
260043H12C300H	230	1"1/4	33	42						1"1/4x230	1.012
260043H12C500H	250	1"1/4	33	42						1"1/4x250	1.118
260043H12D000H	300	1"1/4	33	42						1"1/4x300	1.342
260043H12D300H	330	1"1/4	33	42						1"1/4x330	1.423
260043H12E300H	430	1"1/4	33	42						1"1/4x430	1.951
260043H12F300H	530	1"1/4	33	42						1"1/4x530	2.383
260043H145000H	50	1"1/2	39	48						1"1/2x50	0.218
260043H146000H	60	1"1/2	39	48						1"1/2x60	0.267
260043H147000H	70	1"1/2	39	48						1"1/2x70	0.320
260043H148000H	80	1"1/2	39	48						1"1/2x80	0.369
260043H149000H	90	1"1/2	39	48						1"1/2x90	0.438
260043H14B000H	100	1"1/2	39	48						1"1/2x100	0.472
260043H14B200H	120	1"1/2	39	48						1"1/2x120	0.574
260043H14B300H	130	1"1/2	39	48						1"1/2x130	0.651
260043H14B500H	150	1"1/2	39	48						1"1/2x150	0.731
260043H14B800H	180	1"1/2	39	48						1"1/2x180	0.910
260043H14C000H	200	1"1/2	39	48						1"1/2x200	0.991


260043H14C300H	230	1"1/2	39	48						1"1/2x230	1.181
260043H14C500H	250	1"1/2	39	48						1"1/2x250	1.253
260043H14D000H	300	1"1/2	39	48						1"1/2x300	1.513
260043H205000H	50	2"	50	60						2"x50	0.292
260043H206000H	60	2"	50	60						2"x60	0.375
260043H207000H	70	2"	50	60						2"x70	0.514
260043H208000H	80	2"	50	60						2"x80	0.513
260043H20B000H	100	2"	50	60						2"x100	0.660
260043H20B200H	120	2"	50	60						2"x120	0.790
260043H20B400H	140	2"	50	60						2"x140	0.948
260043H20B500H	150	2"	50	60						2"x150	1.036
260043H20B900H	190	2"	50	60						2"x190	1.323
260043H20C000H	200	2"	50	60						2"x200	1.395
260043H20C400H	240	2"	50	60						2"x240	1.658
260043H20C500H	250	2"	50	60						2"x250	1.765
260043H20D000H	300	2"	50	60						2"x300	2.128

2600.44 - RIDUZIONE ESAGONALE M/F - M/F Hexagonal bushing


CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
260044H020100H	14	1/4"	1/8"	14						1/4"-1/8"	0.007
260044H030100H	15	3/8"	1/8"	17						3/8"-1/8"	0.018
260044H030200H	15	3/8"	1/4"	17						3/8"-1/4"	0.011
260044H040200H	17	1/2"	1/4"	21						1/2"-1/4"	0.024
260044H040300H	17	1/2"	3/8"	21						1/2"-3/8"	0.017
260044H050200H	18	3/4"	1/4"	27						3/4"-1/4"	0.050
260044H050300H	18	3/4"	3/8"	27						3/4"-3/8"	0.044
260044H050400H	18	3/4"	1/2"	27						3/4"-1/2"	0.033
260044H100300H	22	1"	3/8"	34						1"-3/8"	0.092
260044H100400H	22	1"	1/2"	34						1"-1/2"	0.080
260044H100500H	22	1"	3/4"	34						1"-3/4"	0.056
260044H120400H	23	1"1/4	1/2"	42						1"1/4-1/2"	0.161
260044H120500H	23	1"1/4	3/4"	42						1"1/4-3/4"	0.136
260044H121000H	23	1"1/4	1"	42						1"1/4-1"	0.104
260044H140400H	24	1"1/2	1/2"	50						1"1/2-1/2"	0.256
260044H140500H	24	1"1/2	3/4"	50						1"1/2-3/4"	0.224
260044H141000H	24	1"1/2	1"	50						1"1/2-1"	0.186
260044H141200H	24	1"1/2	1"1/4	50						1"1/2-1"1/4	0.104
260044H200400H	26.5	2"	1/2"	60						2"-1/2"	0.405
260044H200500H	26.5	2"	3/4"	60						2"-3/4"	0.384
260044H201000H	26.5	2"	1"	60						2"-1"	0.352
260044H201200H	26.5	2"	1"1/4	60						2"-1"1/4	0.291
260044H201400H	26.5	2"	1"1/2	60						2"-1"1/2	0.229
260044H242000H	35	2"1/2	2"	77						2"1/2-2"	0.523
260044H301200H	35	3"	1"1/4	90						3"-1"1/4	0.996
260044H301400H	35	3"	1"1/2	90						3"-1"1/2	0.966
260044H302000H	35	3"	2"	90						3"-2"	0.758
260044H302400H	35	3"	2"1/2	90						3"-2"1/2	0.459
260044H402000H	42	4"	2"	116						4"-2"	1.854
260044H402400H	42	4"	2"1/2	116						4"-2"1/2	1.529
260044H403000H	42	4"	3"	116						4"-3"	1.193


2600.F6 - PROLUNGA LEGGERA - Light extension


CODICE code	A	B	C	D						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600F6H041000A	10	1/2"	1/2"	Ch.14						1/2"	0.026
2600F6H041500A	15	1/2"	1/2"	Ch.14						1/2"	0.032
2600F6H042000A	20	1/2"	1/2"	Ch.14						1/2"	0.039
2600F6H042500A	25	1/2"	1/2"	Ch.14						1/2"	0.048
2600F6H043000A	30	1/2"	1/2"	Ch.14						1/2"	0.053
2600F6H044000A	40	1/2"	1/2"	Ch.14						1/2"	0.069
2600F6H045000A	50	1/2"	1/2"	Ch.14						1/2"	0.083
2600F6H046000A	60	1/2"	1/2"	Ch.14						1/2"	0.099
2600F6H047000A	70	1/2"	1/2"	Ch.14						1/2"	0.112
2600F6H048000A	80	1/2"	1/2"	Ch.14						1/2"	0.126
2600F6H04B000A	100	1/2"	1/2"	Ch.14						1/2"	0.158
2600F6R051000A	10	3/4"	3/4"	19						3/4"	0.041
2600F6R051500A	15	3/4"	3/4"	19						3/4"	0.050
2600F6R052000A	20	3/4"	3/4"	19						3/4"	0.059
2600F6R053000A	30	3/4"	3/4"	19						3/4"	0.083
2600F6R054000A	40	3/4"	3/4"	19						3/4"	0.103
2600F6R055000A	50	3/4"	3/4"	19						3/4"	0.123
2600F6R056000A	60	3/4"	3/4"	19						3/4"	0.143
2600F6R058000A	80	3/4"	3/4"	19						3/4"	0.184
2600F6R05B000A	100	3/4"	3/4"	19						3/4"	0.220

2600.45 - RIDUZIONE F/M - F/M Reduced extension



CODICE code	A	B	C	D						MISURA TUBO tube size	PESO (Kg) weight (Kg)
260045H020100A	20	1/8"	6	1/4"						1/4"-1/8"	0.017
260045H030200A	20	1/4"	8	3/8"						3/8"-1/4"	0.020
260045H040200A	22.5	1/4"	8	1/2"						1/2"-1/4"	0.026
260045H040300A	22.5	3/8"	11.5	1/2"						1/2"-3/8"	0.027
260045H050300A	24	3/8"	11.5	3/4"						3/4"-3/8"	0.039
260045H050400A	26	1/2"	15	3/4"						3/4"-1/2"	0.043
260045H100400A	26	1/2"	15	1"						1"-1/2"	0.069
260045H100500A	27	3/4"	20	1"						1"-3/4"	0.068
260045H120400A	28	1/2"	15	1"1/4						1"1/4-1/2"	0.116
260045H120500A	29	3/4"	20	1"1/4						1"1/4-3/4"	0.120
260045H121000A	29	1"	26	1"1/4						1"1/4-1"	0.122
260045H140400H	33	1/2"	15	1"1/2						1"1/2-1/2"	0.166
260045H140500H	34	3/4"	20	1"1/2						1"1/2-3/4"	0.173
260045H141000H	34	1"	26	1"1/2						1"1/2-1"	0.172
260045H141200H	38	1"1/4	34	1"1/2						1"1/2-1"1/4	0.187
260045H201000H	36.5	1"	26	2"						2"-1"	0.240
260045H201200H	40.5	1"1/4	34	2"						2"-1"1/4	0.257
260045H201400H	40.5	1"1/2	40	2"						2"-1"1/2	0.252
VERSIONE PESANTE/ Heavy type											
2600F2H040300A	29	3/8"	CH.10	1/2"						1/2"-3/8"	0.046
2600F2H050400A	32	1/2"	CH.12	3/4"						3/4"-1/2"	0.071

2600.46 - MANICOTTO - Socket




CODICE code	A	B						MISURA TUBO tube size	PESO (Kg) weight (Kg)
260046H010100A	16	1/8"						1/8"	0.010
260046H020200A	18	1/4"						1/4"	0.017
260046H030300A	25	3/8"						3/8"	0.036
260046H040400A	27	1/2"						1/2"	0.047
260046H050500A	30	3/4"						3/4"	0.078
260046H101000A	32	1"						1"	0.136
260046H121200A	38	1"1/4						1"1/4	0.184
260046H141400A	40	1"1/2						1"1/2	0.253
260046H202000A	44	2"						2"	0.328
260046H242400A	75	2"1/2						2"1/2	0.863
260046H303000A	80	3"						3"	1.221

2600.47 - MANICOTTO RIDOTTO - Reduced socket




CODICE code	A	B	C					MISURA TUBO tube size	PESO (Kg) weight (Kg)
260047H020100A	19.5	1/4"	1/8"					1/8"-1/4"	0.022
260047H030200A	24.5	1/8"	3/8"					3/8"-1/8"	0.032
260047H040300A	27	3/8"	1/2"					1/2"-3/8"	0.043
260047H050400A	30	1/2"	3/4"					3/4"-1/2"	0.066
260047H100300A	32.5	3/8"	1"					1"-3/8"	0.098
260047H100400A	32.5	1/2"	1"					1"-1/2"	0.100
260047H100500A	39	3/4"	1"					1"-3/4"	0.126
260047H120400A	38.5	1/2"	1"1/4					1"1/4-1/2"	0.240
260047H120500A	38.5	3/4"	1"1/4					1"1/4-3/4"	0.216
260047H121000A	38.5	1"	1"1/4					1"1/4-1"	0.179
260047H140400A	42	1/2"	1"1/2					1"1/2-1/2"	0.244
260047H140500A	42	3/4"	1"1/2					1"1/2-3/4"	0.215
260047H141000A	42	1"	1"1/2					1"1/2-1"	0.316
260047H141200A	42	1"1/4	1"1/2					1"1/2-1"1/4	0.247
260047H200500A	45	3/4"	2"					2"-3/4"	0.292
260047H201000A	45	1"	2"					2"-1"	0.470
260047H201200A	45	1"1/4	2"					2"-1"1/4	0.398
260047H201400A	45	1"1/2	2"					2"-1"1/2	0.343

2600.70 - CONTRODADO - Backnut




CODICE code	A	B	Ch/Sw							MISURA TUBO tube size	PESO (Kg) weight (Kg)
260070H010000H	4.5	1/8"	14							1/8"	0.003
260070H020000H	5	1/4"	17							1/4"	0.005
260070H030000H	5	3/8"	19							3/8"	0.004
260070H040000H	5	1/2"	25							1/2"	0.009
260070H050000H	6	3/4"	32							3/4"	0.018
260070H100000H	8	1"	38							1"	0.028
260070H120000H	8	1 1/4"	48							1 1/4"	0.044

2600.74 - RUBIN. SFIATO CALORIFERO C/O-RING - Air outlet valve w/o-ring




CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
260074H010000H	22.2	19	1/8"	13	11					1/8"	0.014
260074H020000H	26	20	1/4"	14	13					1/4"	0.022
260074H030000H	24	19	3/8"	14	17					3/8"	0.032

2600.96 - SCORREVOLE MASCHIO - Running male fitting




CODICE code	A	B	C	D						MISURA TUBO tube size	PESO (Kg) weight (Kg)
260096H047500H	75	1/2"	15	40						1/2"x75	0.089
260096H04B000H	100	1/2"	15	57						1/2"x100	0.111
260096H04B500H	150	1/2"	15	57						1/2"x150	0.174
260096H04C000H	200	1/2"	15	57						1/2"x200	0.239
260096H05B000H	100	3/4"	20	57						3/4"x100	0.158
260096H05B500H	150	3/4"	20	57						3/4"x150	0.249
260096H05C000H	200	3/4"	20	57						3/4"x200	0.338
260096H10B000H	100	1"	26	57						1"x100	0.223
260096H10B500H	150	1"	26	57						1"x150	0.361
260096H10C000H	200	1"	26	57						1"x200	0.497

2600.D1 - GHIERA RIDUZIONE - Reducing ring




CODICE code	A	B	C							MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600D1H030200H	9.5	3/8"	1/4"							3/8"-1/4"	0.005
2600D1H040200H	10.5	1/2"	1/4"							1/2"-1/4"	0.015
2600D1H040300H	10.5	1/2"	3/8"							1/2"-3/8"	0.008
2600D1H050300H	10.5	3/4"	3/8"							3/4"-3/8"	0.023
2600D1H050400H	10.5	3/4"	1/2"							3/4"-1/2"	0.014
2600D1H100400H	13	1"	1/2"							1"-1/2"	0.048
2600D1H100500H	13	1"	3/4"							1"-3/4"	0.026
2600D1H121000H	15	1 1/4"	1"							1 1/4"-1"	0.054
2600D1H141200H	15	1 1/2"	1 1/4"							1 1/2"-1 1/4"	0.042
2600D1H200500H	15	2"	3/4"							2"-3/4"	0.263
2600D1H201000H	15	2"	1"							2"-1"	0.226
2600D1H201200H	15	2"	1 1/4"							2"-1 1/4"	0.164
2600D1H201400H	15	2"	1 1/2"							2"-1 1/2"	0.114

2600.D2 - RIDUZIONE ESAGONALE F/M - F/M Hexagonal bushing




CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600D2H121000H	24	1"	27	1 1/4"	45					1"-1 1/4"	0.072
2600D2H141200H	26	1 1/4"	35	1 1/2"	51					1 1/4"-1 1/2"	0.097

2600.D6 - NIPLO TUTTO FILETTO - Running nipple




CODICE code	A	B	C							MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600D6H020000H	18	1/4"	8							1/4"	0.010
2600D6H030000H	22	3/8"	12							3/8"	0.014
2600D6H040000H	30	1/2"	15							1/2"	0.033
2600D6H050000H	30	3/4"	19							3/4"	0.052
2600D6H100000H	35	1"	25							1"	0.075

2600.D7 - GHIERA FLANGIATA - Flanged back nut




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600D7H040000H	8.4	1/2"	35	24.5						1/2"	0.024
2600D7H050000H	8.4	3/4"	43	30.5						3/4"	0.030
2600D7H100000H	8	1"	49	37.5						1"	0.039
2600D7H120000H	8	1"1/4	58	47						1"1/4	0.046
2600D7H140000H	8	1"1/2	67.5	53						1"1/2	0.071
2600D7H200000H	9	2"	76.5	64						2"	0.076

2600.D8 - PROLUNGA PESANTE - Extension




CODICE code	A	B	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600D8R031000A	20	3/8"	10					3/8"x10	0.026
2600D8R031500A	25	3/8"	10					3/8"x15	0.036
2600D8R032000A	30	3/8"	10					3/8"x20	0.045
2600D8R032500A	35	3/8"	10					3/8"x25	0.056
2600D8R033000A	40	3/8"	10					3/8"x30	0.063
2600D8R034000A	50	3/8"	10					3/8"x40	0.084
2600D8R035000A	60	3/8"	10					3/8"x50	0.102
2600D8R041000A	21	1/2"	12					1/2"x12	0.037
2600D8R041500A	26	1/2"	12					1/2"x15	0.049
2600D8R042000A	31	1/2"	12					1/2"x20	0.061
2600D8R042500A	36	1/2"	12					1/2"x25	0.072
2600D8R043000A	41	1/2"	12					1/2"x30	0.086
2600D8R044000A	51	1/2"	12					1/2"x40	0.110
2600D8R045000A	61	1/2"	12					1/2"x50	0.133
2600D8R045500A	66	1/2"	12					1/2"x55	0.141
2600D8R046000A	71	1/2"	12					1/2"x60	0.154
2600D8R046500A	76	1/2"	12					1/2"x65	0.173
2600D8R047000A	81	1/2"	12					1/2"x70	0.189
2600D8R048000A	91	1/2"	12					1/2"x80	0.208
2600D8R04B000A	111	1/2"	12					1/2"x100	0.234
2600D8R051000A	22	3/4"	17					3/4"x10	0.049
2600D8R051500A	27	3/4"	17					3/4"x15	0.060
2600D8R052000A	32	3/4"	17					3/4"x20	0.072
2600D8R052500A	37	3/4"	17					3/4"x25	0.087
2600D8R053000A	42	3/4"	17					3/4"x30	0.105
2600D8R054000A	52	3/4"	17					3/4"x40	0.128
2600D8R055000A	62	3/4"	17					3/4"x50	0.154
2600D8R056000A	72	3/4"	17					3/4"x60	0.181
2600D8R057000A	82	3/4"	17					3/4"x70	0.217
2600D8R058000A	92	3/4"	17					3/4"x80	0.249
2600D8R05B000A	112	3/4"	17					3/4"x100	0.305
2600D8R101000A	22	1"	22					1"x10	0.070
2600D8R101500A	27	1"	22					1"x15	0.090
2600D8R102000A	32	1"	22					1"x20	0.104
2600D8R102500A	37	1"	22					1"x25	0.127
2600D8R103000A	42	1"	22					1"x30	0.145
2600D8R104000A	52	1"	22					1"x40	0.181
2600D8R105000A	62	1"	22					1"x50	0.226

2600.F5 - PROLUNGA ESAGONALE - Hexagonal extension




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600F5H041000H	21	1/2"	15	25						1/2"x10	0.033
2600F5H041500H	26	1/2"	15	25						1/2"x15	0.042
2600F5H042000H	31	1/2"	15	25						1/2"x20	0.054
2600F5H042500H	36	1/2"	15	25						1/2"x25	0.064
2600F5H043000H	41	1/2"	15	25						1/2"x30	0.074
2600F5H044000H	51	1/2"	15	25						1/2"x40	0.092
2600F5H045000H	61	1/2"	15	25						1/2"x50	0.119
2600F5H046000H	71	1/2"	15	25						1/2"x60	0.141

2600.F7 - PROLUNGA STAMPATA - Hot stamped extension




CODICE code	A	B	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600F7H041000H	20.5	1/2"	14						1/2"x10	0.031
2600F7H041500H	25.5	1/2"	14						1/2"x15	0.039
2600F7H042000H	30.5	1/2"	14						1/2"x20	0.050
2600F7H042500H	35.5	1/2"	14						1/2"x25	0.060
2600F7H043000H	40.5	1/2"	14						1/2"x30	0.068
2600F7H044000H	50.5	1/2"	14						1/2"x40	0.076
2600F7H045000H	60.5	1/2"	14						1/2"x50	0.091

2600.D9 - PORTAGOMMA MASCHIO - Male insert



CODICE code	A	B	C	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600D9H011000H	36	1/8"	6	12					1/8"x10	0.015
2600D9H011400H	36	1/8"	10	14					1/8"x14	0.020
2600D9H021000H	37	1/4"	6	14					1/4"x10	0.018
2600D9H021400H	37	1/4"	10	14					1/4"x14	0.021
2600D9H031000H	37	3/8"	6	17					3/8"x10	0.022
2600D9H031200H	37	3/8"	8	17					3/8"x12	0.023
2600D9H031400H	37	3/8"	10	17					3/8"x14	0.026
2600D9H041000H	39.5	1/2"	6	21					1/2"x10	0.034
2600D9H041200H	39.5	1/2"	8	21					1/2"x12	0.036
2600D9H041400H	39.5	1/2"	10	21					1/2"x14	0.038
2600D9H041600H	39.5	1/2"	12	21					1/2"x16	0.038
2600D9H041800H	39.5	1/2"	14	21					1/2"x18	0.040
2600D9H042000H	39.5	1/2"	15	21					1/2"x20	0.045
2600D9H042500H	44	1/2"	20	27					1/2"x25	0.064
2600D9H052000H	45.5	3/4"	15	27					3/4"x20	0.066
2600D9H052500H	45.5	3/4"	20	27					3/4"x25	0.067
2600D9H102500H	49	1"	20	34					1"x25	0.099
2600D9H103000H	49	1"	25	34					1"x30	0.099
2600D9H123000H	70	1"1/4	25.5	38					1"1/4x30	0.154
2600D9H123500H	69	1"1/4	30.5	38					1"1/4x35	0.167
2600D9H124000H	68.5	1"1/4	35.8	42					1"1/4x40	0.164
2600D9H144000H	75.5	1"1/2	35.8	44					1"1/2x40	0.221
2600D9H144500H	75	1"1/2	40.6	47					1"1/2x45	0.233
2600D9H205000H	73	2"	45.5	52					2"x50	0.334
2600D9H246000H	94	2"1/2	53						2"1/2x60	0.552
2600D9H308000H	103	3"	73						3"x80	0.857
2600D9H40B000H	118.5	4"	93						4"x100	1.462

2600.F1 - PORTAGOMMA FEMMINA - Female insert



CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2600F1H011000H	33.5	1/8"	6	14						1/8"x10	0.015
2600F1H011400H	33.5	1/8"	8.5	14						1/8"x14	0.020
2600F1H021000H	35	1/4"	6	17						1/4"x10	0.018
2600F1H021400H	35	1/4"	10	17						1/4"x14	0.021
2600F1H031000H	36	3/8"	6	19						3/8"x10	0.022
2600F1H031200H	36	3/8"	8	19						3/8"x12	0.023
2600F1H031400H	36	3/8"	10	19						3/8"x14	0.026
2600F1H041000H	37	1/2"	6	24						1/2"x10	0.034
2600F1H041200H	37	1/2"	8	24						1/2"x12	0.036
2600F1H041400H	37	1/2"	10	24						1/2"x14	0.038
2600F1H041600H	37	1/2"	12	24						1/2"x16	0.038
2600F1H041800H	37	1/2"	14	24						1/2"x18	0.040
2600F1H042000H	37	1/2"	15	24						1/2"x20	0.045
2600F1H052000H	44	3/4"	15	30						3/4"x20	0.066
2600F1H052500H	44	3/4"	20	30						3/4"x25	0.067
2600F1H102500H	47	1"	20	38						1"x25	0.099
2600F1H103000H	45.5	1"	25	38						1"x30	0.099
2600F1H123000H	57	1"1/4	25.5	46						1"1/4x30	0.154
2600F1H123500H	57	1"1/4	29.7	46						1"1/4x35	0.167
2600F1H144000H	64	1"1/2	35.5	51						1"1/2x40	0.221
2600F1H205000H	70	2"	44.3	63						2"x50	0.334