




2700.10 - RACCORDO A T MASCHIO - Male Tee


CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
270010H040404A	51	1/2"	12	25.5	16					1/2"	0.066
270010H050505A	60	3/4"	20	31	25					3/4"	0.103
270010H101010A	76	1"	26	38	30.5					1"	0.168

2700.12 - RACCORDO A T M/F/M - m/f/m tee



CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
270012H040404A	52	1/2"	13.5	32	18					1/2"	0.091

2700.13 - RACCORDO A T RIDOTTO - reduced tee




CODICE code	A	B	C	D						MISURA TUBO tube size	PESO (Kg) weight (Kg)
270013H050405A	51	3/4"	1/2"	28.5						3/4" - 1/2"	0.127
270013H100410A	67	1"	1/2"	33						1" - 1/2"	0.243
270013H100510A	67	1"	3/4"	33						1" - 3/4"	0.210

2700.14 - RACCORDO A TRE VIE FEMMINA - Female tee




CODICE code	A	B	C					MISURA TUBO tube size	PESO (Kg) weight (Kg)
270014H020202A	40	1/4"	20					1/4"	0.060
270014H030303A	48	3/8"	24					3/8"	0.096
270014H040404A	53	1/2"	27					1/2"	0.098
270014H050505A	60	3/4"	30					3/4"	0.163
270014H101010A	66.5	1"	33					1"	0.255
270014H121212A	90	1"1/4	45					1"1/4	0.349
270014H141414A	93	1"1/2	46.5					1"1/2	0.450
270014H202020A	101	2	50.5					2	0.680
270014H242424A	133	2"1/2	66.5					2"1/2	1.577
270014H303030A	153	3"	76.5					3"	2.057
270014H404040A	196	4"	98					4"	3.414

2700.15 - RACCORDO A T F/M/F- f/m/f tee




CODICE code	A	B	C							MISURA TUBO tube size	PESO (Kg) weight (Kg)
270015H040404A	53	1/2"	39							1/2"	0.131
270015H050505A	60	3/4"	45							3/4"	0.219
270015H101010A	66.5	1"	49							1"	0.333

2700.20 - ANGOLO MASCHIO/MASCHIO - m/m elbow




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
270020H040400A	22.5	1/2"	13	16						1/2"	0.044
270020H050500A	31	3/4"	15	19						3/4"	0.071
270020H101000A	35	1"	22	27.5						1"	0.124

2700.23 - ATTACCO A MURO F/F CON FLANGIA - f/f wallplate elbow




CODICE code	A	B	C	D	E					MISURA TUBO tube size	PESO (Kg) weight (Kg)
270023H040400A	42	1/2"	25	36	4.5					1/2"	0.092

2700.24 - ANGOLO MASCHIO FEMMINA - m/f elbow




CODICE code	A	B	C	D	E					MISURA TUBO tube size	PESO (Kg) weight (Kg)
270024H020200A	24.5	27.5	1/4"	8						1/4"	0.050
270024H030300A	29.5	33	3/8"	11.5						3/8"	0.061
270024H040400A	31	31	1/2"	14.5						1/2"	0.092
270024H050500A	39	39	3/4"	20						3/4"	0.142
270024H101000A	46	46	1"	26						1"	0.202
270024H121200A	54	56	1"1/4	34						1"1/4	0.375
270024H141400A	59.5	62	1"1/2	40						1"1/2	0.445
270024H202000A	69	76	2"	51						2"	0.813
270024H242400A	81.5	83.5	2"1/2	66						2"1/2	1.371
270024H303000A	91.5	94.5	3"	78						3"	1.715

2700.25 - RACCORDO ANGOLO FEMMINA - female angle elbow




CODICE code	A	B								MISURA TUBO tube size	PESO (Kg) weight (Kg)
270025H020200A	19	1/4"								1/4"	0.044
270025H030300A	24	3/8"								3/8"	0.060
270025H040400A	25	1/2"								1/2"	0.072
270025H050500A	29	3/4"								3/4"	0.117
270025H101000A	34.5	1"								1"	0.213
270025H121200A	47	1"1/4								1"1/4	0.307
270025H141400A	50	1"1/2								1"1/2	0.427
270025H202000A	58.5	2"								2"	0.699
270025H242400A	71.5	2"1/2								2"1/2	1.520
270025H303000A	82.5	3"								3"	2.189

2700.26 - RACCORDO M/F RIDOTTO - M/f reduced wlbow




CODICE code	A	B	C	D	E					MISURA TUBO tube size	PESO (Kg) weight (Kg)
270026H050400A	35.5	1/2"	14.5	14.5	3/4"					1/2" - 3/4"	0.122

2700.29 - RACCORDO ANGOLO F/F RIDOTTO- F/f reduced elbow




CODICE code	A	B	C	D						MISURA TUBO tube size	PESO (Kg) weight (Kg)
270029H050400A	33.5	33	3/4"	1/2"						1/2"-3/4"	0.115
270029H100500A	39	41	1"	3/4"						3/4" - 1"	0.170

2700.F8 - RACCORDO ANGOLO M/F - M/f ELBOW




CODICE code	A	B	C	D	E					MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700F8H030300A	35.5	22	3/8"	12	3/8"					3/8"	0.066
2700F8H040400A	32	23	1/2"	15	1/2"					1/2"	0.077
2700F8H050500A	41	26	3/4"	20	3/4"					3/4"	0.153
2700F8H101000A	49.5	31	1"	26	1"					1"	0.210
2700F8H121200A	53.5	38	1"1/4	34	1"1/4					1"1/4	0.318
2700F8H141400A	57	41	1"1/2	40	1"1/2					1"1/2	0.416
2700F8H202000A	65	54	2"	51	2"					2"	0.726

2700.E1 - RACCORDO PER CONTATORI ACQUA - CONNECTOR FOR WATER METERS




CODICE code	A	B	C	Ch/Sw	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700E1H050400H	1/2"	3/4"	36.5	17	29					1/2"	0.067

2700.E2 - ANGOLO 45° M/F - Elbow 45° m/f




CODICE code	A	B						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700E2H040400H	1/2"	15.3						1/2"	0.079
2700E2H050500H	3/4"	20						3/4"	0.108
2700E2H101000H	1"	25						1"	0.199
2700E2H121200H	1"1/4	33.5						1"1/4	0.297
2700E2H141400H	1"1/2	38.5						1"1/2	0.392

2700.N4 - RACCORDO A 5 VIE - Fittings 5 exit




CODICE code	A	B	C	D	E	F	G			MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700N4H100272A	72	1/4"	1"	1/4"	29	32	40			1/4" - 1"	0.209
2700N4H100282A	82	1/4"	1"	1/4"	29	32	50			1/4" - 1"	0.213
2700N4H100292A	92	1/4"	1"	1/4"	29	32	60			1/4" - 1"	0.227

2700.N5 - RACCORDO A TRE VIE - Fitting 3 exit




CODICE code	A	B	C	D	E	F				MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700N5H101072A	72	1"	26	32	40	28.5				1"	0.180
2700N5H101082A	82	1"	26	32	50	28.5				1"	0.220
2700N5H101092A	92	1"	26	32	60	28.5				1"	0.235

2700.A2 - RACCORDO DIRITTO M/F PER RADIATORE - M/f straight fitting for radiator




CODICE code	A	B	Ch/Sw							MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700A2H030300A	40.5	3/8"								3/8"	0.075
2700A2H040400A	43	1/2"	30-25							1/2"	0.094
2700A2H050500A	55	3/4"	37-31							3/4"	0.174
2700A2H101000A	57	1"	47-38,5							1"	0.274
2700A2H121200A	68.5	1"1/4	53-49							1"1/4	0.435
2700A2H141400A	79	1"1/2	64-56							1"1/2	0.682
2700A2H202000A	86	2"	80-70							2"	1.121

2700.A4 - ANGOLO M/F PER RADIATORE - M/f elbow for radiator




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700A4H040400A	50	23	1/2"	30-26,5						1/2"	0.138
2700A4H050500A	57.5	30	3/4"	37-32						3/4"	0.221
2700A4H101000A	65	34	1"	47-38						1"	0.340
2700A4H121200A	75	33	1"1/4	53-48						1"1/4	0.512
2700A4H141400A	91	40	1"1/2	64-56						1"1/2	0.825
2700A4H202000A	109	51	2"	80-70						2"	1.510

2700.A6 - RACCORDO DIRITTO M/M PER RADIATORE - M/m straight for radiator




CODICE code	A	B	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700A6H040400A	51	1/2"	30-27						1/2"	0.138
2700A6H050500A	62.5	3/4"	37-34						3/4"	0.221
2700A6H101000A	67.3	1"	47-42						1"	0.340

2700.A7 - RACCORDO A TRE PEZZI F/F - F/F three pieces straight fitting




CODICE code	A	B	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700A7H040400A	41	1/2"	37-25					1/2"	0.138
2700A7H050500A	45.5	3/4"	47-30					3/4"	0.213
2700A7H101000A	56	1"	53-38					1"	0.341
2700A7H121200A	56.5	1"1/4	64-46					1"1/4	0.441
2700A7H141400A	56.5	1"1/2	72-54					1"1/2	0.600
2700A7H202000A	70	2"	80-64					2"	0.739

2700.I2 - DIRITTO M/F CON O-RING PER RADIATORE - M/f straight fitting with o-ring for radiator




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700I2H030300A	40.5	3/8"	12							3/8"	0.074
2700I2H040400A	45	1/2"	16	30-25						1/2"	0.091
2700I2H050500A	54.5	3/4"	20	37-31						3/4"	0.172
2700I2H101000A	57.5	1"	26	47-38,5						1"	0.269
2700I2H121200A	68.5	1"1/4	34	53-49						1"1/4	0.425
2700I2H141400A	90	1"1/2	40	64-56						1"1/2	0.675
2700I2H202000A	87	2	51	80-70						2	1.122

2700.I4 - ANGOLO M/F CON O-RING PER RADIATORE - M/f elbow with o-ring for radiator




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700I4H040400A	48	23	1/2"	30-26,5						1/2"	0.135
2700I4H050500A	57.5	30	3/4"	37-32						3/4"	0.219
2700I4H101000A	65	34	1"	47-38						1"	0.335
2700I4H121200A	75.5	33	1"1/4	53-48						1"1/4	0.502
2700I4H141400A	90.5	40	1"1/2	64-56						1"1/2	0.818
2700I4H202000A	109	51	2"	80-70						2"	1.510

2700.16 - DRITTO M/M CON O-RING PER RADIATORE - M/m straight fitting with o-ring for radiator




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700I6H040400A	51	1/2"	16	30-27						1/2"	0.103
2700I6H050500A	62.5	3/4"	20	37-34						3/4"	0.194
2700I6H101000A	67.3	1"	26	47-42						1"	0.306

2700.G2 - DADO + BOCCHETTONE MASCHIO - Nut + male flat nipple




CODICE code	A	B	C	Ch/Sw						MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700G2H040500A	33	1/2"	3/4"	30						1/2"x3/4"	0.061
2700G2H051000A	38	3/4"	1"	37						3/4"x1"	0.106
2700G2H101200A	41	1"	1"1/4	47						1"x1"1/4	0.162
2700G2H121400A	47.5	1"1/4	1"1/2	53						1"1/4x1"1/2	0.250
2700G2H142000A	51.5	1"1/2	2"	64						1"1/2x2"	0.347
2700G2H202400A	59	2"	2"1/2	80						2"x2"1/2	0.576

2700.53 - DRITTO PROLUNGATO PER CASSONE - Bin long straight fitting




CODICE code	A	B	C	D						MISURA TUBO tube size	PESO (Kg) weight (Kg)
270053H040000H	71	1/2"	36	45						1/2"	0.138
270053H050000H	75	3/4"	42	50						3/4"	0.205
270053H100000H	86	1"	56	61						1"	0.348
270053H120000H	97	1"1/4	60	65						1"1/4	0.442
270053H140000H	101	1"1/2	71	67						1"1/2	0.500
270053H200000H	115	2"	71	71						2"	0.689

2700.54 - DRITTO CON PILETTA PER CASSONE - Bin straight fitting with wayst




CODICE code	A	B	C	D	E					MISURA TUBO tube size	PESO (Kg) weight (Kg)
270054H040000H	68	3/8"	1/2"	45	38					3/8"	0.112
270054H050000H	76	1/2"	3/4"	50	43					1/2"	0.182
270054H100000H	80	3/4"	1"	61	49					3/4"	0.257
270054H120000H	105	1"	1"1/4	61	64					1"	0.414
270054H140000H	109	1"1/4	1"1/2	68	65					1"1/4	0.607

2700.59 - COLLETTORE M/F/F - M/f/f manifold




CODICE code	A	B	C	D	E	F	G	VIE ways	Ch/Sw	MISURA TUBO tube size	PESO (Kg) weight (Kg)
270059H050402A	85	3/4"	1/2"	37	24	24	32.5	2	32	3/4" - 1/2" (uscite)	0.187
270059H050403A	122	3/4"	1/2"	37	24	24	32.5	3	32	3/4" - 1/2" (uscite)	0.278
270059H050404A	159	3/4"	1/2"	37	24	24	32.5	4	32	3/4" - 1/2" (uscite)	0.359
270059H100402A	96.5	1"	1/2"	37	30	29.5	34.5	2	38	1" - 1/2" (uscite)	0.239
270059H100403A	132.5	1"	1/2"	37	30	28.5	34.5	3	38	1" - 1/2" (uscite)	0.342
270059H100404A	169.5	1"	1/2"	37	30	28.5	34.5	4	38	1" - 1/2" (uscite)	0.465

2700.61 - COLLETTORE M/F/F - M/f/f manifold




CODICE code	A	B	C	D	E	F	G	VIE ways	Ch/Sw	MISURA TUBO tube size	PESO (Kg) weight (Kg)
270061H050402A	85	3/4"	1/2"	37	24	24	32.5	2	32	3/4" - 1/2" (uscite)	0.155
270061H050403A	122	3/4"	1/2"	37	24	24	32.5	3	32	3/4" - 1/2" (uscite)	0.236
270061H050404A	159	3/4"	1/2"	37	24	24	32.5	4	32	3/4" - 1/2" (uscite)	0.310
270061H100402A	96.5	1"	1/2"	37	30	29.5	34.5	2	38	1" - 1/2" (uscite)	0.232
270061H100403A	132.5	1"	1/2"	37	30	28.5	34.5	3	38	1" - 1/2" (uscite)	0.335
270061H100404A	169.5	1"	1/2"	37	30	28.5	34.5	4	38	1" - 1/2" (uscite)	0.445
270061H100502A	113	1"	3/4"	45	35.5	32.5	34.5	2	38	1" - 3/4" (uscite)	0.248
270061H100503A	159	1"	3/4"	45	35.5	32.5	34.5	3	38	1" - 3/4" (uscite)	0.376
270061H100504A	203	1"	3/4"	45	35.5	32.5	34.5	4	38	1" - 3/4" (uscite)	0.509

2700.G4 - DADO E MONOCONO P.T.F.E. - Nut and monocone P.T.F.E.



CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
2700G4H041000A	14.3	10.1	8.8	1/2"	24					10	0.025
2700G4H041200A	14.3	12.1	10.8	1/2"	24					12	0.025
2700G4H041400A	13.5	14.1	12.8	1/2"	24					14	0.022
2700G4H041600A	15	16.1	***	1/2"	24					16	0.022

2700.80 - DADO, OGIVA, INSERTO PER TUBO PE-X - Nut, ring, insert for PE-X pipe



CODICE code	A	B	C	D	Ch/Sw					MISURA TUBO tube size	PESO (Kg) weight (Kg)
270080H041220A	1/2"	8	12	5	24					12x2,0	0.049
270080H041525A	1/2"	10	12	7	24					15x2,5	0.043
270080H041620A	1/2"	12	12	9.5	24					16x2,0	0.044
270080H041622A	1/2"	11.6	12	9	24					16x2,2	0.044
270080H051620A	3/4"	12	12	9.2	27					16x2,0	0.070
270080H051820H	3/4"	14	12	11	27					18x2,0	0.080
270080H052020H	3/4"	16	12	12.2	27					20x2,0	0.073