Revision nr. 4

Dated 29/06/2016

Printed on 21/12/2016

Page n. 1/10

# Scheda di sicurezza N.SS 344 - LONG LIFE 200

# Safety data sheet

### SECTION 1. Identification of the substance/mixture and of the company/undertaking.

1.1. Product identifier.

Product name. LONG LIFE 200

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Intended use. Non acid product to eliminate problems due

Non acid product to eliminate problems due to the presence of inorganic deposits (lime scale) in boilers and heating systems. Long Life 200 solves problems of boiler noises and reduced heat exchange due to scale deposits. The product can be used on all metals, including aluminium. Long Life 200 can be

added to the system with no need to be removed after use.

1.3. Details of the supplier of the safety data sheet.

Name. GEL S.p.A.

Full address.

VIA ENZO FERRARI N.1

District and Country.

60022 CASTELFIDARDO (AN)

ITALIA

Tel. 0717827 Fax. 0717808175

e-mail address of the competent person.

responsible for the Safety Data Sheet. tecnico@gel.it

1.4. Emergency telephone number.

For urgent inquiries refer to. Centro Antiveleni di Pavia0382 24444(CAV IRCCS Fondazione

Maugeri - Pavia)

Centro Antiveleni di Milano02 66101029(CAV Ospedale Niguarda

Ca` Granda - Milano)

Centro Antiveleni di Bergamo800 883300(CAV Ospedali Riuniti Bergamo) Centro Antiveleni di Firenze055 7947819(CAV Ospedale Careggi Firenze) Centro Antiveleni di Roma06 3054343(CAV Policlinico Gemelli Roma) Centro Antiveleni di Roma06 49978000(CAV Policlinico Umberto I

- Roma)

Centro Antiveleni di Napoli081 7472870(CAV Ospedale Cardarelli Napoli)

Centro Antiveleni di Foggia0881 732326(Az. Osp. Univ. Foggia)

#### **SECTION 2. Hazards identification.**

### 2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

2.2.	Label	elements.

Hazard pictograms:

Signal words: --

Revision nr. 4

Dated 29/06/2016

Printed on 21/12/2016

Page n. 2/10

Scheda di sicurezza N.SS 344 - LONG LIFE 200

Hazard statements:

--

Precautionary statements:

--

#### 2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### **SECTION 3. Composition/information on ingredients.**

#### 3.1. Substances.

Information not relevant.

#### 3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 1272/2008

(CLP).

Met. Corr. 1 H290

ALANINE, N,N-BIS(CARBOXYMETHYL)-,

TRISODIUM SALT

CAS. 164462-16-2 < 10

EC. 423-270-5

INDEX. -

Reg. no. 01-0000016977-53

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### **SECTION 4. First aid measures.**

#### 4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### 4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

Revision nr. 4

Dated 29/06/2016

Printed on 21/12/2016

Page n. 3/10

### Scheda di sicurezza N.SS 344 - LONG LIFE 200

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

### **SECTION 5. Firefighting measures.**

#### 5.1. Extinguishing media.

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters.

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### SECTION 6. Accidental release measures.

#### 6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

## Revision nr. 4

Dated 29/06/2016

Printed on 21/12/2016

Page n. 4/10

### Scheda di sicurezza N.SS 344 - LONG LIFE 200

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage.**

### 7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s).

Information not available.

### **SECTION 8. Exposure controls/personal protection.**

#### 8.1. Control parameters.

ALANINE, N,N-BIS(CARBOXYMETHYL)-, TRISODIUM SALT				
Predicted no-effect concentration - PNEC.				
Normal value in fresh water	2	mg/l		
Normal value in marine water	0,2	mg/l		
Normal value for fresh water sediment	24	mg/kg/d		
Normal value for water, intermittent release	1	mg/l		
Normal value of STP microorganisms	100	mg/l		
Normal value for the terrestrial compartment	2,5	mg/kg/d		
Health - Derived no-effect level - DNFI / DMFI		* *		

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers.				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral.	VND	85 mg/kg bw/d	VND	17 mg/kg				
				bw/d				
Inhalation.	20 mg/m3	20 mg/m3	2 mg/m3	20 mg/m3	40 mg/m3	40 mg/m3	4 mg/m3	40 mg/m3
Skin.	400 mg/kg bw/d	400 mg/kg bw/d	VND	25 mg/kg	2000 mg/cm2	2000 mg/kg	VND	170 mg/kg
				bw/d		bw/d		bw/d

Legend:

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

#### 8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

Scheda di sicurezza N.SS 344 - LONG LIFE 200

### Revision nr. 4

Dated 29/06/2016

Printed on 21/12/2016

Page n. 5/10

None required.

SKIN PROTECTION

HAND PROTECTION

None required.

EYE PROTECTION

None required.

#### RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### **SECTION 9. Physical and chemical properties.**

#### 9.1. Information on basic physical and chemical properties.

Appearance liquid Colour yellow Odour characteristic Odour threshold. Not available. 6,5 - 7,5< -1 °C. Melting point / freezing point. Not available. Initial boiling point. Boiling range. Not available. Flash point. Not available. Evaporation rate Not available. Flammability (solid, gas) Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density. 1,04 - 1,1 Solubility Not available. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available. Decomposition temperature. Not available. Viscosity Not available. Not available. Explosive properties Oxidising properties Not available.

### 9.2. Other information.

Information not available.

### SECTION 10. Stability and reactivity.

#### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability.

Revision nr. 4

Dated 29/06/2016

Printed on 21/12/2016

Page n. 6/10

### Scheda di sicurezza N.SS 344 - LONG LIFE 200

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials.

Information not available.

#### 10.6. Hazardous decomposition products.

Information not available.

### **SECTION 11. Toxicological information.**

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

#### 11.1. Information on toxicological effects.

ALANINE, N,N-BIS(CARBOXYMETHYL)-, TRISODIUM SALT LD50 (Oral).> 2000 mg/kg bw rat, Wistar, male/female LD50 (Dermal).> 2000 mg/kg bw rat, Wistar, male/female

### **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity.

Information not available.

#### 12.2. Persistence and degradability.

ALANINE, N,N-BIS(CARBOXYMETHYL)-, TRISODIUM SALT Rapidly biodegradable.

GEL S.p.A.	Revision nr. 4  Dated 29/06/2016
Scheda di sicurezza N.SS 344 - LONG LIFE 200	Printed on 21/12/2016
Scheda di Siculezza N.33 344 - LONG Eli E 200	Page n. 7/10
12.3. Bioaccumulative potential.	
Information not available.	
12.4. Mobility in soil.	
Information not available.	
illionnation not available.	
12.5. Results of PBT and vPvB assessment.	
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.	
12.6. Other adverse effects.	
Information not available.	
SECTION 13. Disposal considerations.	
•	
13.1. Waste treatment methods.	
Reuse, when possible. Neat product residues should be considered special non-hazardous waste.  Disposal must be performed through an authorised waste management firm, in compliance with national and local report and the product residues and local report and	gulations.
CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulation	ns.
SECTION 14. Transport information.	
CLOTION 14. Transport information.	
14.1. UN number.	
Not applicable.	
14.2. UN proper shipping name.	
Not applicable.	
14.3. Transport hazard class(es).	
Not applicable.	
14.4. Packing group.	

GEL S.p.A.	Revision nr. 4
·	Dated 29/06/2016
Scheda di sicurezza N.SS 344 - LONG LIFE 200	Printed on 21/12/2016
	Page n. 8/10
Not applicable.	
14.5. Environmental hazards.	
Net applicable	
Not applicable.	
14.6. Special precautions for user.	
Not applicable.	
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.	
Information not relevant.	
SECTION 15. Regulatory information.	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.	
Seveso category. None.	
<u>Seveso category.</u> None.	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.	
None.	
Substances in Candidate List (Art. 59 REACH).	
Substances in Candidate List (Art. 39 REACH).	
None.	
Substances subject to authorisarion (Annex XIV REACH).	
None	
None.	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None.	
Substances subject to the Rotterdam Convention:	
None.	
Substances subject to the Stockholm Convention:	
None.	
Healthcare controls.	

Revision nr. 4

Dated 29/06/2016

Printed on 21/12/2016

Page n. 9/10

### Scheda di sicurezza N.SS 344 - LONG LIFE 200

Information not available.

#### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

#### **SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

H290 May be corrosive to metals.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology

GEL S.p.A.	Revision nr. 4	
OLL O.P.A.	Dated 29/06/2016	
Scheda di sicurezza N.SS 344 - LONG LIFE 200	Printed on 21/12/2016	

Page n. 10/10

- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

Changes to previous review:
The following sections were modified:
01 / 02 / 03 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.