Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

Page n. 1/11

# Safety Data Sheet

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name

**LONG LIFE 100 SOLAR** 

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

Ready-to-use multifunction product to control corrosion, scale and frost protection in solar heating systems. In relation to usual heat transfer products, Long Life 100 Solar has been formulated to guarantee a higher thermal stability of atoxic glycol, thus ensuring a frost protection down to -20 °C. Long Life 100 Solar can be used on all materials normally present in the system.

#### 1.3. Details of the supplier of the safety data sheet

Name GEL S.p.A.

Full address VIA ENZO FERRARI N.1
District and Country 60022 CASTELFIDARDO (AN)

ITALIA Tel. 0717827 Fax 0717808175

e-mail address of the competent person

responsible for the Safety Data Sheet tecnico@gel.it

#### 1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni Azienda Ospedaliero Universitaria Careggi, Firenze, Tel 055 7947819

### **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

Hazard pictograms: -

Signal words: --

Hazard statements:

Precautionary statements:

--

### 2.3. Other hazards

### Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

Page n. 2/11

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions Regulation (EU) 1272/2008 (CLP) (and subsequent amendments and supplements) in such quantities as to require the statement.

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018
Page n. 3/11

#### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

#### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References:

DEU

Deutschland TRGS 900 (Fassung 4.11.2016) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte

DNK

Danmark Graensevaerdier per stoffer og materialer

ESP

España INSHT - Límites de exposición profesional para agentes químicos en España 2017

## Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

Page n. 4/11

GBR

United Kingdom

EH40/2005 Workplace exposure limits

NLD

Nederland

Databank of the social and Economic Concil of Netherlands (SER)  $\,$  Values, AF 2011:18

TLV-ACGIH ACGIH 2017

1,2-PROPANEDIOL	
Threshold Limit Value	)

Туре	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
WEL						
	GBR	474	150			
Predicted no-effect conce	entration - PNEC					
Normal value in fresh wa	ter			260	mg/l	
Normal value in marine v	vater			26	mg/l	
Normal value for fresh wa	ater sediment			572	mg/kg	
Normal value for marine	water sediment			57,2	mg/kg	
Normal value for water, in	ntermittent release			183	mg/l	
Normal value of STP mic	roorganisms			20000	mg/l	
Normal value for the terre	estrial compartment			50	mg/kg	

Health - Derived no-effect level -	DNEL / DMEL

Houlds Don't carlo chico	LICTOL DIVEE / E	/IVI <b></b>						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Chronic local	Acute local	Acute	Chronic
				systemic			systemic	systemic
Inhalation	•		10 mg/m3	50 mg/m3			10 mg/m3	168 mg/m3

### TRIETHANOLAMINE

Threshold Limit Valu	ıe						
Туре	Country	ntry TWA/8h		STEL/15min			
		mg/m3	ppm	mg/m3	ppm		
MAK							
	DEU	5		20		INHAL	
TLV							
	DNK	3,1	0,5				
VLA							
	ESP	5					
OEL							
	NLD	5					
TI V-ACGIH							

TLV-ACGIH

5

ALANINE, N,N-B	S(CARBOXYMETHYL)	)-, TRISODIUM SALT
----------------	------------------	--------------------

Predicted no-effect concentration - PNEC		
Normal value in fresh water	2	mg/l
Normal value in marine water	0,2	mg/l

Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

Page n. 5/11

### Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

Normal value for fresh water sediment	24	mg/kg/d	
Normal value for water, intermittent release	1	mg/l	
Normal value of STP microorganisms	100	mg/l	
Normal value for the terrestrial compartment	2,5	mg/kg/d	

Health - Derived no-ef	fect level - DNEL / DN	1EL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Chronic local	Acute local	Acute systemic	Chronic systemic
Oral	VND	85 mg/kg bw/d	VND	17 mg/kg bw/d				
Inhalation	20 mg/m3	20 mg/m3	2 mg/m3	20 mg/m3	40 mg/m3	40 mg/m3	4 mg/m3	40 mg/m3
Skin	400 mg/kg bw/d	400 mg/kg bw/d	VND	25 mg/kg bw/d	2000 mg/cm2	2000 mg/kg bw/d	VND	170 mg/kg bw/d

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

#### 8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

None required.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance liquid
Colour colourless
Odour odourless
Odour threshold Not available
pH Not available

Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

Page n. 6/11

Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point Not available Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Not available Vapour pressure Vapour density Not available Relative density 1,02 - 1,04 Kg/l soluble in water Solubility Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Not available Viscosity Explosive properties Not available Oxidising properties Not available

#### 9.2. Other information

Information not available

### **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 1,2-PROPANEDIOL

Hygroscopic. Stable in normal conditions of use and storage.

At high temperatures it tends to oxidate to form propionaldehyde and lactic and acetic acid.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 1,2-PROPANEDIOL

May react dangerously with: acid chlorides,acid anhydrides,oxidising agents.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

#### 1,2-PROPANEDIOL

May develop: carbon oxides.

### Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

#### Page n. 7/11

### Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

### **SECTION 11. Toxicological information**

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### **ACUTE TOXICITY**

LC50 (Inhalation) of the mixture:Not classified (no significant component)

LD50 (Oral) of the mixture:Not classified (no significant component) LD50 (Dermal) of the mixture:Not classified (no significant component)

### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

#### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

### Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

#### Page n. 8/11

Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### **ASPIRATION HAZARD**

Does not meet the classification criteria for this hazard class

### **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

Information not available

#### 12.2. Persistence and degradability

Information not available

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

### **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

# Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

Revision nr. 3 Dated 23/07/2018

Printed on 23/07/2018

Concad di Sicurozza N.30 040 EGNO Eli E 100 GGEAN	Page n. 9/11
14.1. UN number	
Not applicable	
14.2. UN proper shipping name	
Not applicable	
14.3. Transport hazard class(es)	
Not applicable	
14.4. Packing group	
Not applicable	
14.5. Environmental hazards	
Not applicable	
14.6. Special precautions for user	
Not applicable	
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code	
Information not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EC: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
None	
Substances in Candidate List (Art. 59 REACH)	

Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

Page n. 10/11

### Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

### **SECTION 16. Other information**

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- · IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

Revision nr. 3

Dated 23/07/2018

Printed on 23/07/2018

Page n. 11/11

### Scheda di sicurezza N.SS 343 - LONG LIFE 100 SOLAR

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: