



Principale

IPF K	Prisma
Compatibilitate gama	Prisma G Prisma Pack 250
Tip produs sau componenta	Șină
Panou pliant	Accesoriu de instalare
Tip de sina	Modular
Dispozitiv instalat	Multi 9: fix modular device Acti 9: fix modular device Vigirex: RH10 Vigirex: RH21 Vigirex: RH99 TeSys: fix GV2LE TeSys: fix GV2ME TeSys: fix GV2RTn Multi 9: fix modular device <= 40 A Acti 9: fix modular device <= 40 A Multi 9: fix NG125 cu protecție punere la pământ - comandă: comutare Multi 9: fix NG125 fara protecție punere la pământ - comandă: comutare Multi 9: fix NG125 NA - comandă: comutare Acti 9: fix C120 cu protecție punere la pământ - comandă: comutare Acti 9: fix C120 fara protecție punere la pământ - comandă: comutare Vigilohm: fix IM9 Vigilohm: fix IM9-OL Vigilohm: IM20 Vigilohm: IM20H Compact: fix INS40 - comandă: manerul rotativ frontal direct - vertical instalare Compact: fix INS63 - comandă: manerul rotativ frontal direct - vertical instalare Compact: fix INS100 - comandă: manerul rotativ frontal direct - vertical instalare Compact: fix INS125 - comandă: manerul rotativ frontal direct - vertical instalare Compact: fix INS160 - comandă: manerul rotativ frontal direct - vertical instalare Acti 9: fix iC120 cu protecție punere la pământ - comandă: comutare Acti 9: fix iC120 fara protecție punere la pământ - comandă: comutare Acti 9: fix 1/2 or 1 module lamp - orizontal instalare Acti 9: fix measurement device - orizontal instalare Multi 9: fix measurement device - orizontal instalare
Descrierea polilor	9 x 3P : fixed : GV2LE 9 x 3P : fixed : GV2ME

Declinare de responsabilitate: Această documentație nu se substituie și nu trebuie utilizată pentru stabilirea adecvării sau fiabilității acestor produse pentru aplicații utilizator

9 x 3P : fixed : GV2RTn
 1 x 3P : fixed : NG125
 1 x 3P : fixed : NG125 NA
 1 x 3P : fixed : C120
 1 x 4P : fixed : NG125
 1 x 4P : fixed : NG125 NA
 1 x 4P : fixed : C120
 1 x 3P : fixed : INS40 vertical installation
 1 x 3P : fixed : INS63 vertical installation
 1 x 3P : fixed : INS100 vertical installation
 1 x 3P : fixed : INS125 vertical installation
 1 x 3P : fixed : INS160 vertical installation
 1 x 3P : fixed : iC120
 1 x 4P : fixed : INS40 vertical installation
 1 x 4P : fixed : INS63 vertical installation
 1 x 4P : fixed : INS100 vertical installation
 1 x 4P : fixed : INS125 vertical installation
 1 x 4P : fixed : INS160 vertical installation
 1 x 4P : fixed : iC120

Suplimentare

Descriere cofret/dulap	Carcasa de podea - width 600 mm Carcasa cu montare pe perete - width 600 mm Carcasa pachet - width 600 mm
Number of vertical modules [50 mm]	2 module(s) : 1/2 or 1 module lamp , direct in 600 mm Wide floor-standing enclosure 2 module(s) : 1/2 or 1 module lamp , direct in 600 mm Wide wall-mounted enclosure 5 module(s) : C120 without earth leakage protection , direct in 600 mm Wide floor-standing enclosure 5 module(s) : C120 without earth leakage protection , direct in 600 mm Wide wall-mounted enclosure 3 module(s) : GV2LE , direct in 600 mm Wide floor-standing enclosure 3 module(s) : GV2LE , direct in 600 mm Wide wall-mounted enclosure 3 module(s) : GV2ME , direct in 600 mm Wide floor-standing enclosure 3 module(s) : GV2ME , direct in 600 mm Wide wall-mounted enclosure 3 module(s) : GV2RTn , direct in 600 mm Wide floor-standing enclosure 3 module(s) : GV2RTn , direct in 600 mm Wide wall-mounted enclosure 5 module(s) : iC120 without earth leakage protection , direct in 600 mm Wide floor-standing enclosure 5 module(s) : iC120 without earth leakage protection , direct in 600 mm Wide wall-mounted enclosure 3 module(s) : IM20 in 600 mm Wide floor-standing enclosure 3 module(s) : IM20 in 600 mm Wide wall-mounted enclosure 3 module(s) : IM20H in 600 mm Wide floor-standing enclosure 3 module(s) : IM20H in 600 mm Wide wall-mounted enclosure 3 module(s) : IM9 in 600 mm Wide floor-standing enclosure 3 module(s) : IM9 in 600 mm Wide wall-mounted enclosure 3 module(s) : IM9-OL in 600 mm Wide floor-standing enclosure 3 module(s) : IM9-OL in 600 mm Wide wall-mounted enclosure 4 module(s) : INS100 , direct in 600 mm Wide floor-standing enclosure 4 module(s) : INS100 , direct in 600 mm Wide wall-mounted enclosure 5 module(s) : INS100 , direct in 600 mm Wide floor-standing enclosure 5 module(s) : INS100 , direct in 600 mm Wide wall-mounted enclosure 4 module(s) : INS125 , direct in 600 mm Wide floor-standing enclosure 4 module(s) : INS125 , direct in 600 mm Wide wall-mounted enclosure 5 module(s) : INS125 , direct in 600 mm Wide floor-standing enclosure 5 module(s) : INS125 , direct in 600 mm Wide wall-mounted enclosure 4 module(s) : INS160 , direct in 600 mm Wide floor-standing enclosure 4 module(s) : INS160 , direct in 600 mm Wide wall-mounted enclosure 5 module(s) : INS160 , direct in 600 mm Wide floor-standing enclosure 5 module(s) : INS160 , direct in 600 mm Wide wall-mounted enclosure 4 module(s) : INS40 , direct in 600 mm Wide floor-standing enclosure 4 module(s) : INS40 , direct in 600 mm Wide wall-mounted enclosure 4 module(s) : INS63 , direct in 600 mm Wide floor-standing enclosure 4 module(s) : INS63 , direct in 600 mm Wide wall-mounted enclosure 2 module(s) : measurement device , direct in 600 mm Wide floor-standing enclosure 2 module(s) : measurement device , direct in 600 mm Wide wall-mounted enclosure 2 module(s) : measurement device , direct in 600 mm Wide Pack enclosure 3 module(s) : modular device <= 40 A , direct in 600 mm Wide floor-standing enclosure 3 module(s) : modular device <= 40 A , direct in 600 mm Wide wall-mounted enclosure 8 module(s) : modular device <= 40 A , direct in 600 mm Wide floor-standing enclosure 8 module(s) : modular device <= 40 A , direct in 600 mm Wide wall-mounted enclosure 6 module(s) : modular device <= 40 A , direct in 600 mm Wide Pack enclosure 6 module(s) : modular device , direct in 600 mm Wide Pack enclosure 4 module(s) : modular device , direct in 600 mm Wide floor-standing enclosure 4 module(s) : modular device , direct in 600 mm Wide wall-mounted enclosure 5 module(s) : NG125 without earth leakage protection , direct in 600 mm Wide floor-standing enclosure

5 module(s) : NG125 without earth leakage protection , direct in 600 mm Wide wall-mounted enclosure
 5 module(s) : NG125 NA , direct in 600 mm Wide floor-standing enclosure
 5 module(s) : NG125 NA , direct in 600 mm Wide wall-mounted enclosure
 3 module(s) : RH10 , direct in 600 mm Wide floor-standing enclosure
 3 module(s) : RH10 , direct in 600 mm Wide wall-mounted enclosure
 3 module(s) : RH21 , direct in 600 mm Wide floor-standing enclosure
 3 module(s) : RH21 , direct in 600 mm Wide wall-mounted enclosure
 3 module(s) : RH99 , direct in 600 mm Wide floor-standing enclosure
 3 module(s) : RH99 , direct in 600 mm Wide wall-mounted enclosure
 5 module(s) : C120 with earth leakage protection , direct in 600 mm Wide floor-standing enclosure
 5 module(s) : C120 with earth leakage protection , direct in 600 mm Wide wall-mounted enclosure
 5 module(s) : iC120 with earth leakage protection , direct in 600 mm Wide floor-standing enclosure
 5 module(s) : iC120 with earth leakage protection , direct in 600 mm Wide wall-mounted enclosure
 5 module(s) : NG125 with earth leakage protection , direct in 600 mm Wide floor-standing enclosure
 5 module(s) : NG125 with earth leakage protection , direct in 600 mm Wide wall-mounted enclosure

NSX125 - 250 DC PV	48
Cantitate per set	Set de 1
+/- 1 % of the measuring range	93.5 mm
200 mA	600 mm
M340/Pemium/Quantum	50 mm
EN/IEC 60079-11	0.24 kg
Culoare	Gri

Mediu

Standarde	IEC 61439-2 IEC 61439-1
Certificari produs	ASEFA

Durabilitatea ofertei

Sustainable offer status	Green Premium product
RoHS	Conform cu - de la 0807 - Declaratie de conformitate Schneider Electric Declaratie de conformitate Schneider Electric
REACH	Referința nu conține SVHC peste prag Referința nu conține SVHC peste prag
Profil de mediu pentru produs	Disponibil Fișă cu informații de mediu despre produs
Instrucțiuni sfârșit de viață produs	Nu necesită operații specifice de reciclare

Garan#ie contractuală

Perioada	18 luni
----------	---------