

Strand 33,3x90 R

REVESTIMIENTO PASTA BLANCA / WHITE BODY WALL TILE



Strand Beige



Strand Natural

FORMATO / SIZE

ACABADO/FINISH

GRUPO / GROUP

TIPO/ TYPE

33,3x90 R / 13''x36''

Mate / Matt

BIII

Cemento / Cement



MATE
MATT



REVESTIMIENTO
WALL TILES



MADERA
WOOD



RELIEVE
RELIEF



RECTIFICADO
RECTIFIED



VARIACIÓN
VARIATION

DESCRIPCIÓN DEL TEST / TEST DESCRIPTION		VALOR DEL TEST / TEST VALUE		NORMA / STANDARD
Absorción de agua / Water absorption		Ev>10%	Cumple / Complies	UNE-EN ISO 10545-3
Fuerza de rotura / Breaking Strength		≥ 600 N	Cumple / Complies	UNE-EN ISO 10545-4
Resistencia a la flexión / Modulus of rupture		≥ 12 N/mm ²	Cumple / Complies	UNE-EN ISO 10545-4
Abrasion superficial / Surface Abrasion		-	-	UNE-EN-ISO 10545-7
Resistencia al cuarteo / Crazeing resistance		Requerido / Requested	Cumple / Complies	UNE-EN ISO 10545-11
Resistencia a la helada / Frost resistance		Requerido / Requested	Cumple / Complies	UNE-EN ISO 10545-12
Resistencia química / Chemical resistance	Productos domésticos y de piscina / Household chemicals and swimming pool salts	Mínimo clase B / Minimum class B	Cumple / Complies	UNE-EN ISO 10545-13
	Ácidos a baja concentración / Low concentration of acids	Mínimo clase LB / Minimum class LB	Valor declarado / Declared value	UNE-EN ISO 10545-13
	Bases a baja concentración / Low concentration of alkalis	Mínimo clase LB / Minimum class LB	Valor declarado / Declared value	UNE-EN ISO 10545-13
Resistencia a las manchas / Stain resistance		Mínimo clase 3 / Minimum Class 3	Cumple / Complies	UNE-EN ISO 10545-14

08/11/2021

Partida Casablanca 6, 12593 Moncofar, Castellón . Spain

Phone : +34 964 584 069 - email: info@ktlceramica.com - web : www.ktlceramica.com

KTL
CERAMICA