

Confluo Compact Line Primo



Confluo Compact Line Primo


Confluo Compact Line Primo drain made of polypropylene with ABS grid holder, with no side inlets and one horizontal DN 50mm outlet, minimum installation height of 52mm and flow rate of 48 l/min. Base of the drain without socket with water sealing height of 25mm, with height adjustable reducer for linear drain, feet for height and inclination adjustment and with hair stopper. Stainless steel grid with the possibility of installing ceramic tiles, marble or glass in it. Stainless steel mask and grid class K3.

IMPORTANT TECHNICAL INFORMATION	
Minimum installation height	52mm
Lengths (sizes represent length of grid)	450mm, 550mm, 650mm, 750mm, 850mm
Width holder of grid/mask/grid	120mm/75mm/55mm
Flow rate (by EN 1253)	48 l/min
Outlet	Ø 50mm
Water seal height	25mm
Maximum ceramic thickness between holder of grid and grid (numbers describe constructional height, without glue for ceramics)	12mm/14mm
Grid load class (by EN 1253)	K3 - withstands 300 kg pressure
Grid material	Stainless steel AISI 304 (optional AISI 316)
Body material	ABS (holder of grid)/PP (reducer, base)

MAIN ADVANTAGES:


- Low installation height - 52mm
- High flow rate - 48 l/min
- Easy installation & maintenance
- 360° rotatable self-cleaning S base

52 mm	48 l/min	2 in 1 system	SCAL	K3
50 outlet	360° base rotation	25 mm	AISI 304	






NOTE: Drains in length of 450, 550 and 650 come in package with two sets of legs for adjusting of height. Drains in length 750 and 850 come in package with four sets of legs for adjusting of height.

L mm	450	550	650	750	850
L1 mm	438	538	638	738	838
L2 mm	453	553	653	753	853
L3 mm	496	596	696	796	896



Code	Name	Weight	Blister dimensions
13702508	CONFLUO "PRIMO COMPACT LINE 450"	1462	650mm x 330mm x 260mm
13702509	CONFLUO "PRIMO COMPACT LINE 550"	1711	650mm x 330mm x 260mm
13702510	CONFLUO "PRIMO COMPACT LINE 650"	1969	950mm x 330mm x 260mm
13702511	CONFLUO "PRIMO COMPACT LINE 750"	2235	950mm x 330mm x 260mm
13702512	CONFLUO "PRIMO COMPACT LINE 850"	2530	950mm x 330mm x 260mm

* Package contains 6 blisters



Ultra low S base



1300 Kaplara br. 189
34301 Bukovik
Arandelovac
Srbija

Headquarters: +381 (0) 34/700-300
Commercial: +381 (0) 34/700-336
+381 (0) 34/700-306
+381 (0) 34/700-338

office@pestan.net
www.pestan.net