

Multiprofile press fittings for multilayer pipe with aluminum inside.


Leak before press

5T00.00 Double straight fitting



Code	Size	Thickness	Bag	Box
5T0000H162000T	16x16	2.0	10	100
5T0000H202000T	20x20	2.0	10	90
5T0000H263000T	26x26	3.0	5	40
5T0000H323000T	32x32	3.0	5	25

5T00.01 Male straight fitting



Code	Size	Thickness	Bag	Box
5T0001H031620T	3/8"x16	2.0	10	120
5T0001H041620T	1/2"x16	2.0	10	120
5T0001H042020T	1/2"x20	2.0	10	100
5T0001H042630T	1/2"x26	3.0	5	50
5T0001H051620T	3/4"x16	2.0	10	90
5T0001H052020T	3/4"x20	2.0	10	80
5T0001H052630T	3/4"x26	3.0	5	50
5T0001H102630T	1"x26	3.0	5	40
5T0001H103230T	1"x32	3.0	5	40

5T00.02

Female straight fitting



Code	Size	Thickness	Bag	Box
5T0002H041620T	1/2"x16	2.0	10	100
5T0002H042020T	1/2"x20	2.0	10	80
5T0002H042630T	1/2"x26	3.0	5	50
5T0002H051620T	3/4"x16	2.0	10	50
5T0002H052020T	3/4"x20	2.0	10	50
5T0002H052630T	3/4"x26	3.0	5	40
5T0002H102630T	1"x26	3.0	5	40
5T0002H103230T	1"x32	3.0	5	30

5T00.03

Double straight fitting



Code	Size	Thickness	Bag	Box
5T0003H665600T	20x16	2.0/2.0	10	100
5T0003H775600T	26x16	3.0/2.0	5	40
5T0003H776600T	26x20	3.0/2.0	5	40
5T0003H806600T	32x20	3.0/2.0	5	30
5T0003H807700T	32x26	3.0/3.0	5	30

Note:


Further dimensions above DN 32 are in preparation and will be gradually added over the next few months. Please contact the Area Manager in charge.

5T00.10 Tee



Code	Size	Thickness	Bag	Box
5T0010H162000T	16x16x16	2.0	10	50
5T0010H202000T	20x20x20	2.0	10	40
5T0010H263000T	26x26x26	3.0	5	20
5T0010H323000T	32x32x32	3.0	5	10

5T00.11 Male tee



Code	Size	Thickness	Bag	Box
5T0011H041620T	16x1/2"x16	2.0	10	60
5T0011H042020T	20x1/2"x20	2.0	10	40
5T0011H042630T	26x1/2"x26	3.0	5	25
5T0011H052020T	20x3/4"x20	2.0	10	30
5T0011H052630T	26x3/4"x26	3.0	5	25
5T0011H102630T	26x1"x26	3.0	5	20
5T0011H103230T	32x1"x32	3.0	5	10

5T00.12 Female tee



Code	Size	Thickness	Bag	Box
5T0012H041620T	16x1/2"x16	2.0	10	50
5T0012H042020T	20x1/2"x20	2.0	10	40
5T0012H042630T	26x1/2"x26	3.0	5	30
5T0012H052020T	20x3/4"x20	2.0	10	30
5T0012H052630T	26x3/4"x26	3.0	5	25
5T0012H102630T	26x1"x26	3.0	5	20
5T0012H103230T	32x1"x32	3.0	5	10

5T00.13 Reduced tee



Code	Size	Thickness	Bag	Box
5T0013H566656T	16x20x16	2.0/2.0/2.0	10	40
5T0013H666565T	20x16x16	2.0/2.0/2.0	10	40
5T0013H666566T	20x16x20	2.0/2.0/2.0	10	40
5T0013H666656T	20x20x16	2.0/2.0/2.0	10	40
5T0013H667766T	20x26x20	2.0/3.0/2.0	5	20
5T0013H775656T	26x16x16	3.0/2.0/2.0	5	20
5T0013H775666T	26x16x20	3.0/2.0/2.0	5	20
5T0013H775677T	26x16x26	3.0/2.0/3.0	5	20
5T0013H776666T	26x20x20	3.0/2.0/2.0	5	20
5T0013H776677T	26x20x26	3.0/2.0/3.0	5	20
5T0013H777756T	26x26x16	3.0/3.0/2.0	5	20
5T0013H777766T	26x26x20	3.0/3.0/2.0	5	20
5T0013H777777T	26x26x26	3.0/3.0/3.0	5	15
5T0013H800000T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800001T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800002T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800003T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800004T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800005T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800006T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800007T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800008T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800009T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800010T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800011T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800012T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800013T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800014T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800015T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800016T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800017T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800018T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800019T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800020T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800021T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800022T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800023T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800024T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800025T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800026T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800027T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800028T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800029T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800030T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800031T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800032T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800033T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800034T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800035T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800036T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800037T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800038T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800039T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800040T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800041T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800042T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800043T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800044T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800045T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800046T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800047T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800048T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800049T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800050T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800051T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800052T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800053T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800054T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800055T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800056T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800057T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800058T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800059T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800060T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800061T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800062T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800063T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800064T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800065T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800066T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800067T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800068T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800069T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800070T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800071T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800072T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800073T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800074T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800075T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800076T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800077T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800078T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800079T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800080T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800081T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800082T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800083T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800084T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800085T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800086T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800087T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800088T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800089T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800090T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800091T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800092T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800093T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800094T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800095T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800096T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800097T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800098T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800099T	32x32x32	3.0/3.0/3.0	5	10
5T0013H800100T	32x32x32	3.0/3.0/3.0	5	10

5T00.20 Double elbow




Code	Size	Thickness	Bag	Box
5T0020H162000T	16x16	2.0	10	100
5T0020H202000T	20x20	2.0	10	60
5T0020H263000T	26x26	3.0	5	30
5T0020H323000T	32x32	3.0	5	20

Note:

Further dimensions above DN 32 are in preparation and will be gradually added over the next few months. Please contact the Area Manager in charge.

5T00.21 Male elbow



Code	Size	Thickness	Bag	Box
5T0021H041620T	1/2"x16	2.0	10	100
5T0021H042020T	1/2"x20	2.0	10	60
5T0021H052020T	3/4"x20	2.0	10	60
5T0021H052630T	3/4"x26	3.0	5	40
5T0021H102630T	1"x26	3.0	5	25
5T0021H103230T	1"x32	3.0	5	20

5T00.22 Female elbow



Code	Size	Thickness	Bag	Box
5T0022H041620T	1/2"x16	2.0	10	80
5T0022H042020T	1/2"x20	2.0	10	60
5T0022H042630T	1/2"x26	3.0	5	30
5T0022H052020T	3/4"x20	2.0	10	50
5T0022H052630T	3/4"x26	3.0	5	30
5T0022H102630T	1"x26	3.0	5	25
5T0022H103230T	1"x32	3.0	5	25

5T00.23 Wallplate elbow with 3 holes




Code	Size	Thickness	Bag	Box
5T0023H041620T	1/2"x16 H=47	2.0	10	50
5T0023H042020T	1/2"x20 H=49	2.0	10	40
5T0023H052020T	3/4"x20 H=52	2.0	10	30
5T0023H052630T	3/4"x26 H=52	3.0	5	25
Compact				
5T0023H041635T	1/2"x16 H=35	2.0	10	50

5T00.K4 Elbow 45°



Code	Size	Thickness	Bag	Box
5T00K4H263000T	26 x 26	3.0	5	30
5T00K4H323000T	32 x 32	3.0	5	15

AC00.80 Sectionable bracket with screws – for item 5T00.23/5T00.34



Code	Bag	Box
AC0080H75B506H	1	12

Moulded bracket for female elbow with flange fastening to wall, zinc-plated 1.5 mm, mould depth 30 mm, symmetrical, laying distance center to center 75 – 150 mm, possible grade 0°/7.5°/15°. It is suitable for any support (plasterboard, wood, masonry). Length 370 mm. together with screws for fittings fastening.

5T00.30 Radiator end connection



Code	Size	Thickness	Bag	Box
5T0030N161500T	16x15 H 50	2.0	10	70
5T0030N161501T	16x15 H 150	2.0	5	40
5T0030N161502T	16x15 H 300	2.0	2	40

Note:

Further dimensions above DN 32 are in preparation and will be gradually added over the next few months. Please contact the Area Manager in charge.

5T00.34


Double wallplate elbow with 3 holes



Code	Size	Thickness	Bag	Box
5T0034H160416T	16x1/2"x16	2.0	5	15
5T0034H200420T	20x1/2"x20	2.0	5	15

5T00.C6

Bracket and end fittings



Code	Size	Thickness	Bag	Box
5T00C6H045656T	1/2"x16	2.0	1	12
5T00C6H046666T	1/2"x20	2.0	1	12

5T00.K7

Bracket and end fittings



Code	Size	Thickness	Bag	Box
5T00K7H045656T	1/2"x16	2.0	1	10
5T00K7H046666T	1/2"x20	2.0	1	8

5T00.C1 Cap



Code	Size	Thickness	Bag	Box
5T00C1H162000T	16	2.0	10	100
5T00C1H202000T	20	2.0	10	100

PR5T.75 Inwall valve



Code	Size	Thickness	Bag	Box
PR5T75N162000A	16x16	2.0	6	12
PR5T75N202000A	20x16	2.0	6	12

5T00.74 Inwall valve with extractable shut



Code	Size	Thickness	Bag	Box
5T0074H162000T	16x16	2.0	6	12
5T0074H202000T	20x20	2.0	6	12

Note:

Further dimensions above DN 32 are in preparation and will be gradually added over the next few months. Please contact the Area Manager in charge.

6R00.76

Complete shut for inwall valve



Code	Bag	Box
6R0076H042219H	-	-

5S00.43

Extension for inwall valve for art. PR5T.75/5T00.74PR5T.75 / 5T00.74



Code	Bag	Box
5S0043H221900H	-	150

5S00.84

Lever and plate



Code	Bag	Box
5S0084C081602H	-	-

5S00.84 BLUE

Blue handle and plate



Code	Bag	Box
5S0084C0816B1H	-	-

5S00.84 RED

Red handle and plate



Code	Bag	Box
5S0084C0816R1H	-	-

5W00.84

Cover and plate




Code	Bag	Box
5W0084C081600H	-	-

Note:
Further dimensions above DN 32 are in preparation and will be gradually added over the next few months. Please contact the Area Manager in charge.

5T00.C7

Straight fitting with loose nut and flat washer



Code	Size	Thickness	Bag	Box
5T00C7H041620T	1/2"x16	2.0	10	100
5T00C7H042020T	1/2"x20	2.0	10	100
5T00C7H051620T	3/4"x16	2.0	10	100
5T00C7H052020T	3/4"x20	2.0	10	60
5T00C7H052630T	3/4"x26	3.0	5	60
5T00C7H102630T	1"x26	3.0	5	60
5T00C7H123230T	1"1/4x32	3.0	5	25

5T00.G3


Elbow with loose nut and flat surface



Code	Size	Thickness	Bag	Box
5T00G3H041620T	1/2"x16	2.0	10	80
5T00G3H042020T	1/2"x20	2.0	10	60
5T00G3H052020T	3/4"x20	2.0	10	50
5T00G3H052630T	3/4"x26	3.0	5	30

5T00.I5


Straight fitting with O-Ring and loose nut taper end



Code	Size	Thickness	Bag	Box
5T00I5H041620T	1/2"x16	2.0	10	100
5T00I5H042020T	1/2"x20	2.0	10	100
5T00I5H051620T	3/4"EK. x16	2.0	10	100
5T00I5H052020T	3/4"EK. x20	2.0	10	80

5T00.I5.N

Nickel plated straight fitting with O-Ring and loose nut taper end



Code	Size	Thickness	Bag	Box
5T00I5N041620T	1/2"x16	2.0	10	100
5T00I5N042020T	1/2"x20	2.0	10	100
5T00I5N051620T	3/4" EK. x16	2.0	10	100
5T00I5N052020T	3/4" EK. x20	2.0	10	80

Note:

Further dimensions above DN 32 are in preparation and will be gradually added over the next few months. Please contact the Area Manager in charge.

5T00.07

Straight fitting adapter for copper and steel pipe



Code	Size	Thickness	Bag	Box
5T0007H162025T	16x15	2.0	10	150
5T0007H202031T	20x22	2.0	10	80
5T0007H202231T	20x22	2.25	10	80
5T0007H262231T	26x22	3.0	5	50

5T00.85

Straight fittings adapter for copper and steel pipe



Code	Size	Thickness	Bag	Box
5T0085H161500T	16x15	2.0	10	120
5T0085H202200T	20x22	2.0	10	50
5T0085H262200T	26x22	3.0	5	50

5T00.N2

Straight fittings adapter for copper press



Code	Size	Thickness	Copper profile	Bag	Box
5T00N2R161500T	15-16	2.0	V	10	120
5T00N2R16150MT	15-16	2.0	M	10	120
5T00N2R20150MT	15-20	2.0	M	10	-
5T00N2R202200T	22-20	2.0	V	10	60
5T00N2R20220MT	22-20	2.0	M	10	60
5T00N2R26220MT	22-26	3.0	M	5	-

15-16, 15-20, 22-20 TH-H-U
22-26 TH-H