

## Destinatar

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

## Expeditor

**Cod articol :** **Customer pos. no.:**

60220931

**Articol:**

EVOPLUS 60/180 M

## Date pompa

Presiune nominala: 1600 kPa  
Temperatura min. fluid: -10 °C  
Temperatura max. fluid: 110 °C  
EEI: ≤ 0,20

## Presiune minima la nivelul apei:

Temperatura: °C 90 100  
Presiune minima la nivelul apei: m 20 25

## Date de functionare cerute

Debit:  
Inaltime de pompare:  
Fluid pompat (%):  
Temperatura fluid: 20 °C  
Densitate: 998.3 kg/m³  
Vascozitate cinematica: 1.005 mm²/s  
Presiune de vapori: 2.34 kPa



## Date disponibile:

Debit:  
Inaltime de pompare:

## Materiale

Corp pompa: Cast iron 250 UNI ISO 185 with Cataphoresis  
Rotor: Tecnopolimer  
Arbore motor: Alumina  
Inel de etansare: EPDM  
Carcasa motorului: Die cast aluminium with Cataphoresis  
Flansa de inchidere: Otel inox  
Suport inel de echilibrare: EPDM

## Curve tolerance according to ISO 9906



## Date motor

Marca: DAB  
Max. Power input P1: 0.097 kW  
Tensiune nominala: 1~ 220-240 V 50 Hz  
Curent nominal: 0.71 A  
Grad de protecție: IP 44

## Dimensiuni de gabarit mm

|    |         |    |     |  |  |  |  |
|----|---------|----|-----|--|--|--|--|
| B  | 224     | H1 | 124 |  |  |  |  |
| B1 | 65      | H2 | 204 |  |  |  |  |
| B2 | 159     | L  | 180 |  |  |  |  |
| D  | 32      | L1 | 90  |  |  |  |  |
| D1 | 1"1/2 G | L2 | 90  |  |  |  |  |
| H  | 124     |    |     |  |  |  |  |

**Masa** 4.5 kg

## Racorduri pompa:

Partea cu aspiratia: 1"1/2 G  
Partea cu refularea: 1"1/2 G


Destinatar

Expeditor

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

## EVOPLUS 60/180 M

Curve tolerance according to ISO 9906



Partea cu aspiratia:  
1"1/2 G  
1600 kPa

Partea cu refularea:  
1"1/2 G  
1600 kPa

Debit :

Înaltime de pompare :

Viteza nominala:  
2900 1/min

Oferta

ID oferta

Creat de

Creat

08/12/2025



## DESEN DIMENSIONAL

08/12/2025

Pagina 3 / 3



DAB PUMPS S.p.A.  
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy  
Tel. +39 049 5125000 - Fax +39 049 5125950  
www.dabpumps.com

Destinatar

Expeditor

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

### EVOPLUS 60/180 M



#### Dimensiuni in mm

#### Racorduri pompa:

|    |    |         |  |  |  |  |           |
|----|----|---------|--|--|--|--|-----------|
| 1  | B  | 224     |  |  |  |  |           |
| 2  | B1 | 65      |  |  |  |  | Aspiratie |
| 3  | B2 | 159     |  |  |  |  | 1"1/2 G   |
| 4  | D  | 32      |  |  |  |  | 1600 kPa  |
| 5  | D1 | 1"1/2 G |  |  |  |  |           |
| 6  | H  | 124     |  |  |  |  |           |
| 7  | H1 | 124     |  |  |  |  | Refulare  |
| 8  | H2 | 204     |  |  |  |  | 1"1/2 G   |
| 9  | L  | 180     |  |  |  |  | 1600 kPa  |
| 10 | L1 | 90      |  |  |  |  |           |
| 11 | L2 | 90      |  |  |  |  |           |

Oferta

ID oferta

Creat de

Creat

08/12/2025