

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor
Cod articol :

60179956

Articol:

2 K 55/50 T IE3

Date pompa

MEI $\geq$ ---

\$Product version Versione con serbatoi

Presiune nominala: PN 10

Temperatura min. fluid -10 °C

Temperatura max. fluid 50 °C

Temperatura max. ambianta 40 °C

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat : Apa

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Date motor (1 motor):

Brand: DAB

Putere nominala P2: 1.85 kW

Viteza nominala: 2850 1/min



Tensiune nominala : 3~ 400 V 50 Hz

Curent nominal : 4.8 A

Grad de protectie: IP 44

Dimensiuni de gabarit mm

A	815		
B	540		
C	500		
D	555		
DNA	2"		
DNM	1"1/2		
E	425		
H	920		
H1	480		
H2	205		

Curve tolerance according to ISO 9906

Masa 92 kg

Racorduri pompa:

Partea cu aspiratia: 2 " / PN 10

Partea cu refularea: 1 " 1/2 / PN 10


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 K 55/50 T IE3

Curve tolerance according to ISO 9906



Partea cu aspiratia:
2"
PN 10

Partea cu refularea:
1" 1/2
PN 10

Debit :

Înaltime de pompare :

Viteza nominala:
2850 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IL

OWNER_

ISSUE_DATE

03/24/2022



DESEN DIMENSIONAL

03/24/2022

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 K 55/50 T IE3



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11
12

A 815
B 540
C 500
D 555
DNA 2"
DNM 1"1/2
E 425
H 920
H1 480
H2 205

Aspiratie
2"
PN 10

Refulare
1" 1/2
PN 10

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE

03/24/2022