

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

105100124

Articol:

ALP 2000 M

Date pompa

Presiune nominala: 10 bar (1000 kPa)
Temperatura min. fluid -15 °C
Temperatura max. fluid 120 °C
Temperatura max. ambienta 40 °C

Date de functionare cerute

Debit :
Inaltime de pompare :
Fluid pompat (%) :
Temperatura fluid: 20 °C
Densitate 998.3 kg/m³
Vascozitate cinematica: 1.005 mm²/s
Presiune de vapori: 2.34 kPa



Date disponibile:

Debit :
Inaltime de pompare :
NPSH :
Shaft power P2 :
Efficiency :

Materiale

Corp pompa Fonta 200 UNI ISO 185
Suport Fonta 200 UNI ISO 185
Rotor Tecnopolimer
Etansare mecanica Carbon/Ceramica
Garnitura OR Cauciuc EPDM
Arbore cu rotor AISI 303 X10 CrNiS 1809 UNI 6900/71

Curve tolerance according to ISO 9906



Masa 14.5 kg

Date motor

Marca : DAB
Putere nominala P2: 0.55 kW
Viteza nominala: 2870 1/min
Tensiune nominala : 1~ 220-240 V 50 Hz
Curent nominal : 3.7 A
Grad de protecție: IP 55

Dimensiuni de gabarit mm

A	386	Ø I	8		
B	174				
C	63				
H	250				
H1	125				
H2	125				
H3	235				
L	95				

Racorduri pompa:

Partea cu aspiratia: 2 " G-M / 10 bar (1000 kPa)
Partea cu refularea: 2 " G-M / 10 bar (1000 kPa)


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

ALP 2000 M

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:
2" G-M
10 bar (1000 kPa)

Partea cu refularea:
2" G-M
10 bar (1000 kPa)

Debit :

Înaltime de pompare :

Viteza nominala:
2870 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE



DESEN DIMENSIONAL

11/23/2021

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

ALP 2000 M



Dimensiuni in mm

Racorduri pompa:

1	A	386							
2	B	174							
3	C	63							Aspiratie
4	H	250							2" G-M
5	H1	125							10 bar (1000 kPa)
6	H2	125							
7	H3	235							Refulare
8	L	95							2" G-M
9	Ø I	8							10 bar (1000 kPa)
10									
11									
12									

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE