

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

102650020

Articol:

AQUAJET 82 M

Date pompa

Presiune nominala: 8 bar (800 kPa)
Temperatura min. fluid 0 °C
Temperatura max. fluid 35 °C
Temperatura max. ambienta 40 °C

Capacitate de amorsare:

H m	2	3	4	5	6	7	8	9
Q m³/h	3.06	2.82	2.46	2.28	2.04	1.68	1.38	1.08

Date de functionare cerute

Debit :
Inaltime de pompare :
Fluid pompat : Apă
Temperatura fluid: 20 °C
Densitate 998.3 kg/m³
Vasozitate cinematica: 1.005 mm²/s
Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :
Inaltime de pompare :

Materiale




Corp pompa Fonta 200 UNI ISO 185
Suport Aluminiu turnat la cald
Rotor Tecnopolimer A
Etansare mecanica Carbon/Ceramica
Garnitura OR Cauciuc NBR
Arbore cu rotor AISI 416 X12 CrS 13 UNI 6900/71
Grup duza difuzor venturi Tecnopolimer A

Date motor

Marca : DAB
Putere nominala P2: 0.6 kW
Viteza nominala: 2750 1/min
Tensiune nominala : 1~ 220-240 V
Curent nominal : 3.8 A
Grad de protectie: IP 44

50 Hz

Curve tolerance according to ISO 9906



Dimensiuni de gabarit

mm

A	543	DNA	1" G	L	305		
A1	390	DNM	1" G				
B	255	H	270				
D	288	H1	239				

Masa 18.2 kg

Racorduri pompa:

Partea cu aspiratia: 1" G / 8 bar (800 kPa)
Partea cu refularea: 1" G / 8 bar (800 kPa)


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

AQUAJET 82 M

Curve tolerance according to ISO 9906



Partea cu aspiratia:
1" G
8 bar (800 kPa)

Partea cu refularea:
1" G
8 bar (800 kPa)

Debit :

Înălțime de pompare :

Viteza nominala:
2750 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE



DESEN DIMENSIONAL

12/11/2021

Pagina 3 / 3



DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

AQUAJET 82 M



Dimensiuni in mm

Racorduri pompa:

1	A	543					
2	A1	390					
3	B	255					
4	D	288					
5	DNA	1"G					
6	DNM	1"G					
7	H	270					
8	H1	239					
9	L	305					
10							
11							
12							

Aspiratie
1" G
8 bar (800 kPa)

Refulare
1" G
8 bar (800 kPa)

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE