

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60180369

Customer pos. no.:

Articol:

2 K 70/300 + KVCX 65/50 IE3

Date pompa

MEI ≥ ---

Diametru rotor:

Presiune nominala: 1000 kPa

Temperatura min. fluid 0 °C

Temperatura max. fluid 40 °C

Temperatura max. ambianta 40 °C

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Materiale

Corp pompa Fonta 200 UNI ISO 185

Suport Fonta 200 UNI ISO 185

Rotor Tecnopolimer B

Etansare mecanica Carbon/Ceramica

Garnitura OR Guarnital

Arbore cu rotor AISI 304 X5 Cr Ni 1810 UNI 6900/71

Disc intermediar Fonta 200 UNI ISO 185

Date motor

Marca : DAB

Putere nominala P2: 2 x 5.5 kW

Viteza nominala: 2900 1/min

Tensiune nominala : 3~ 400 V 50 Hz

Curent nominal : 2 x 12.9 A



Grad de protectie: IP 55

Racorduri pompa:

Partea cu aspiratia: DN 100 / 1000 kPa

Partea cu refularea: DN 80 / 1000 kPa

Curve tolerance according to ISO 9906



WITHOUT the jockey pump, do not consider B1 and D.

Masa

0 kg

Dimensiuni de gabarit mm

A	560	I	800
Amax	1151		
B	782		
B1	199		
C	350		
D	318		
DNA	DN 100		
DNM	DN 80		
E	448		
H1	260		
H2	1310		
H3	807		
H4	1632		


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 K 70/300 + KVCX 65/50 IE3

Curve tolerance according to ISO 9906



Partea cu aspiratia:

DN 100

1000 kPa

Partea cu refularea:

DN 80

1000 kPa

Debit :

Înaltime de pompare :

Viteza nominala:

2900 1/min

Oferta

ID oferta

Creat de

Creat

03/22/2024



DESEN DIMENSIONAL

03/22/2024

Pagina 3 / 3



DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 K 70/300 + KVCX 65/50 IE3



WITHOUT the jockey pump, do not consider B1 and D.

Dimensiuni in mm

Racorduri pompa:

1	A	560	H4	1632			Aspiratie
2	Amax	1151	I	800			DN 100
3	B	782					1000 kPa
4	B1	199					
5	C	350					
6	D	318					
7	DNA	DN 100					
8	DNM	DN 80					
9	E	448					
10	H1	260					
11	H2	1310					
12	H3	807					

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE

03/22/2024