

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60122483

Articol:

IDEA 100 M

Date pompa

Presiune nominala:

Temperatura min. fluid 0 °C

Temperatura max. fluid 35 °C

Temperatura max. ambienta

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vasozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:



Debit :

Inaltime de pompare :

Materiale

Cablu	H07 RNF CEI 20-19
Rotor	Alama P Cu Zn40 Pb2 UNI 5705
Suport	Cast iron G20 UNI 5007 (Epoxy electrocoat)
Arbore cu rotor	Stainless Steel AISI 431 X17 Cr Ni 16 2 UNI 10088-3
Motor	Stainless Steel AISI 304L X2 Cr Ni 19 11 UNI 10088-3
Etansare mecanica	Graphite/Alumina
Capacitor cartridge	Noryl 20% fiber glass

Curve tolerance according to ISO 9906



Date motor

Marca :	DAB	
Putere nominala P2:	0.75 kW	
Tensiune nominala :	1~ 230 V	50 Hz
Curent nominal :	4.7 A	
Number of poles :	2	
Viteza nominala:	2900 1/min	
Grad de protectie:	IP 68	

Masa 12 kg

Dimensiuni de gabarit mm

DNM	1" G				
L	512				
Ø	93				

Racorduri pompa:

Partea cu aspiratia:	/
Partea cu refularea:	1" G / --


Destinatari

Expeditor

 Firma
 Referinta
 Adresa
 Phone
 Fax
 E-mail

IDEA 100 M

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:

Partea cu refularea:

Debit :

Înaltime de pompare :

Viteza nominala:

 1" G
 --

2900 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE



DESEN DIMENSIONAL

12/03/2021

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

IDEA 100 M



Dimensiuni in mm

1
2
3
4
5
6
7
8
9
10
11
12

DNM
L
Ø

1" G
512
93

Racorduri pompa:

Aspiratie

Refulare

1" G

--

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER

ISSUE_DATE