

Destinatar

 Firma
 Referinta
 Adresa
 Phone
 Fax
 E-mail

Expeditor
Cod articol :

60147200

Articol:


E.SYBOX

Date pompa

 Presiune nominala: 8 bar (800 kPa)
 Temperatura min. fluid 0 °C
 Temperatura max. fluid 40 °C
 Temperatura max. ambianta 50 °C


Date de functionare cerute

 Debit : 0.00 m3/h
 înaltime de pompare : 0.00 m
 Fluid pompat : Apă
 Temperatura fluid: 20 °C
 Densitate 0.99819 kg/dm3
 Vascozitate cinematica: 1.0004 mm2/s
 Presiune de vapori: 2.20 kPa

Curve tolerance according to ISO 9906

Materiale

Motor flange	Tecopolimer
Arbore rotor	AISI 303
Motor liner	Otel inox AISI 304
Garnitura OR	NBR
Etansare mecanica	Impregnated carbon-resin/Silicon carbide/EPDM
Plugs	Tecopolimer
Corp aspirant	Tecopolimer
Insert	Brass nickel coated
Shutter	Tecopolimer
Spring	AISI 303
Difuzor	Tecopolimer
Corp difuzor	Tecopolimer
Rotor	Tecopolimer
Wear ring	Otel inox AISI 316
Nut	Otel inox AISI 316
Diffuser plug	Tecopolimer
Sintered plate	Otel inox AISI 304
Corp pompa	Tecopolimer
Discharge section	Tecopolimer
Flow switch body	Tecopolimer
Discharge manifold	Tecopolimer
Non-return valve	Technopolymer/Rubber/Steel
Tank	Technopolymer/Rubber
Pressure sensor body	Tecopolimer

Date disponibile:

 Debit :
 înaltime de pompare :

Dimensiuni de gabaritmm

--	--	--	--	--	--	--	--

Masa 27 kg

Racorduri pompa:

 Partea cu aspiratia: 1 " G / 8 bar (800 kPa)
 Partea cu refularea: 1 " G / 8 bar (800 kPa)

Date motor


 Putere absorbita P1 1.55 kW
 Viteza nominala: 3000 1/min
 Tensiune nominala : 1~ 220-240 V 50 Hz
 Curent nominal : 10 A
 Grad de protecție: IP X4

Destinatar
Expeditor

 Firma
 Referinta
 Adresa
 Phone
 Fax
 E-mail

E.SYBOX

Curve tolerance according to ISO 9906


Date disponibile:

 Partea cu aspiratia:
 1" G
 8 bar (800 kPa)

 Partea cu refularea:
 1" G
 8 bar (800 kPa)

 Debit :
 0 m³/h

 Înălțime de pompare :
 0 m

 Viteza nominala:
 3000 1/min

Oferta

ID oferta

Creat de

Creat


07/26/2019

Destinatar


Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail


E.SYBOX




FRONT



RIGHT



BACK



TOP

564

Dimensiuni in mm

Racorduri pompa:

Aspiratie
1 " G
8 bar (800 kPa)

Refulare
1 " G
8 bar (800 kPa)

Oferta

ID oferta

Creat de

Creat

07/26/2019