

Destinatar

 Firma
 Referinta
 Adresa
 Phone
 Fax
 E-mail

Expeditor
Cod articol :

60151013

Articol:

EVOPLUS D 150/280.50 M

Date pompa

 Presiune nominala: 1600 kPa
 Temperatura min. fluid -10 °C
 Temperatura max. fluid 110 °C
 EEI : ≤ 0,20

Presiune minima la nivelul apei:

Temperatura : °C 90 - 100

Presiune minima la nivelul apei: m 20 - 25

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat (%) :

Temperatura fluid: 20 °C

 Densitate 998.3 kg/m³

 Viscositate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Materiale

Corp pompa Cast iron 250 UNI ISO 185 - CTF

Rotor Tecnopolimer

Arbore motor Otel inox

Inel de etansare EPDM

Carcasa motorului Aluminiu turnat la cald

Flansa de inchidere Otel inox

Suport inel de echilibrare Otel inox

Date motor

Marca : DAB

Putere absorbita P1 2 X 0.64 kW



Tensiune nominala : 1~ 220-240 V 50 Hz

Curent nominal : 2 X 3 A

Grad de protectie: IP 44

Curve tolerance according to ISO 9906

Number of working motors : 2


Dimensiuni de gabarit mm

A1	19	D1	125	H2	273	I3	50
A2	14	D2	110	H3	235	L	280
B	400	D3	99	H4	232	M	M12
B1	75	D4	53	I	130		
B2	325	H	467	I1	130		
D	165	H1	480	I2	125		

Masa 41.6 kg

Racorduri pompa:

Partea cu aspiratia: DN 50 / PN6, PN10, PN16

Partea cu refularea: DN 50 / PN6, PN10, PN16



CURBELOR CARACTERISTICE

10/28/2021

Pagina 2 / 3

DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar


Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS D 150/280.50 M

Number of working motors : 2

Curve tolerance according to ISO 9906



Partea cu aspiratia:
DN 50
PN6, PN10, PN16

Partea cu refularea:
DN 50
PN6, PN10, PN16

Debit :

Înăltime de pompare :

Viteza nominala:
2900 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE



DESEN DIMENSIONAL

10/28/2021

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expedito

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS D 150/280.50 M



Dimensiuni in mm

Racorduri pompa:

1	A1	19
2	A2	14
3	B	400
4	B1	75
5	B2	325
6	D	165
7	D1	125
8	D2	110
9	D3	99
10	D4	53
11	H	467
12	H1	480

H2	273
H3	235
H4	232
I	130
I1	130
I2	125
I3	50
L	280
M	M12

Aspiratie
DN 50
PN6, PN10, PN16

Refulare
DN 50
PN6, PN10, PN16

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER

ISSUE_DATE