

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor
Cod articol :

60122682

Customer pos. no.:
Articol:

3 KVC AD 70/120 T


Date pompa

MEI $\geq 0,50$

Presiune nominala: 1200 kPa

Temperatura min. fluid 0 °C

Temperatura max. fluid 40 °C

Temperatura max. ambienta 40 °C

Grad de protectie: IP 55

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vasozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Date motor

Brand: DAB

Putere nominala P2: 3 x 3 kW

Viteza nominala: 2800 1/min



Tensiune nominala : 3~ 400 V 50 Hz

Curent nominal (grupuri) : 3 x 6.8 A

Grad de protectie: IP 55

Dimensiuni de gabarit mm

A	495		
A max	816		
B	840		
B max	856		
DNA	2" 1/2		
DNM	2" 1/2		
H	1202		
H1	119		
H2	692		

Curve tolerance according to ISO 9906

Masa 168 kg

Racorduri pompa:

Partea cu aspiratia: 2" 1/2 / 1200 kPa

Partea cu refularea: 2" 1/2 / 1200 kPa



DESEN DIMENSIONAL

03/20/2024

Pagina 3 / 3




DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

3 KVC AD 70/120 T



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11

A
A max
B
B max
DNA
DNM
H
H1
H2

495
816
840
856
2" 1/2
2" 1/2
1202
119
692

Aspiratie
2" 1/2
1200 kPa

Refulare
2" 1/2
1200 kPa

Oferta

ID oferta

Creat de

Creat

03/20/2024