

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60150947

Articol:

EVOPLUS B 60/220.32 M

Date pompa

Presiune nominala: 1600 kPa
Temperatura min. fluid -10 °C
Temperatura max. fluid 110 °C
EEI : ≤ 0,22

Presiune minima la nivelul apei:

Temperatura : °C 90 100
Presiune minima la nivelul apei: m 20 25

Date de functionare cerute

Debit :
Inaltime de pompare :
Fluid pompat (%) :
Temperatura fluid: 20 °C
Densitate 998.3 kg/m³
Vasozitate cinematica: 1.005 mm²/s
Presiune de vapori: 2.34 kPa



Date disponibile:

Debit :
Inaltime de pompare :

Materiale

Corp pompa Cast iron 250 UNI ISO 185 - CTF
Rotor Tecnopolimer
Arbore motor Alumina
Inel de etansare EPDM
Carcasa motorului Aluminu turnat la cald
Flansa de inchidere Otel inox
Suport inel de echilibrare EPDM

Curve tolerance according to ISO 9906



Date motor

Marca : DAB
Putere absorbita P1 0.12 kW
Tensiune nominala : 1~ 220-240 V 50 Hz
Curent nominal : 0.9 A
Grad de protectie: IP 44

Dimensiuni de gabarit mm

A	19	D1	90	H2	204		
A2	14	D2	100	L	220		
B	256	D3	140	L1	110		
B1	67	D4	76	L2	110		
B2	189	H	165				
D	40	H1	124				

Masa 7.5 kg

Racorduri pompa:

Partea cu aspiratia: DN 32 / PN6, PN10, PN16
Partea cu refularea: DN 32 / PN6, PN10, PN16


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS B 60/220.32 M

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:
DN 32
PN6, PN10, PN16

Partea cu refularea:
DN 32
PN6, PN10, PN16

Debit :

Înaltime de pompare :

Viteza nominala:
2900 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE



DESEN DIMENSIONAL

12/08/2021

Pagina 3 / 3



DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS B 60/220.32 M



Dimensiuni in mm

Racorduri pompa:

1	A	19	H2	204			
2	A2	14	L	220			Aspiratie
3	B	256	L1	110			DN 32
4	B1	67	L2	110			PN6, PN10, PN16
5	B2	189					
6	D	40					Refulare
7	D1	90					DN 32
8	D2	100					PN6, PN10, PN16
9	D3	140					
10	D4	76					
11	H	165					
12	H1	124					

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE