

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60122666

Customer pos. no.:

Articol:

2 KVC AD 45/120 T



Date pompa

MEI $\geq 0,50$

Presiune nominala: 1200 kPa

Temperatura min. fluid 0 °C

Temperatura max. fluid 40 °C

Temperatura max. ambianta 40 °C

Grad de protecție: IP 55

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Date motor

Brand: DAB

Putere nominala P2: 2 x 1.85 kW

Viteza nominala: 2800 1/min

Tensiune nominala : 3~ 400 V 50 Hz



Curent nominal (grupuri) : 2 x 4.6 A

Grad de protecție: IP 55

Dimensiuni de gabarit mm

A	495		
A max	729		
B	540		
B max	556		
DNA	2"		
DNM	2"		
H	1115		
H1	119		
H2	667		

Curve tolerance according to ISO 9906



Masa 85 kg

Racorduri pompa:

Partea cu aspiratia: 2 " / 1200 kPa

Partea cu refularea: 2 " / 1200 kPa


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 KVC AD 45/120 T

Curve tolerance according to ISO 9906



Partea cu aspiratia:

2"

1200 kPa

Partea cu refularea:

2"

1200 kPa

Debit :

Înaltime de pompare :

Viteza nominala:

2800 1/min

Oferta

ID oferta

Creat de

Creat

03/21/2024



DESEN DIMENSIONAL

03/21/2024

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 KVC AD 45/120 T



Dimensiuni in mm

Racorduri pompa:

1	A	495								
2	A max	729								
3	B	540								
4	B max	556								
5	DNA	2"								
6	DNM	2"								
7	H	1115								
8	H1	119								
9	H2	667								
10										
11										

Aspiratie
2"
1200 kPa

Refulare
2"
1200 kPa

Oferta

ID oferta

Creat de

Creat

03/21/2024