

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Drainage station

FEKAFOS 280 2" DOUBLE

Cod articol :

60163426

Pompa tip

GRINDER 1800 T 50 Hz

Cod articol :

103010560

Date pompa

Presiune nominala: --
Temperatura min. fluid 0 °C
Temperatura max. fluid 45 °C
Temperatura max. ambianta

Date de functionare cerute

Debit :
Înăltime de pompare :
Fluid pompat : Apă
Temperatura fluid: 20 °C
Densitate 998 kg/m³
Vascozitate cinematica: 1 mm²/s
Presiune de vapori: 2.34 kPa




Date disponibile:

Debit :
Înăltime de pompare :

Materiale

Cisterna High density polyethylene LLDPE

Curve tolerance according to ISO 9906



Tank weight : 51 kg

Date motor

Marca : DAB
Putere nominala P2: 1.5 kW
Viteza nominala: 2800 1/min
Tensiune nominala : 3~ 400 V 50 Hz
Curent nominal : 3.8 A
Grad de protecție: IP 68

Dimensiuni de gabarit mm

Racorduri pompa:

Partea cu aspiratia: DN 50/110
Ventilation :
Partea cu refularea: 2 " G


Destinatar

Expedito

Firma
Referinta
Adresa
Phone
Fax
E-mail

FEKAFOS 280 2" DOUBLE

Curve tolerance according to ISO 9906



Partea cu aspiratia:

DN 50/110

--

Partea cu refularea:

2" G

--

Debit :

Inaltime de pompare :

Viteza nominala:

2800 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

09/07/2020



DESEN DIMENSIONAL

09/07/2020

Pagina 3 / 3



DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

FEKAFOS 280 2" DOUBLE



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11
12

Aspiratie
DN 50/110
--

Refulare
2" G
--

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE

09/07/2020