

DECLARATION OF CONFORMITY

No1/2025/02/EU

1. Unique identification code of the product type: **Plugs for the leak proof**
2. Intended use(s): **Pressure test plugs 1/2" , 3/4" made of polypropylene (PP) are designed to terminate water system pipes in building structures during water system leakage tests.**

3. Producent: **TiA Sp. z o.o. ul. Głęboka 34, 37-200 Przeworsk, Poland**

4. Authorised representative: **Not applicable**

5. System(s) of assessment and verification of constancy of performance: **2**

6a. Harmonised standard: **PN-EN 1451-1:2001 Polypropylene (PP) pipe systems for the removal of waste and sewage (at low and high temperature) inside the structure of a building.**

Notified body or bodies: **Not applicable**

6b. European Assessment Document

European Technical Assessment: **Not applicable**

7. Declared performance:

Characteristic	Declared performance	Comments
Materials	Polypropylene (PP)	Manufacturer's declaration
Maximum pressure	0.8MPa	
Maximum temperature	95°C	
Installation temperatures	15 ÷ 65°C	
Impact on the environment	Neutral	

8. The relevant technical documentation or Specific Technical Documentation:

The performance of the product identified above is in accordance with the set of declared performance characteristics. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

Signed on behalf of the manufacturer: Adam Ślанда - Vice President of the Management Board

Przeworsk, 06.01.2025

TiA Sp. z o.o.
Wiceprezes Zarządu
Adam Ślанда