

DECLARATION OF PERFORMANCE

DoP No 14688

1. Unique identification code of the product-type:

For product number please see attached list

2. Product-Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

WB: Wash basin(s) made of sanitary ceramics
DWB: Double wash basin(s) made of sanitary ceramics
PWB: Pedestal wash basin(s) made of sanitary ceramics
CWB: Corne wash basin(s) made of sanitary ceramics
WBH: Handrinse wash basin(s) made of sanitary ceramics
WBB: Bowl wash basin(s) made of sanitary ceramics
WBI: Built-in wash basin(s) made of sanitary ceramics
WBD: Drop-in wash basin(s) made of sanitary ceramics
WBC: Countertop wash basin(s) made of sanitary ceramics
WBS: Semi-recessed wash basin(s) made of sanitary ceramics

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN CZ, spol. s r. o.
V Tůnách 3/1637
120 00 Praha 2, Czech Republic
Tel: +420 296 337 711 / e-mail: office.praha@cz.laufen.com / website: www.jika.eu

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

6. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Determination of product type and factory production control by the manufacturer

8. In case of the declaration of performance concerning a construction product for which an issued European Technical Assessment has been issued:

not applicable

9. Declared performance

Essential characteristics	Performance	Harmonised standard
Load resistance (LR)	Pass	EN 14688: 2007
Cleanability (CA)	Pass	
Flow rate of overflow (FR)	Pass	
Durability (DA)	Pass	

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer

Alfred Mittermeier

Alfred Mittermeier
Manufacturing Director

DECLARATION OF PERFORMANCE

DoP No 14688

Product No.	Name	Product type	Designation code	Essential characteristics	Brand	production plant
8.1503.1	Baby	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1042.2	Cubito	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1042.3	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1042.4	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1042.6	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1142.2	Cubito	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1142.3	Cubito	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1142.4	Cubito	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1242.1	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1242.2	Cubito	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1442.0	Cubito	DWB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1742.2	Cubito	WBD	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1064.0	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1064.1	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1064.2	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1064.4	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1364.1	Deep by JIKA	CWB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1364.2	Deep by JIKA	CWB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1564.3	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1664.3	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1261.1	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1261.2	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1261.3	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1261.4	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1561.4	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1561.5	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1061.1	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1061.2	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1061.3	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1061.4	Deep by JIKA	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1561.2	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1561.3	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1661.2	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1661.4	Deep by JIKA	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1761.2	Deep by JIKA	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1761.6	Deep by JIKA	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1037.1	Dino	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1037.2	Dino	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1037.4	Dino	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1265.5	Dino	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1537.0	Dino	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1301.0	Ibon	WBD	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1301.1	Ibon	WBD	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1427.0	Lyra new	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1427.1	Lyra new	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1427.2	Lyra new	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1427.3	Lyra new	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1427.4	Lyra new	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1434.2	Lyra new	WBD	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1436.1	Lyra new		EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1436.4	Lyra new		EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1527.1	Lyra new	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1338.1	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1338.2	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1338.3	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1338.4	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1338.5	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1338.7	Lyra plus	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1438.1	Lyra plus	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1438.2	Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1438.3	Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1438.4	Lyra plus	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1538.1	Lyra plus	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1538.2	Lyra plus	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1071.1	Mio	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1071.2	Mio	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1071.3	Mio	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1071.4	Mio	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1371.4	Mio	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1471.2	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1471.5	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1471.6	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1471.7	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1471.9	Mio	DWB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1571.1	Mio	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1571.3	Mio	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1671.1	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ

Signed for and on behalf of the manufacturer



Alfred Mittermeier
Manufacturing Director

DECLARATION OF PERFORMANCE

DoP No 14688

8.1771.1	Mio	WBI	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1342.1	Pure	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	PT
8.1342.2	Pure	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	PT
8.1342.3	Pure	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	PT
8.1442.2	Pure	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	PT
8.1126.1	Smart	WBH	EN 14688 - CL 25	CA - LR - DA	SMART	CZ
8.1126.2	Smart	WB	EN 14688 - CL 25	CA - LR - DA	SMART	CZ
8.1126.3	Smart	WB	EN 14688 - CL 25	CA - LR - DA	SMART	CZ
8.1126.4	Smart	WB	EN 14688 - CL 25	CA - LR - DA	SMART	CZ
8.1562.2	Smart	WBH	EN 14688 - CL 25	CA - LR - DA	SMART	CZ
8.1212.2	Thalia	WBC	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1021.2	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1021.3	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1021.5	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1121.2	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1221.6	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1221.7	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1221.8	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1221.9	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1421.7	Tigo	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1521.2	Tigo	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1039.0	Zeta	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1039.1	Zeta	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1039.2	Zeta	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1039.3	Zeta	WB	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ
8.1539.3	Zeta	WBH	EN 14688 - CL 25	CA - LR - DA	JIKA	CZ

Signed for and on behalf of the manufacturer

Alfred Mittermeier

Alfred Mittermeier
Manufacturing Director