

## **VERIFICATION OF COMPLIANCE**

No.:	LVD GZES1711018956HS
Applicant:	GD Midea Air-conditioning Equipment Co., Ltd. Lingang Road, Beijiao, Shunde, Foshan, 528311, Guangdong, China
Manufacturer:	Same as applicant
Product Name:	<b>Multi Split-Type Air-Conditioner</b>
Model No.:	Refer to following pages
Trade Mark:	<b>Midea</b>
Rating:	Refer to following pages
Protection against Electric Shock:	Class I
Degree of Protection:	IP24 for outdoor unit
Additional Information (if any):	Refrigerant: R410A
Sufficient samples of the product have been tested and found to be in conformity with	
Test Standard:	EN 60335-2-40: 2003 + A11: 2004 + A12: 2005 + A1: 2006 + A2: 2009 + A13: 2012 EN 60335-1: 2012 + A11: 2014 EN 62233: 2008
as shown in the	
Test Report Number(s):	GZES171101895601

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant harmonized standards under the Low Voltage Directive 2014/35/EU. The CE marking as shown below can be affixed, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives. The affixing of the CE marking presumes in addition that the conditions in annexes III and IV of the Directive are fulfilled.




David Guo  
Senior Technical Manager  
SGS-CSTC



2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.:

LVD GZES1711018956HS

Other information added:

**Model No. / Rating:**

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Outdoor unit	M2OD-18HFN1-Q	220 V – 240 V; 50 Hz	2700	14,5
	M3OD-27HFN1-Q		3400	16,5
	M4OA-36HFN1-Q		4600	21,5
	M2OD-14HFN1-Q		2000	11,0
	M3OD-21HFN1-Q		2800	15,0
	M4OD-28HFN1-Q		3500	17,0
	M5OC-36HFN1-Q		4700	22,0
	M2OE-18HFN1-Q		2600	14,0
	M3OD-26HFN1-Q		2800	15,0
	M2OD-16HFN1-Q		2400	11,0
	M5OD-42HFN1-Q		5600	25,0
	M2OF-18HFN1-Q		2300	12,0
	M3OE-27HFN1-Q		3300	16,0
	M4OE-28HFN1-Q		3500	17,0
	M4OB-36HFN1-Q		4600	21,5
	M5OE-42HFN1-Q		4700	22,0
	M2OE-14HFN1-Q		2000	11,0
	M2OF-14HFN1-Q		2650	11,0
M3OE-21HFN1-Q	2800	15,0		



David Guo  
Senior Technical Manager  
SGS-CSTC

2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.:

LVD GZES1711018956HS

Other information added:

**Model No. / Rating:**

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Outdoor unit	WM2OF-18HFN1-Q	220 V – 240 V; 50 Hz	2300	12,0
	WM3OE-27HFN1-Q		3300	16,0
	WM4OE-28HFN1-Q		3500	17,0
	WM4OB-36HFN1-Q		4600	21,5
	WM5OE-42HFN1-Q		4700	22,0
	WM2OE-14HFN1-Q		2000	11,0
	WM3OE-21HFN1-Q		2800	15,0
	B-M2OF-18HFN1-Q		2300	12,0
	B-M3OE-21HFN1-Q		2800	15,0
	B-M4OE-28HFN1-Q		3500	17,0
Indoor unit	MS9AU-09HRDN1-QRC8W	220 V – 240 V; 50 Hz	45	0,2
	MS9AU-12HRDN1-QRC8W		45	0,2
	MS9AU-18HRFN1-QRC8W		34	0,14
	MS9AI-07HRFN1-QRC8		24	0,11
	MS9AI-07HRFN1-Q		24	0,11
	MS9AI-09HRDN1-QRC8		45	0,2
	MTBI-07HRFN1-Q		30	0,1
	MTBI-09HRFN1-Q		30	0,1
	MTBI-12HRFN1-Q		40	0,13
	MTBI-18HWDN1-Q		107	0,48

David Guo  
Senior Technical Manager  
SGS-CSTC

2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.:

LVD GZES1711018956HS

Other information added:

**Model No. / Rating:**

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Indoor unit	MCA2I-07HRFN1-Q	220 V – 240 V; 50 Hz	15	0,06
	MCA2I-09HRFN1-Q		15	0,06
	MCA2I-12HRFN1-Q		20	0,08
	MCA2I-18HRDN1		102	0,44
	MS11MI-07HRFN1-QW		24	0,11
	MS11MU-09HRFN1-QRD0W		24	0,11
	MS11MU-12HRFN1-QRD0W		24	0,11
	MS11MU-12HRFN1-QRD0W(B)		24	0,11
	MS11MU-18HRFN1-QRC8W		62	0,28
	MS11PU-09HRFN1-QRD0W		24	0,11
	MS11PU-12HRFN1-QRC8W		24	0,11
	MS11P1U-12HRFN1-QRD0W		24	0,11
	MS11PU-18HRFN1-QW		24	0,11
	MS12FI-07HRDN1-QRC8W		48	0,21
	MS12FU-09HRDN1-QRC8W		48	0,21
	MS12FU-12HRFN1-QRC8W		24	0,11
	MS12FU-18HRFN1-QRC8W		34	0,14
	MS11M-18HRFN1-QRC8Q1W		62	0,28
	MCA2I-07HRFN1-QRC8		40	0,18
	MCA2I-09HRFN1-QRC8		40	0,18
	MCA2U-12HRFN1-QRC8		40	0,18
	MCA2I-18HRDN1-QRC8		102	0,44
	MTBI-07HWFN1-QRC8		30	0,13
	MTBI-09HWFN1-QRC8		30	0,13
	MTBU-12HWFN1-QRC8		40	0,17
	MTBI-18HWDN1-QRC8		107	0,48
	MFAI-07HRFN1-QRC8		30	0,13
	MFAI-09HRFN1-QRC8		30	0,13
MFAU-12HRFN1-QRC8	40	0,17		

  
 David Guo  
 Senior Technical Manager  
 SGS-CSTC

2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.:

LVD GZES1711018956HS

Other information added:

**Model No. / Rating:**

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Indoor unit	MFAI-18HRFN1-QRC8	220 V – 240 V; 50 Hz	50	0,22
	MS11MU-09HRFN1-QRD0GW(A)		24	0,11
	MS11MU-12HRFN1-QRD0GW(B)		24	0,11
	MS11MU-18HRFN1-QRD0GW(B)		62	0,28
	MS12FU-09HRDN1-QRD0GW(B)		48	0,21
	MS12FU-12HRDN1-QRD0GW(C)		48	0,21
	MSTCAU-09HRFN1-QRD0GW		24	0,11
	MSTCBU-12HRFN1-QRD0GW		24	0,11
	MSTCCU-18HRFN1-QRD0GW		34	0,14
	MSABAU-09HRDN1-QRC8GW		48	0,21
	MSABBU-12HRDN1-QRC8GW		48	0,21
	MSABDU-18HRDN1-QRC8GW		62	0,28
	MSABAU-07HRFN1-QRD0GW		24	0,11
	MSABAU-09HRFN1-QRD0GW		24	0,11
	MSABAU-09HRFNX-QRD0GW		24	0,11
	B-MSABAU-09HRFNX-QRD0GW		24	0,11
	MSABBU-12HRFN1-QRD0GW		24	0,11
	MSABBU-12HRFNX-QRD0GW		24	0,11
	B-MSABBU-12HRFNX-QRD0GW		24	0,11
	MSABDU-18HRFN1-QRD0GW		34	0,14
	MSABDU-18HRFNX-QRD0GW		34	0,14
	B-MSABDU-18HRFNX-QRD0GW		34	0,14
	MSMBAU-09HRFN1-QRD0GW		24	0,11
MSMBBU-12HRFN1-QRD0GW	24	0,11		
MSMBCU-18HRFN1-QRD0GW	34	0,14		



David Guo  
Senior Technical Manager  
SGS-CSTC



2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.: LVD GZES1711018956HS

Other information added:

**Model No. / Rating:**

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Indoor unit	MCA3I-07HRFN1-QRC8	220 V – 240 V; 50 Hz	50	0,22
	MCA3I-09HRFN1-QRC8		50	0,22
	MCA3U-12HRFN1-QRD0W		50	0,22
	MCA3I-18HRDN1-QRC8		102	0,44
	MTBU-12HWFN1-QRD0W		60	0,26
	MTBU-12HRFN1-QRC8W(B)		60	0,26
	MTB-18HWFN1-QRC8W(B)		100	0,37
	MUE-18HRFN1-QRC8W(B)		60	0,26
	MFAU-12HRFN1-QRC8W		40	0,17
	MFAU-12HRFN1-QRC8W(B)		40	0,17
	MS12FU-09HRDN1-QRC8GW		48	0,21
	MS12FU-12HRDN1-QRC8GW		48	0,21
	MS12FU-09HRFN1-QRD0GW		24	0,11
	MS12FU-12HRFN1-QRD0GW		24	0,11
	MS12FU-12HRFN1-QRD0GW(B)		24	0,11
	MS12FU-18HRFN1-QRC8GW		34	0,14
	MS12FU-18HRFN1-QRD0GW		34	0,14
	MSTCDU-24HRFN1-QRD0GW		62	0,28
	MSABEU-24HRFN1-QRD0GW		62	0,28
	MSABEU-24HRFNX-QRD0GW		62	0,28
B-MSABEU-24HRFNX-QRD0GW	62	0,28		
MSMBDU-24HRFN1-QRD0GW	62	0,28		
MSABEU-24HRDN1-QRC8GW	80	0,35		
MTB-24HWFN1-QRC8W(B)	100	0,43		



David Guo  
Senior Technical Manager  
SGS-CSTC



2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.: LVD GZES1711018956HS

Other information added:

**Model No. / Rating:**

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Indoor unit	MS11MU-09HRFN1-QRD0GW	220 V – 240 V; 50 Hz	24	0,11
	MS11MU-12HRFN1-QRD0GW		24	0,11
	MSMBAU-09HRFN1-QRD0GW(B)		24	0,11
	MSMBBU-12HRFN1-QRD0GW(B)		24	0,11
	MSMBCU-18HRFN1-QRD0GW(B)		34	0,14
	MSMBDU-24HRFN1-QRD0GW(B)		62	0,28
	MSTCAU-09HRFN1-QRD0GW(B)		24	0,11
	MSTCBU-12HRFN1-QRD0GW(B)		24	0,11
	MSTCCU-18HRFN1-QRD0GW(E)		34	0,14
	MSTCDU-24HRFN1-QRD0GW(B)		62	0,28
	MSABAU-07HRFN1-QRD0GW(B)		24	0,11
	MSABAU-09HRFN1-QRD0GW(B)		24	0,11
	MSABBU-12HRFN1-QRD0GW(B)		24	0,11
	MSABDU-18HRFN1-QRD0GW(B)		34	0,14
	MSABEU-24HRFN1-QRD0GW(B)		62	0,28
	MS12FU-09HRDN1-QRD0GW		48	0,21
	MS12FU-12HRDN1-QRD0GW		48	0,21
	MCA3U-12HRFN1-QRC8W(B)		50	0,22
	MCA3-18HRFN1-QRC8W(B)		102	0,44
MTB-24HWFN1-QRC8W(D)	100	0,43		




David Guo  
Senior Technical Manager  
SGS-CSTC

2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)



No.:

LVD GZES1711018956HS

Other information added:

**Model No. / Rating:**

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Indoor unit	MTBI-07HWFN1-QRD0	220 V – 240 V; 50 Hz	30	0,13
	MTBI-09HWFN1-QRD0		40	0,18
	MS11MU-09HRFN1-QRD1GW		24	0,11
	MS11MU-12HRFN1-QRD1GW		24	0,11
	MSAEAU-09HRFN1-QRD0GW		24	0,11
	MSAEAU-09HRFNX-QRD0GW		24	0,11
	MSAEBU-12HRFN1-QRD0GW		24	0,11
	MSAEBU-12HRFNX-QRD0GW		24	0,11
	MSAECU-18HRFN1-QRD0GW		34	0,15
	MSAECU-18HRFNX-QRD0GW		34	0,15
	MSAEDU-24HRFN1-QRD0GW		62	0,28
	MSAEDU-24HRFNX-QRD0GW		62	0,28
	MSVPBU-09HRFN1-QRD0GW		24	0,11
	MSVPBU-12HRFN1-QRD0GW		24	0,11
	MSVPCU-18HRFN1-QRD0GW		34	0,15
	MSVPDU-24HRFN1-QRD0GW		62	0,28
	MSAFBU-12HRDN1-QRD0GW		24	0,1
	MSAFBU-12HRDN1-QRD0GW		24	0,1
	MSAFBU-18HRFN1-QRD0GW		34	0,15
	MSAFDU-24HRFN1-QRD0GW		62	0,3
MSMAAU-09HRDN1-QRD0GW	24	0,1		
MSMABU-12HRDN1-QRD0GW	24	0,1		
MSMACU-18HRFN1-QRD0GW	34	0,15		
MSMADU-24HRFN1-QRD0GW	62	0,3		



David Guo  
Senior Technical Manager  
SGS-CSTC



2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)



No.:

LVD GZES1711018956HS

Other information added:

**Model No. / Rating:**

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Indoor unit	MS12FU-09HRFN1-QRD0GW(B)	220 V – 240 V; 50 Hz	24	0,11
	MS12FU-12HRFN1-QRD0GW(B)		24	0,11
	MS12FU-18HRFN1-QRD0GW(B)		34	0,14
	MS12FU-24HRFN1-QRD0GW		62	0,28
	B-MSABAU-07HRFN1-QRD0GW(B)		24	0,11
	B-MSABAU-09HRFN1-QRD0GW(B)		24	0,11
	B-MSABBU-12HRFN1-QRD0GW(B)		24	0,11
	B-MSABDU-18HRFN1-QRD0GW(B)		34	0,14
	MSAFBU-07HRDN1-QRD0GW		20	--
	MSAFBU-07HRDN8-QRD0GW		20	--
	MSAFBU-07HRDNX-QRD0GW		20	--
	MSAFBU-09HRDN1-QRD0GW		20	--
	MSAFBU-09HRDN8-QRD0GW		20	--
	MSAFBU-09HRDNX-QRD0GW		20	--
	MSAFBU-12HRDN1-QRD0GW		20	--
	MSAFBU-12HRDN8-QRD0GW		20	--
	MSAFBU-12HRDNX-QRD0GW		20	--
	MSAFBU-18HRFN1-QRD0GW		31	--
	MSAFBU-18HRFN8-QRD0GW		31	--
	MSAFBU-18HRFNX-QRD0GW		31	--
MSAFDU-24HRFN1-QRD0GW	42	--		
MSAFDU-24HRFN8-QRD0GW	42	--		
MSAFDU-24HRFNX-QRD0GW	42	--		



David Guo  
Senior Technical Manager  
SGS-CSTC



2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

No.:

LVD GZES1711018956HS

Unit	Model	Rated voltage	Rated power (W)	Rated current (A)
Indoor unit	MTIU-07HWFN1-QRD0W	220 V – 240 V; 50 Hz	170	1,0
	MTIU-07HWFN8-QRD0W		170	1,0
	MTIU-07HWFNX-QRD0W		170	1,0
	MTIU-09HWFN1-QRD0W		180	1,1
	MTIU-09HWFN8-QRD0W		180	1,1
	MTIU-09HWFNX-QRD0W		180	1,1
	MTIU-12HWFN1-QRD0W		185	1,1
	MTIU-12HWFN8-QRD0W		185	1,1
	MTIU-12HWFNX-QRD0W		185	1,1
	MCA3I-07HRFN1-QRD0		40	0,18
	MCA3I-07HRFN8-QRD0		40	0,18
	MCA3I-07HRFNX-QRD0		40	0,18
	MCA3I-09HRFN1-QRD0		50	0,22
	MCA3I-09HRFN8-QRD0		50	0,22
	MCA3I-09HRFNX-QRD0		50	0,22
	MCA3U-12HRFN1-QRD0W		44	0,2
	MCA3U-12HRFN8-QRD0W		44	0,2
	MCA3U-12HRFNX-QRD0W		44	0,2
	MCA3U-18HRFN1-QRC8W		102	0,44
	MCA3U-18HRFN8-QRC8W		102	0,44
MCA3U-18HRFNX-QRC8W	102	0,44		



David Guo  
Senior Technical Manager  
SGS-CSTC



2018-01-18

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)