



Shifan&fi

www.jinkosolar.com

428*52*5t£
16Ji 200127
16F, Building No. 2,
428# South Yang Gao
Road.
Shanghai 200127,
China

Tel: (86)21-6061 1799
Fax: (86)21-6876 1115

DECLARATIE DE CONFORMITATE



Nume producator:

Jinko Solar Co., Ltd.

Adresa producator:

No.1 Yingbin Road, Economic Development Zone,
Shangrao City, 334100 Jiangxi, P. R. China

Catre cei interesati

Noi, Jinko Solar Co. Ltd., declaram pe proprie raspundere ca produsele: **DESCRIERE:** Module solare fotovoltaice

BRAND: JinkoSolar

PANOURI FOTOVOLTAICE CU GEAM SIMPLU 1500Vcc SISTEM DE TENSIUNE-PANOURI TIP (S):

Tiger Pro:

JKMxxxM-78HL4-V, JKMxxxM-78HL4-S-V (xxx=565-605, in 5 randuri, 156 celule) JKMxxxM-72HL4-V,
JKMxxxM-72HL4-V-J, JKMxxxM-72HL4-S-V, JKMxxxM-72HL4-S-V-J (xxx=475-585, in 5 randuri, 144 celule)

JKMxxxM-66HL4-V, JKMxxxM-66HL4-S-V (xxx=440-505, cu 5 randuri, 132 celule)
JKMxxxM-60HL4-V, JKMxxxM-60HL4-S-V (xxx=400-485, in 5 randuri, 120 celule)
JKMxxxM-54HL4-V, JKMxxxM-54HL4-S-V (xxx=360-430, in 5 randuri, 108 celule)

MMxxx-78HLD-MBV (xxx=565-605, in 5 randuri, 156 celule)
MMxxx-72HLD-MBV (xxx=475-570, in 5 randuri, 144 celule)

MMxxx-66HLD-MBV (xxx=440-505, in 5 randuri, 132 celule)

MMxxx-60HLD-MBV (xxx=400-470, in 5 randuri, 120 celule)

MMxxx-54HLD-MBV (xxx=360-420₅ in 5 randuri, 108 celule)

JKMxxxM-78HL4-TV, JKMxxxM-78HL4-S-TV (xxx=555-595, in 5 randuri, 156 celule) JKMxxxM-72HL4-TV,
JKMxxxM-72HL4-TV-J, JKMxxxM-72HL4-S-TV, JKMxxxM-72HL4-S-TV-J (xxx=475-580, in 5 randuri, 144
celule)

JKMxxxM-66HL4-TV, JKMxxxM-66HL4-S-TV (xxx=440-500₅ in 5 randuri, 132 celule)

JKMxxxM-60HL4-TV, JKMxxxM-60HL4-S-TV (xxx=400-455₅ in 5 randuri, 120 celule)

JKMxxxM-54HL4-TV₅ JKMxxxM-54HL4-S-TV (xxx=360-410, in 5 randuri, 108 celule)

JKMxxxM-72HL4-B-V, JKMxxxM-72HL4-S-B-V (xxx=510-535, in 5 randuri, 144 celule) JKMxxxM-66HL4-B-V,
JKMxxxM-66HL4-S-B-V (xxx=465-490₅ in 5 randuri, 132 celule) JKMxxxM-60HL4-B-V,
JKMxxxM-60HL4-S-B-V (xxx=425-445, in 5 randuri, 120 celule) JKMxxxM-54HL4-B-V, JKMxxxM-54HL4-S-B-V
(xxx=380-400, in 5 randuri, 108 celule)

JKMxxxN-78HL4-V (xxx=570-650, in 5 randuri, 156 celule)

JKMxxxN-72HL4-V (xxx=485-615₅ in 5 randuri, 144 celule)

JKMxxxN-66HL4-V (xxx=445-525₅ in 5 randuri, 132 celule)

JKMxxxN-60HL4-V (xxx=405-510, in 5 randuri, 120 celule)

JKMxxxN-54HL4-V (xxx=365-455₅ in 5 randuri, 108 celule)

JKMxxxN-78HL4-TV (xxx=570-645₅ in 5 randuri, 156 celule)

JKMxxxN-72HL4-TV (xxx=480-605₅ in 5 randuri, 144 celule)

JKMxxxN-66HL4-TV (xxx=440-525₅ in 5 randuri, 132 celule)

JKMxxxN-60HL4-TV (xxx=400-480, in 5 randuri, 120 celule)

JKMxxxN-54HL4-TV (xxx=360-430₅ in 5 randuri, 108 celule)

JKMxxxN-72HL4-B-V (xxx=510-535, in 5 randuri, 144 celule)

JKMxxxN-66HL4-B-V (xxx=465-490₅ in 5 randuri, 132 celule)

JKMxxxN-60HL4-B-V (xxx=425-445₅ in 5 randuri, 120 celule)

JKMxxxN-54HL4-B-V (xxx=380-400, in 5 randuri, 108 celule)

Tiger Neo R

JKMxxxN-72HL4R-V (xxx=485-615, in 5 randuri, 144 celule)

JKMxxxN-60HL4R-V (xxx=405-510₅ in 5 randuri, 120 celule)

JKMxxxN-54HL4R-V (xxx=365-455, in 5 randuri, 108 celule)

JKMxxxN-72HL4R-TV (xxx=480-605, in 5 randuri, 144 celule)



*m±MWS8hWfaWBth
428^2^165

I
/

^S: <86)21-6061 1799
{86)21-6876 1115

www.jinkosolar.com 16F, Building No. 2 ,
428# South Yang Gao Road. /
Building Your Trust in Solar

/ Tel: (86)21-6061 1799
/ Fax: (86)21-6876 1115
/ Shanghai 200127, China

Tiger p-type 60

JKMxxxM-6TL3-V₅ JKMSxxxM-6TL3-V-TI₅ JKMSxxxM-6TL3-S-V, JKMSxxxM-6TL3-V-MX3 (xxx=335-380, in 5 randuri, 120 celule)
JKMxxxM-6TL3-TV₅ JKMSxxxM-6TL3-S-TV (xxx=325-365, in 5 randuri, 120 celule) JKMSxxxM-6TL3-B-V,
JKMSxxxM-6TL3-S-B-V, JKMSxxxM-6TL3-B-V-TI (xxx=320-365₅ in 5 randuri, 120 celule)

Tiger n-type 60

JKMxxxN-6TL3-V, JKMSxxxN-6TL3-V-TI₅ JKMSxxxN-6TL3-V-MX3 (xxx=335-390₅ in 5 randuri, 120 celule)
JKMxxxN-6TL3-TV₅ JKMSxxxN-6TL3-S-TV (xxx=325-380₅ in 5 randuri, 120 celule) JKMSxxxN-6TL3-B-V₅
JKMSxxxN-6TL3-B-V-TI, JKMSxxxN-6TL3-S-B-V (xxx=320-365, in 5 randuri, 120 celule)

Tiger p-type 66

JKMxxxM-6RL3-V, JKMSxxxM-6RL3-V-J, JKMSxxxM-6RL3-V-TI, JKMSxxxM-6RL3-S-V,
JKMSxxxM-6RL3-S-V-J, JKMSxxxM-6RL3-V-MX3 (xxx=360-415, in 5 randuri, 132 celule) JKMSxxxM-6RL3-TV₅
JKMSxxxM-6RL3-TV-J₅ JKMSxxxM-6RL3-S-TV, JKMSxxxM-6RL3-S-TV-J (xxx=355-400, in 5 randuri, 132 celule)
JKMSxxxM-6RL3-B-V, JKMSxxxM-6RL3-S-B-V, JKMSxxxM-6RL3-B-V-TI (xxx=360-405, in 5 randuri₅ 132 celule)

Tiger n-type 66

JKMxxxN-6RL3-V, JKMSxxxN-6RL3-V-J, JKMSxxxN-6RL3-V-TI, JKMSxxxN-6RL3-V-MX3 (xxx=360-420, in 5 randuri, 132 celule)
JKMSxxxN-6RL3-TV, JKMSxxxN-6RL3-TV-J, JKMSxxxN-6RL3-S-TV, JKMSxxxN-6RL3-S-TV-J
(xxx=355-420, in 5 randuri, 132 celule)
JKMSxxxN-6RL3-B-V, JKMSxxxN-6RL3-B-V-TI, JKMSxxxN-6RL3-S-B-V (xxx=360-405, in 5 randuri, 132 celule)

PANOURI FOTOVOLTAICE CU GEAM SIMPLU 1000V_{cc} SISTEM DE TENSIUNE-PANOURI TIP (S):

Tiger Pro

JKMxxxM-72HL4₅ JKMSxxxM-72HL4-J (xxx=475-585, in 5 randuri, 144 celule)
JKMxxxM-66HL4 (xxx=440-505, in 5 randuri, 132 celule) JKMSxxxM-60HL4
(xxx=400-485, in 5 randuri, 120 celule) JKMSxxxM-54HL4 (xxx=360-430, in 5 randuri, 108 celule)

MMxxx-72HLD-MB (xxx=475-570, in 5 randuri, 144 celule)
MMxxx-66HLD-MB (xxx=440-505, in 5 randuri, 132celule)
MMxxx-60HLD-MB (xxx=400-470, in 5 randuri, 120 celule)
MMxxx-54HLD-MB (xxx=360-420, in 5 randuri, 108 celule)

JKMxxxM-72HL4-B (xxx=510-535, in 5 randuri, 144 celule)
JKMxxxM-66HL4-B (xxx=465-490, in 5 randuri, 132 celule)
JKMxxxM-60HL4-B (xxx=425-445, in 5 randuri, 120 celule)
JKMxxxM-54HL4-B (xxx=380-425, in 5 randuri, 108 celule)

JKMxxxN-78HL4 (xxx=570-650, in 5 randuri, 156 celule)
JKMxxxN-72HL4 (xxx=485-615, in 5 randuri, 144 celule)
JKMxxxN-66HL4 (xxx=445-525, in 5 randuri, 132 celule)
JKMxxxN-60HL4 (xxx=405-510, in 5 randuri, 120 celule)
JKMxxxN-54HL4 (xxx=365-455, in 5 randuri, 108 celule)

JKMxxxN-66HL4-B (xxx=465-490, in 5 randuri, 132 celule)
JKMxxxN-60HL4-B (xxx=425-470, in 5 randuri, 120 celule)
JKMxxxN-54HL4-B (xxx=380-450, in 5 randuri, 108 celule)

Tiger Neo R

JKMxxxN-72HL4R (xxx=485-615, in 5 randuri, 144 celule)
JKMxxxN-60HL4R (xxx=405-510, in 5 randuri, 120 celule)
JKMxxxN-54HL4R, (xxx=365-455, in 5 randuri, 108 celule)

JKMxxxN-54HL4R-B (xxx=380-450, in 5 randuri, 108 celule)

JKMxxxN-78HL4R-TV (xxx=570-645, in 5 randuri, 156 celule)

Tiger p-type 60

JKMxxxM-6TL3, JKMSxxxM-6TL3-TI, JKMSxxxM-6TL3-MX3 (xxx=335-380, in 5 randuri, 120 celule)
JKMxxxM-6TL3-T (xxx=325-365, in 5 randuri, 120 celule)
JKMxxxM-6TL3-BJKMSxxxM-6TL3-B-TI, JKMSxxxM-6TL3-B-MX3 (xxx=320-365, in 5 randuri, 120 celule)

Tiger n-type 60

JKMxxxN-6TL3, JKMSxxxN-6TL3-TI, JKMSxxxN-6TL3-MX3 (xxx=335-390, in 5 randuri, 120 celule)
JKMxxxN-6TL3-T (xxx=325-365, in 5 randuri, 120 celule)



www.jinkosolar.com

428*§2*§tf16J
i 200127

16F, Building No. 2 ,
428# South Yang Gao Road.
Shanghai 200127, China

Tel: (86)21-6061 1799 Fax:
(86)21-6876 1115

JKMxxxN-6TL3-B, JKMSxxxN-6TL3-B-TI, JKMSxxxN-6TL3-B-MX3 (xxx=320-385, in 5 randuri, 120 celule)

Tiger p-type 66

JKMxxxM-6RL3, JKMxxxM-6RL3-J, JKMSxxxM-6RL3-TI, JKMSxxxM-6RL3-MX3 (xxx=360-415, in 5 randuri, 132 celule)

JKMxxxM-6RL3-T, JKMxxxM-6RL3-T-J (xxx=355-400, in 5 randuri, 132 celule) JKMxxxM-6RL3-B, JKMSxxxM-6RL3-B-TI, JKMSxxxM-6RL3-B-MX3 (xxx=360-405, in 5 randuri, 132 celule)

Tiger n-type 66

JKMxxxN-6RL3, JKMxxxN-6RL3-J, JKMSxxxN-6RL3-TI, JKMSxxxN-6RL3-MX3 (xxx=360-420, in 5 randuri, 132 celule)

JKMxxxN-6RL3-T, JKMxxxN-6RL3-T-J (xxx=355-400, in 5 randuri, 132 celule)

JKMxxxN-6RL3-B, JKMSxxxN-6RL3-B-TI, JKMSxxxN-6RL3-B-MX3 (xxx=360-425, in 5 randuri, 132 celule)

PANOURI FOTOVOLTAICE CU GEAM DUBLU 1500Vcc SISTEM DE TENSIUNE-PANOURI TIP (S):

Tiger Neo

JKMxxxN-78HL4-BDV (xxx=570-645, in 5 randuri, 156 celule)

JKMxxxN-72HL4-BDV, JKMxxxN-72HL4-BDV-J (xxx=480-610, in 5 randuri, 144 celule) JKMxxxN-66HL4-BDV (xxx=440-520, in 5 randuri, 132 celule) JKMxxxN-60HL4-BDV (xxx=400-505, in 5 randuri, 120 celule)

JKMxxxN-54HL4-BDV (xxx=360-455, in 5 randuri, 108 celule)

Tiger Neo R

JKMxxxN-78HL4R-BDV (xxx=570-645, in 5 randuri, 156 celule)

JKMxxxN-72HL4R-BDV (xxx=480-610, in 5 randuri, 144 celule)

JKMxxxN-60HL4R-BDV (xxx=400-505, in 5 randuri, 120 celule)

JKMxxxN-54HL4R-BDV (xxx=360-455, in 5 randuri, 108 celule) Tiger

Pro

JKMxxxM-72HL4-BDVP, JKMxxxM-72HL4-BDVP-J (xxx=500-575, in 5 randuri, 144 celule)

JKMxxxM-66HL4-BDVP (xxx=460-500, in 5 randuri, 132 celule) JKMxxxM-60HL4-BDVP (xxx=420-455, in 5 randuri, 120 celule) JKMxxxM-54HL4-BDVP (xxx=375-410, in 5 randuri, 108 celule)

PRODUCATOR: Jinko Solar Co. Ltd.

Sunt in conformitate cu urmatoarele standarde:

DIRECTIVA EUROPEANA JOASA TENSIUNE 2014/35/EU

DURECTIVA EUROPEANA COMPATIBILITATE ELECTROMAGNETICA 2014/30/EU (EN IEC 61000-6-3:2021 & EN IEC 61000-6-1:2019)

IEC 61215-1:2016

IEC 61215-1-1:2016

IEC 61215-2:2016

IEC 61730-1:2016

IEC 61730-2:2016

EN 61215-1:2016

EN 61215-1-1:2016

EN 61215-2:2017

EN IEC 61730-1:2018

EN IEC 61730-1:2018/AC:2018-06

EN IEC 61730-2:2018

EN IEC 61730-2:2018/AC:2018-06

CE MARK OF DATE: 2023

Institutul TUV SUD Product Service GmbH, RidlerstraBe 65, 80339 Munchen a certificat produsele. Documentatia tehnica si conformitatea deplina cu standardele de mai sus demonstreaza conformitatea produselor cu cerintele directivelor CE mai sus mentionate. Acset document a fost emis in engleza. In cazul unor discrepante de traducere a acestui document, va prevala versiunea in engleza.



Data emitere:
6.07.2023

China

Loc emitere:
China

Nume
VP-Wang
Zihua