

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor
Cod articol :

60122667

Customer pos. no.:
Articol:

2 KVC AD 60/120 T


Date pompa

MEI $\geq 0,50$

Presiune nominala: 1200 kPa

Temperatura min. fluid 0 °C

Temperatura max. fluid 40 °C

Temperatura max. ambianta 40 °C

Grad de protecție: IP 55

Date de functionare cerute

Debit :

Înălțime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Înălțime de pompare :

Date motor

Brand: DAB

Putere nominala P2: 2 x 2.2 kW

Viteza nominala: 2800 1/min



Tensiune nominala : 3~ 400 V 50 Hz

Curent nominal (grupuri) : 2 x 5.4 A

Grad de protecție: IP 55

Dimensiuni de gabarit mm

A	495
A max	729
B	540
B max	556
DNA	2"
DNM	2"
H	1115
H1	119
H2	667

Curve tolerance according to ISO 9906

Masa 89 kg

Racorduri pompa:

Partea cu aspiratia: 2" / 1200 kPa

Partea cu refularea: 2" / 1200 kPa


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 KVC AD 60/120 T

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:

2"

1200 kPa

Partea cu refularea:

2"

1200 kPa

Debit :

Înaltime de pompare :

Viteza nominala:

2800 1/min

Oferta

ID oferta

Creat de

Creat

10/22/2024



DESEN DIMENSIONAL

10/22/2024

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 KVC AD 60/120 T



Dimensiuni in mm

Racorduri pompa:

1	A	495							
2	A max	729							
3	B	540							
4	B max	556							
5	DNA	2"							
6	DNM	2"							
7	H	1115							
8	H1	119							
9	H2	667							
10									
11									

Aspiratie
2"
1200 kPa

Refulare
2"
1200 kPa

Oferta

ID oferta

Creat de

Creat

10/22/2024