

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol : **Customer pos. no.:**

60220908

Articol:

EVOPLUS B 120/220.32 M

Date pompa

Presiune nominala: 1600 kPa
Temperatura min. fluid: -10 °C
Temperatura max. fluid: 110 °C
EEI: ≤ 0,20

Presiune minima la nivelul apei:

Temperatura: °C 90 100
Presiune minima la nivelul apei: m 20 25

Date de functionare cerute

Debit:
Inaltime de pompare:
Fluid pompat (%):
Temperatura fluid: 20 °C
Densitate: 998.3 kg/m³
Vascozitate cinematica: 1.005 mm²/s
Presiune de vapori: 2.34 kPa



Date disponibile:

Debit:
Inaltime de pompare:

Materiale

Corp pompa: Cast iron 250 UNI ISO 185 with Cataphoresis
Rotor: Tecnopolimer
Arbore motor: Otel inox
Inel de etansare: EPDM
Carcasa motorului: Die cast aluminium with Cataphoresis
Flansa de inchidere: Otel inox
Suport inel de echilibrare: Otel inox

Curve tolerance according to ISO 9906



Date motor

Marca: DAB
Max. Power input P1: 0.34 kW
Tensiune nominala: 1~ 220-240 V 50 Hz
Curent nominal: 1.7 A
Grad de protecție: IP 44

Dimensiuni de gabarit mm

A1	19	D1	100	H2	273		
A2	14	D2	90	L	220		
B	417	D3	76	L1	110		
B1	94	D4	36	L2	110		
B2	323	H	222				
D	140	H1	220				

Masa 24 kg

Racorduri pompa:

Partea cu aspiratia: DN 32 / PN6, PN10, PN16
Partea cu refularea: DN 32 / PN6, PN10, PN16


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS B 120/220.32 M

Curve tolerance according to ISO 9906



Partea cu aspiratia:

DN 32

PN6, PN10, PN16

Partea cu refularea:

DN 32

PN6, PN10, PN16

Debit :

Înăltime de pompare :

Viteza nominala:

4900 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

08/13/2025



DESEN DIMENSIONAL

08/13/2025

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS B 120/220.32 M



Dimensiuni in mm

Racorduri pompa:

1	A1	19	H1	220			
2	A2	14	H2	273			
3	B	417	L	220			
4	B1	94	L1	110			
5	B2	323	L2	110			
6	D	140					
7	D1	100					
8	D2	90					
9	D3	76					
10	D4	36					
11	H	222					

Aspiratie
DN 32
PN6, PN10, PN16

Refulare
DN 32
PN6, PN10, PN16

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

08/13/2025