

Destinatar

 Firma
 Referinta
 Adresa
 Phone
 Fax
 E-mail

Expeditor
Cod articol : 60150991
Customer pos. no.:
Articol:
 EVOPLUS B 120/360.80 M

Date pompa

 Presiune nominala: 1600 kPa
 Temperatura min. fluid: -10 °C
 Temperatura max. fluid: 110 °C
 EEI: ≤ 0,20

Presiune minima la nivelul apei:

 Temperatura: °C 90 100
 Presiune minima la nivelul apei: m 20 25

Date de functionare cerute

 Debit:
 Inaltime de pompare:
 Fluid pompat (%):
 Temperatura fluid: 20 °C
 Densitate: 998.3 kg/m³
 Viscositate cinematica: 1.005 mm²/s
 Presiune de vapori: 2.34 kPa

Date disponibile:



 Debit:
 Inaltime de pompare:

Materiale

 Corp pompa: Cast iron 250 UNI ISO 185 - CTF
 Rotor: Tecnopolimer
 Arbore motor: Otel inox
 Inel de etansare: EPDM
 Carcasa motorului: Aluminu turnat la cald
 Flansa de inchidere: Otel inox
 Suport inel de echilibrare: Otel inox

Date motor

 Marca: DAB
 Putere absorbita P1: 1.235 kW
 Tensiune nominala: 1~ 220-240 V 50 Hz
 Curent nominal: 5.5 A
 Grad de protectie: IP 44

Curve tolerance according to ISO 9906

Dimensiuni de gabarit mm

| | | | | | | | |
|----|-----|----|-----|----|-----|--|--|
| A1 | 19 | D3 | 132 | L1 | 180 | | |
| B | 446 | D4 | 80 | L2 | 180 | | |
| B1 | 106 | H | 279 | | | | |
| B2 | 340 | H1 | 220 | | | | |
| D | 200 | H2 | 273 | | | | |
| D1 | 160 | L | 360 | | | | |

Masa 32.2 kg

Racorduri pompa:

 Partea cu aspiratia: DN 80 / PN 6
 Partea cu refularea: DN 80 / PN 6



WATER • TECHNOLOGY

CURBELOR CARACTERISTICE

02/01/2023

Pagina 2 / 3

DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS B 120/360.80 M

Curve tolerance according to ISO 9906



Partea cu aspiratia:
DN 80
PN 6

Partea cu refularea:
DN 80
PN 6

Debit :

Înaltime de pompare :

Viteza nominala:
2900 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

02/01/2023



DESEN DIMENSIONAL

02/01/2023

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS B 120/360.80 M



Dimensiuni in mm

Racorduri pompa:

| | | | | | | |
|----|----|-----|----|-----|--|-----------|
| 1 | A1 | 19 | L | 360 | | |
| 2 | B | 446 | L1 | 180 | | Aspiratie |
| 3 | B1 | 106 | L2 | 180 | | DN 80 |
| 4 | B2 | 340 | | | | PN 6 |
| 5 | D | 200 | | | | |
| 6 | D1 | 160 | | | | |
| 7 | D3 | 132 | | | | Refulare |
| 8 | D4 | 80 | | | | DN 80 |
| 9 | H | 279 | | | | PN 6 |
| 10 | H1 | 220 | | | | |
| 11 | H2 | 273 | | | | |

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_II

OWNER_

ISSUE_DATE

02/01/2023