

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60220916

Customer pos. no.:

Articol:

EVOPLUS B 150/340.65 M

Date pompa

Presiune nominala: 1600 kPa
Temperatura min. fluid -10 °C
Temperatura max. fluid 110 °C
EEI : ≤ 0,20

Presiune minima la nivelul apei:

Temperatura : °C 90 100
Presiune minima la nivelul apei: m 20 25

Date de functionare cerute

Debit :
Înălțime de pompare :
Fluid pompat (%) :
Temperatura fluid: 20 °C
Densitate 998.3 kg/m³
Vascozitate cinematica: 1.005 mm²/s
Presiune de vapori: 2.34 kPa



Date disponibile:

Debit :
Înălțime de pompare :

Materiale

Corp pompa Cast iron 250 UNI ISO 185 with Cataphoresis
Rotor Tecnopolimer
Arbore motor Otel inox
Inel de etansare EPDM
Carcasa motorului Die cast aluminium with Cataphoresis
Flansa de inchidere Otel inox
Suport inel de echilibrare Otel inox

Curve tolerance according to ISO 9906



Date motor

Marca : DAB
Max. Power input P1 : 1.21 kW
Tensiune nominala : 1~ 220-240 V 50 Hz
Curent nominal : 5.5 A
Grad de protecție: IP 44

Dimensiuni de gabarit mm

A1	19	D1	145	H2	273		
A2	14	D2	130	L	340		
B	443	D3	118	L1	170		
B1	110	D4	69	L2	170		
B2	333	H	280				
D	185	H1	220				

Masa 27 kg

Racorduri pompa:

Partea cu aspiratia: DN 65 / PN6, PN10, PN16
Partea cu refularea: DN 65 / PN6, PN10, PN16


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS B 150/340.65 M

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:

DN 65

PN6, PN10, PN16

Partea cu refularea:

DN 65

PN6, PN10, PN16

Debit :

Înălțime de pompare :

Viteza nominala:

4400 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

10/02/2025



DESEN DIMENSIONAL

10/02/2025

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS B 150/340.65 M



Dimensiuni in mm

Racorduri pompa:

1	A1	19	H1	220			
2	A2	14	H2	273			
3	B	443	L	340			Aspiratie
4	B1	110	L1	170			DN 65
5	B2	333	L2	170			PN6, PN10, PN16
6	D	185					
7	D1	145					Refulare
8	D2	130					DN 65
9	D3	118					PN6, PN10, PN16
10	D4	69					
11	H	280					

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

10/02/2025