

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60185583

Customer pos. no.:

Articol:

GENIX VT 030

Date pompa

Temperatura min. fluid	0 °C
Temperatura max. fluid	75 °C
Temperatura max. ambianta	25 °C
Temperatura min. ambianta	5 °C
Max Flow :	6.9 m³/h
Max Head :	8 m
Max Head (EN12050-3) :	6 m

Date de functionare cerute

Debit :	
Înălțime de pompare :	
Fluid pompat :	Apă
Temperatura fluid:	20 °C
Densitate	998.3 kg/m³
Vascozitate cinematica:	1.005 mm²/s
Presiune de vapori:	2.34 kPa



Date disponibile:

Debit :
Înălțime de pompare :

Materiale

Cisterna	Polypropylene 15% Barium
Arbore	Otel inox
Cover	Otel inox
Garnitura OR	NBR
Rotor	Polypropylene 30% fiber glass

Curve tolerance according to ISO 9906



Date motor

Marca :	DAB
Putere nominala P2:	0.32 kW
Viteza nominala:	2900 1/min
Tensiune nominala :	1~ 230 V
Curent nominal :	2.5 A
Grad de protecție:	IP 44

50 Hz

Masa

10.3 kg

Dimensiuni de gabarit mm

A	183	G	80	L1	322		
B	125	H	277	L2	307		
C	56	H1	322	M	125		
D	60	H2	346	N	-		
E	178	I	150				
F	42	L	456				

Racorduri pompa:

DN 22/25/28/32/36/40


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

GENIX VT 030

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:

Partea cu refularea:

Debit :

Înăltime de pompare :

Viteza nominala:
2900 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

01/28/2025



DESEN DIMENSIONAL

01/28/2025

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

GENIX VT 030



Dimensiuni in mm

Racorduri pompa:

1	A	183	L	456			
2	B	125	L1	322			Aspiratie
3	C	56	L2	307			
4	D	60	M	125			
5	E	178	N	-			
6	F	42					
7	G	80					
8	H	277					Refulare
9	H1	322					
10	H2	346					
11	I	150					

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

01/28/2025