

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60122665

Customer pos. no.:

Articol:

2 KVC AD 45/120 M

Date pompa

MEI $\geq 0,50$

Presiune nominala: 1200 kPa

Temperatura min. fluid 0 °C

Temperatura max. fluid 40 °C

Temperatura max. ambianta 40 °C

Grad de protecție: IP 55

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Date motor

Brand: DAB

Putere nominala P2: 2 x 1.85 kW

Viteza nominala: 2800 1/min

Tensiune nominala : 1~ 230 V 50 Hz



Curent nominal (grupuri) : 2 x 13.6 A

Grad de protecție: IP 55

Dimensiuni de gabarit mm

A	495
A max	729
B	540
B max	556
DNA	2"
DNM	2"
H	1115
H1	119
H2	667

Curve tolerance according to ISO 9906



Masa 85 kg

Racorduri pompa:

Partea cu aspiratia: 2 " / 1200 kPa

Partea cu refularea: 2 " / 1200 kPa


Destinatar

Expedito

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 KVC AD 45/120 M

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:

2"

1200 kPa

Partea cu refularea:

2"

1200 kPa

Debit :

Înaltime de pompare :

Viteza nominala:

2800 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

04/05/2023



DESEN DIMENSIONAL

04/05/2023

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 KVC AD 45/120 M



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11

A
A max
B
B max
DNA
DNM
H
H1
H2

495
729
540
556
2"
2"
1115
119
667

Aspiratie
2"
1200 kPa

Refulare
2"
1200 kPa

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_IC

OWNER_

ISSUE_DATE

04/05/2023