


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 NKP-G 40-250/230 IE3

Curve tolerance according to ISO 9906



Partea cu aspiratia:
DN 125
1000 kPa

Partea cu refularea:
DN 100
1000 kPa

Debit :

Inaltime de pompare :

Viteza nominala:
2940 1/min

Oferta

ID oferta

Creat de

Creat

07/18/2024



DESEN DIMENSIONAL

07/18/2024

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

2 NKP-G40-250/230 IE3



WITHOUT the jockey pump, do not consider B1 and D.

Dimensiuni in mm

Racorduri pompa:

1	A	1300	I	1000			Aspiratie
2	A2	445					DN 125
3	Amax	1368					1000 kPa
4	B	1000					
5	C	450					Refulare
6	DNA	DN 125					DN 100
7	DNM	DN 100					1000 kPa
8	E	406					
9	H1	350					
10	H2	1595					
11	H3	1225					
12	H4	1680					

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

07/18/2024