

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol : **Customer pos. no.:**

60186046

Articol:

EVOSTA2 40-70/130

Date pompa

Presiune nominala: 1000 kPa
Temperatura min. fluid: -10 °C
Temperatura max. fluid: 110 °C
EEI: ≤ 0,18

Presiune minima la nivelul apei:

Temperatura: °C 90
Presiune minima la nivelul apei: m 10

Date de functionare cerute

Debit:
Inaltime de pompare:
Fluid pompat (%):
Temperatura fluid: 20 °C
Densitate: 998.3 kg/m³
Vasozitate cinematica: 1.005 mm²/s
Presiune de vapori: 2.34 kPa



Date disponibile:

Debit:
Inaltime de pompare:

Materiale

Camasa stator: AISI 316
Rotor: Ultrason
Arbore: Alumina
Bearing housing: Alama
Bushing: Alumina
Rotor: Fe
Axial bearing: Grafit

Curve tolerance according to ISO 9906



Date motor

Marca: DAB
Max. Power input P1: 0.035 kW
Tensiune nominala: 1~ 230 V 50 Hz
Curent nominal: 0.32 A
Grad de protecție: IP X5

Dimensiuni de gabarit mm

B	134.6	L1	96				
B1	35.5						
B2	99.1						
F	1" 1/2						
H	91						
L	130						

Masa 2.02 kg

Racorduri pompa:

Partea cu aspiratia: 1" 1/2 G
Partea cu refularea: 1" 1/2 G


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOSTA2 40-70/130

Curve tolerance according to ISO 9906



Partea cu aspiratia:
1" 1/2 G
1000 kPa

Partea cu refularea:
1" 1/2 G
1000 kPa

Debit :

Înăltime de pompare :

Viteza nominala:
2900 1/min

Oferta

ID oferta

Creat de

Creat

05/10/2024



DESEN DIMENSIONAL

05/10/2024

Pagina 3 / 3



DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOSTA2 40-70/130



Dimensiuni in mm

Racorduri pompa:

1	B	134.6					
2	B1	35.5					Aspiratie
3	B2	99.1					1" 1/2 G
4	F	1"1/2					1000 kPa
5	H	91					Refulare
6	L	130					1" 1/2 G
7	L1	96					1000 kPa
8							
9							
10							
11							

Oferta

ID oferta

Creat de

Creat

05/10/2024