

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor
Cod articol :

60122691H

Customer pos. no.:
Articol:

FEKA BVP 750 M-A

Date pompa

Free passage : 38 mm

Presiune nominala:

Temperatura min. fluid 0 °C

Temperatura max. fluid 35 °C

Temperatura max. ambianta

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Materiale

Corp pompa Tecnopolimer

Rotor Tecnopolimer



Arbore motor AISI 416 X12 CrS 13 UNI EN 10088-1

Calota motor Otel inox AISI 304

V-RING NBR

Garnitura OR NBR 70

Base plate Tecnopolimer

Curve tolerance according to ISO 9906

Date motor
Masa

8 kg

Dimensiuni de gabarit mm

A	240				
B	49				
C	150				
D	250				
E	40				
F	140				
H	400				
H1	142				

Racorduri pompa:

Partea cu aspiratia: /
Partea cu refularea: 1" 1/2 GAS / --

Marca :

DAB

Putere nominala P2:

0.75 kW

Viteza nominala:

2800 1/min

Tensiune nominala :

1~ 230 V

50 Hz

Curent nominal :

5.6 A

Grad de protectie:

IP 68


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

FEKA BVP 750 M-A

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:

Partea cu refularea:
1" 1/2 GAS
--

Debit :

Înaltime de pompare :

Viteza nominala:
2800 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

03/24/2025



DESEN DIMENSIONAL

03/24/2025

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

FEKA BVP 750 M-A



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11

A
B
C
D
E
F
H
H1

240
49
150
250
40
140
400
142

Aspiratie

Refulare
1" 1/2 GAS
--

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

03/24/2025