

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60191259

Customer pos. no.:

Articol:

GRINDER FX 15.15 T-NA 400 V

Tip de instalatie:

Wet - Pump only

Date pompa

Free passage :

--

Max. immersion depth :

7 m

Temperatura min. fluid

0 °C

Temperatura max. fluid

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat :

Apă

Temperatura fluid:

20 °C

Densitate

998.3 kg/m³

Vascozitate cinematica:

1.005 mm²/s

Presiune de vapori:

2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

Materiale

Maner

Fonta EN GJL 200

Pump body / motor

Fonta EN GJL 200

Rotor

Cast iron (EN GJL 250)

Etansare mec. completa pe partea pompei

SiC-SiC/SiC-C

Etansare mec. completa pe partea motorului

Graf/Carbon




Garnitura OR

NBR

Cutter / Cutter Base

Steel EN1.4542 / AISI 630

Curve tolerance according to ISO 9906



Date motor

Marca :

DAB

Putere nominala P2:

1.6 kW

Viteza nominala:

2870 1/min

Tensiune nominala :

3~ 400 V

50 Hz

Curent nominal :

3.8 A

Grad de protectie:

IP 68

Masa

38 kg

Accessory weight :

Dimensiuni de gabarit mm

A	306				
B	215				
DN1	32, 40				
GAS	Rp 1"1/2				
H	413				
H1	87				

Racorduri pompa:

Partea cu aspiratia:

--

Partea cu refularea:

Rp 1"1/2 - DN 32 PN10/6, DN 40 PN6


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

GRINDER FX 15.15 T-NA 400 V

Curve tolerance according to ISO 9906



Partea cu aspiratia:

Partea cu refularea:
Rp 1"1/2 - DN 32 PN10/6, DN 40 PN6
--

Debit :

Înăltime de pompare :

Viteza nominala:
2870 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

05/20/2025



DESEN DIMENSIONAL

05/20/2025

Pagina 3 / 3



DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

GRINDER FX 15.15 T-NA 400 V



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11

A
B
DN1
GAS
H
H1

306
215
32, 40
Rp 1"1/2
413
87

Aspiratie

Refulare

Rp 1"1/2 - DN 32 PN10/6, DN 40 PN6

--

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

05/20/2025