

## Destinatar

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

## Expeditor

### Cod articol :

60191566H

### Customer pos. no.:

### Articol:

NOVA 600 M-A 40th - 5m

### Date pompa

Free passage : 10 mm  
Aspiration level minimum : 150 mm  
Max. immersion depth : 7 m  
Temperatura min. fluid 0 °C  
Temperatura max. fluid 35 °C

### Date de functionare cerute

Debit :  
Inaltime de pompare :  
Fluid pompat : Apă  
Temperatura fluid: 20 °C  
Densitate 998.3 kg/m³  
Vascozitate cinematica: 1.005 mm²/s  
Presiune de vapori: 2.34 kPa



### Date disponibile:

Debit :  
Inaltime de pompare :

### Materiale

Corp pompa Tecnopolimer  
Rotor Tecnopolimer  
Garnitura OR Cauciuc NBR  
Arbore rotor Stainless Steel AISI 431  
Grila de aspiratie Tecnopolimer  
Calota motor AISI 304 X5 Cr Ni 1810 UNI 6900/71  
Plutitor Tecnopolimer

### Curve tolerance according to ISO 9906



### Date motor

Marca : DAB  
Putere nominala P2: 0.5 kW  
Tensiune nominala : 1~ 230 V 50 Hz  
Curent nominal : 3 A  
Grad de protectie: IP 68  
Cable length m : 5

### Masa

7 kg

### Dimensiuni de gabarit mm

|     |           |         |     |  |  |
|-----|-----------|---------|-----|--|--|
| A   | 189       | H2      | 71  |  |  |
| B   | 255       | LIV MAX | 390 |  |  |
| C   | 56        | LIV MIN | 190 |  |  |
| D   | 296       |         |     |  |  |
| DNM | 1"1/4 GAS |         |     |  |  |
| E   | 174       |         |     |  |  |
| H   | 329       |         |     |  |  |
| H1  | 443       |         |     |  |  |

### Racorduri pompa:

Partea cu aspiratia: /  
Partea cu refularea: 1" 1/4 GAS / --



## CURBELOR CHARACTERISTICE

11/20/2025

Pagina 2 / 3

DAB PUMPS S.p.A.  
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy  
Tel. +39 049 5125000 - Fax +39 049 5125950  
[www.dabpumps.com](http://www.dabpumps.com)


Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

**Destinatar**

**Expeditor**

**NOVA 600 M-A 40th - 5m**

**Curve tolerance according to ISO 9906**



**Date disponibile:**

---

Partea cu aspiratia:

Partea cu refularea:  
1" 1/4 GAS

Debit :

|                       |  |
|-----------------------|--|
| Înaltime de pompare : |  |
|-----------------------|--|

|                  |            |
|------------------|------------|
| Viteza nominala: | 2900 1/min |
|------------------|------------|

|                    |
|--------------------|
| MAIN PROJECT TITLE |
|--------------------|

|                     |
|---------------------|
| BUSINESS PROCESS ID |
|---------------------|

OWNER

|            |  |
|------------|--|
| ISSUE DATE |  |
|------------|--|

11/20/2025



## DESEN DIMENSIONAL

11/20/2025

Pagina 3 / 3



DAB PUMPS S.p.A.  
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy  
Tel. +39 049 5125000 - Fax +39 049 5125950  
www.dabpumps.com

Destinatar

Expeditor

Firma  
Referinta  
Adresa  
Phone  
Fax  
E-mail

### NOVA 600 M-A 40th - 5m



Dimensiuni in mm

Racorduri pompa:

|    |         |           |  |  |  |  |  |  |            |
|----|---------|-----------|--|--|--|--|--|--|------------|
| 1  | A       | 189       |  |  |  |  |  |  |            |
| 2  | B       | 255       |  |  |  |  |  |  |            |
| 3  | C       | 56        |  |  |  |  |  |  | Aspiratie  |
| 4  | D       | 296       |  |  |  |  |  |  |            |
| 5  | DNM     | 1"1/4 GAS |  |  |  |  |  |  |            |
| 6  | E       | 174       |  |  |  |  |  |  |            |
| 7  | H       | 329       |  |  |  |  |  |  |            |
| 8  | H1      | 443       |  |  |  |  |  |  | Refulare   |
| 9  | H2      | 71        |  |  |  |  |  |  | 1" 1/4 GAS |
| 10 | LIV MAX | 390       |  |  |  |  |  |  | --         |
| 11 | LIV MIN | 190       |  |  |  |  |  |  |            |

MAIN\_PROJECT\_TITLE

BUSINESS\_PROCESS\_ID

OWNER\_

ISSUE\_DATE

11/20/2025