

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

Cod articol : 60231374
Customer pos. no.:

Articol:
EVOPLUS D 110/250.40 M

Date pompa

Presiune nominala: 1600 kPa
Temperatura min. fluid: -10 °C
Temperatura max. fluid: 110 °C
EEI: ≤ 0,22

Presiune minima la nivelul apei:

Temperatura: °C 90 - 100
Presiune minima la nivelul apei: m 20 - 25

Date de functionare cerute

Debit:
Inaltime de pompare:
Fluid pompat (%):
Temperatura fluid: 20 °C
Densitate: 998.3 kg/m³
Vascozitate cinematica: 1.005 mm²/s
Presiune de vapori: 2.34 kPa




Date disponibile:

Debit:
Inaltime de pompare:

Materiale

Corp pompa: Cast iron 250 UNI ISO 185 - CTF
Rotor: Tecnopolimer
Arbore motor: Alumina
Inel de etansare: EPDM
Carcasa motorului: Aluminu turnat la cald
Flansa de inchidere: Otel inox
Suport inel de echilibrare: EPDM

Curve tolerance according to ISO 9906
Number of working motors : 1



Date motor

Marca: DAB
Max. Power input P1: 1 X 0.191 kW
Tensiune nominala: 1~ 220-240 V 50 Hz
Curent nominal: 1 X 1.35 A
Grad de protecție: IP 44

Dimensiuni de gabarit mm

A	19	D1	100	H2	204	L1	125
A2	14	D2	110	H3	150	L2	125
B	220	D3	150	H4	150		
B1	62	D4	84	I	90		
B2	158	H	300	I1	90		
D	43	H1	304	L	250		

Masa 14.2 kg

Racorduri pompa:

Partea cu aspiratia: DN 40 / PN6, PN10, PN16
Partea cu refularea: DN 40 / PN6, PN10, PN16


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS D 110/250.40 M
Number of working motors : 1

Curve tolerance according to ISO 9906



Partea cu aspiratia:

DN 40

PN6, PN10, PN16

Partea cu refularea:

DN 40

PN6, PN10, PN16

Debit :

Înăltime de pompare :

Viteza nominala:

2900 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE



11/28/2025

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

EVOPLUS D 110/250.40 M



Dimensiuni in mm

Racorduri pompa:

1	A	19	H1	304			
2	A2	14	H2	204			Aspiratie
3	B	220	H3	150			DN 40
4	B1	62	H4	150			PN6, PN10, PN16
5	B2	158	I	90			
6	D	43	I1	90			
7	D1	100	L	250			Refulare
8	D2	110	L1	125			DN 40
9	D3	150	L2	125			PN6, PN10, PN16
10	D4	84					
11	H	300					

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

11/28/2025