

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Cod articol :

60212523H

Customer pos. no.:

Articol:

Jet 132 PS 1x230 50 IE2 Schuko

Date pompa

Presiune nominala: 600 kPa
Temperatura min. fluid 0 °C
Temperatura max. fluid 35 °C
Temperatura max. ambianta 40 °C

Capacitate de amorsare:

H m	2	3	4	5	6	7	8	9
Q m³/h	4.68	4.32	4.02	3.66	3.24	2.76	2.28	1.86

Date de functionare cerute

Debit :
Inaltime de pompare :
Fluid pompat : Apă
Temperatura fluid: 20 °C
Densitate 998.3 kg/m³
Vascozitate cinematica: 1.005 mm²/s
Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :
Inaltime de pompare :

Materiale



Corp pompa Fonta 200 UNI ISO 185
Suport Aluminiu turnat la cald
Rotor Tecnopolimer A
Etansare mecanica Carbon/Ceramica
Garnitura OR Cauciuc NBR
Arbore cu rotor AISI 416 X12 CrS 13 UNI 6900/71
Grup duza difuzor venturi Tecnopolimer A

Date motor

Marca : DAB
Putere nominala P2: 0.85 kW
Viteza nominala: 2830 1/min
Tensiune nominala : 1~ 230 V
Curent nominal : 6 A
Grad de protectie: IP 44

50 Hz

Curve tolerance according to ISO 9906



Dimensiuni de gabarit mm

A	414	D	177	F	14	H2	203
A1	390	DNA	1" G	G	111	H3	144
B	263	DNM	1" G	H	239	I	9
C	108	E	192	H1	209		

Masa 14.9 kg

Racorduri pompa:


Partea cu aspiratia: 1" G / 600 kPa
Partea cu refularea: 1" G / 600 kPa

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Jet 132 PS 1x230 50 IE2 Schuko

Curve tolerance according to ISO 9906



Date disponibile:

Partea cu aspiratia:
1" G
600 kPa

Partea cu refularea:
1" G
600 kPa

Debit :

Înăltime de pompare :

Viteza nominala:
2830 1/min

Oferta

ID oferta

Creat de



Creat

04/21/2026

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Jet 132 PS 1x230 50 IE2 Schuko



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11

A
A1
B
C
D
DNA
DNM
E
F
G
H

414
390
263
108
177
1" G
1" G
192
14
111
239

H1
H2
H3
I

209
203
144
9

Aspiratie
1" G
600 kPa

Refulare
1" G
600 kPa

Oferta

ID oferta

Creat de

Creat

04/21/2026