

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60214732

Customer pos. no.:

Articol:

KLP 40-1800/BQQE T IE3

Date pompa

MEI $\geq 0,5$

Presiune nominala: 1000 kPa

Temperatura min. fluid -15 °C

Temperatura max. fluid 120 °C

Temperatura max. ambianta 40 °C

Date de functionare cerute

Debit :

Inaltime de pompare :

Fluid pompat (%) :

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Inaltime de pompare :

NPSH :

Shaft power P2 :

Efficiency :

Materiale

Corp pompa	Fonta 200 UNI ISO 185
Suport	Fonta 200 UNI ISO 185
Rotor	Tecnopolimer B
Etansare mecanica	Silicon carbide/Silicon carbide
Garnitura OR	Cauciuc EPDM
Arbore cu rotor	Otel inox AISI 316

Date motor

Marca : DAB

Putere nominala P2: 0.85 kW



Viteza nominala: 2841 1/min

Tensiune nominala : 3~ 230 V 50 Hz

Curent nominal : 3.29 A

Grad de protecție: IP 55

Curve tolerance according to ISO 9906



Masa 24.5 kg

Dimensiuni de gabarit mm

A	110	D3	150	L2	125
B	179	D4	4 asole 18	M	2 fori 10
B1	82	DNA	40		
B2	97	DNM	40		
C	100	H	395		
D	80	H1	66		
D1	100	L	250		
D2	110	L1	125		

Racorduri pompa:

Partea cu aspiratia: DN 40 / 1000 kPa

Partea cu refularea: DN 40 / 1000 kPa


Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

KLP 40-1800/BQQT IE3

Curve tolerance according to ISO 9906



Partea cu aspiratia:
DN 40
1000 kPa

Partea cu refularea:
DN 40
1000 kPa

Debit :

Inaltime de pompare :

Viteza nominala:
2841 1/min

Oferta

ID oferta

Creat de

Creat

02/20/2025



DESEN DIMENSIONAL

02/20/2025

Pagina 3 / 3


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

KLP 40-1800/BQQE T IE3



Dimensiuni in mm

Racorduri pompa:

1	A	110	DNM	40			
2	B	179	H	395			Aspiratie
3	B1	82	H1	66			DN 40
4	B2	97	L	250			1000 kPa
5	C	100	L1	125			
6	D	80	L2	125			
7	D1	100	M	2 fori 10			Refulare
8	D2	110					DN 40
9	D3	150					1000 kPa
10	D4	4 asole 18x23					
11	DNA	40					

Oferta

ID oferta

Creat de

Creat

02/20/2025