

## DECLARATION OF PERFORMANCE

DoP No 997

1. Unique identification code of the product-type:

**For product number please see attached list**

Product-Type, batch or serial number or any other element allowing identification of the construction product

**WP: Wallhung WC-pan(s) made of sanitary ceramics**

**WCS: Wallhung close-coupled suite(s) made of sanitary ceramics**

**PP: Pedestal WC-pan(s) made of sanitary ceramics**

**PCS: Pedestal close-coupled suite(s) made of sanitary ceramics**

**PO: Pedestal onepiece WC(s) made of sanitary ceramics**

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Personal hygiene (PH)**

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**LAUFEN CZ s.r.o.**

**Průmyslová 709/14**

**669 02 Znojmo, Česká republika**

**Tel: +420 296 337 711 / e-mail: office.praha@cz.laufen.com / website: www.jika.cz**

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**not applicable**

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

**System 4**

6. Harmonised standard:

**EN 997: 2012 + A1: 2015**

7. Declared performance

| Essential characteristics       | Performance |
|---------------------------------|-------------|
| Capacity of flushing water (CF) | Confirmed   |
| Backflow prevention (BP)        | Confirmed   |
| Cleanability (CA)               | Confirmed   |
| Load resistance (LR)            | Confirmed   |
| Water-, leaktightness (WT)      | Confirmed   |
| Valve reliability (VR)          | Confirmed   |
| Durability (DA)                 | Confirmed   |

**The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.**

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

**not applicable**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Joan Pedro Santos  
Manufacturing Manager

## DECLARATION OF PERFORMANCE

DoP no 997

## SUSTAINABILITY ASSESSMENT

| Product No. |                    | Name         | Product type | Matching flushing cistern | Designation code           | Essential characteristics        | min. volume | Designation code |
|-------------|--------------------|--------------|--------------|---------------------------|----------------------------|----------------------------------|-------------|------------------|
| H822036     |                    | Baby         | PP           |                           | EN 997 - CL1 - 5A - 5C     | CF - BP - CA - DA                | 5/3         | EN 16578 - S5    |
| H822037     |                    | Baby         | PP           |                           | EN 997 - CL1 - 5A - 5C     | CF - BP - CA - DA                | 5/3         | EN 16578 - S5    |
| H827037     |                    | Baby         | PP           |                           | EN 997 - CL1 - 7A          | CF - BP - CA - DA                | 7           | EN 16578 - S5    |
| H824286     |                    | Baltic       | PCS          | 2828.3                    | EN 997 - CL1 - 6 - VR II   | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821356     | H861356            | Boreal       | WP           | LAUFEN LIS 89466x         | EN 997 - CL1 - 6A          | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H820421     |                    | Cubito Style | WP           |                           | EN 997 - CL1 - 5/6A        | CF - BP - CA - LR - DA           | 4/2         | EN 16578 - S5    |
| H823421     |                    | Cubito Style | PP           |                           | EN 997 - CL1 - 5/6A        | CF - BP - CA - LR - DA           | 4/2         | EN 16578 - S5    |
| H824421     |                    | Cubito Style | PCS          |                           | EN 997 - CL1 - 4/5 - VR II | CF - BP - CA - LR - DA - WT - VR | 4/2         | EN 16578 - S5    |
| H824422     |                    | Cubito Style | PCS          |                           | EN 997 - CL1 - 4/5 - VR II | CF - BP - CA - LR - DA - WT - VR | 4/2         | EN 16578 - S5    |
| H820642     | H820266            | Deep by JIKA | WP           |                           | EN 997 - CL1 - 6A - 6C     | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H820642     |                    | Deep by JIKA | WP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9         | CF - BP - CA - LR - DA - WT - VR | 5,9/3       | EN 16578 - S5    |
| H820644     |                    | Deep by JIKA | WP           |                           | EN 997 - CL1 - 4/5/6A      | CF - BP - CA - LR - DA           | 4/3         | EN 16578 - S5    |
| H820644     |                    | Deep by JIKA | WP           | INEO 920115               | EN 997 - CL2 - 4,5         | CF - BP - CA - LR - DA - WT - VR | 4,5/3       | EN 16578 - S5    |
| H823645     |                    | Deep by JIKA | PP           |                           | EN 997 - CL1 - 6A - 6C     | CF - BP - CA - DA                | 6/3         | EN 16578 - S5    |
| H824644     |                    | Deep by JIKA | PCS          | 2664.0                    | EN 997 - CL1 - 6 - VR II   | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824646     | H824576            | Deep by JIKA | PCS          | 2664.0                    | EN 997 - CL1 - 6 - VR II   | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824647     | H860640            | Deep by JIKA | PCS          | 2665.2                    | EN 997 - CL1 - 5 - VR II   | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H824647     | H860640            | Deep by JIKA | PCS          | 2665.2                    | EN 997 - CL2 - 5,9         | CF - BP - CA - LR - DA - WT - VR | 5,9/3       | EN 16578 - S5    |
| H820610     |                    | Deep by JIKA | WP           |                           | EN 997 - CL1 - 5A - 6C     | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H820610     |                    | Deep by JIKA | WP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9         | CF - BP - CA - LR - DA - WT - VR | 5,9/3       | EN 16578 - S5    |
| H820616     | H866616            | Deep by JIKA | WP           |                           | EN 997 - CL1 - 6/5A        | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H820616     | H866616            | Deep by JIKA | WP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9/4,5     | CF - BP - CA - LR - DA - WT - VR | 4,5/3       | EN 16578 - S5    |
| H820618     |                    | Deep by JIKA | WP           |                           | EN 997 - CL2 - 4,5         | CF - BP - CA - LR - DA - WT - VR | 4,5/3       | EN 16578 - S5    |
| H821615     |                    | Deep by JIKA | PP           |                           | EN 997 - CL 1 - 5A - 6C    | CF - BP - CA - DA                | 5/3         | EN 16578 - S5    |
| H821615     |                    | Deep by JIKA | PP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9         | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H821615     |                    | Deep by JIKA | PP           | S3624                     | EN 997 - CL2 - 5,9         | CF - BP - CA - DA - WT - VR      | 5,9/4       | EN 16578 - S5    |
| H825616     | H826616            | Deep by JIKA | PCS          | 2861.2                    | EN 997 - CL1 - 5 - VR II   | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H825616     | H826616            | Deep by JIKA | PCS          | 2861.x                    | EN 997 - CL2 - 5,9         | CF - BP - CA - LR - DA - WT - VR | 5,9/3       | EN 16578 - S5    |
| H825617     | H826617            | Deep by JIKA | PCS          | 2861.2                    | EN 997 - CL1 - 5 - VR II   | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H825617     | H826617            | Deep by JIKA | PCS          | 2861.x                    | EN 997 - CL2 - 5,9         | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H820611     | H860611<br>H820261 | Deep by JIKA | WP           |                           | EN 997 - CL1 - 6A - 6C     | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |

P = Pack

Signed for and on behalf of the manufacturer



Joan Pedro Santos  
Manufacturing Manager

## DECLARATION OF PERFORMANCE

DoP no 997

## SUSTAINABILITY ASSESSMENT

| Product No. |                    | Name          | Product type | Matching flushing cistern | Designation code        | Essential characteristics        | min. volume | Designation code |
|-------------|--------------------|---------------|--------------|---------------------------|-------------------------|----------------------------------|-------------|------------------|
| H820611     | H860611            | Deep by JIKA  | WP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9      | CF - BP - CA - LR - DA - WT - VR | 5,9/3       | EN 16578 - S5    |
| H820614     | H866614            | Deep by JIKA  | WP           |                           | EN 997 - CL1 - 4A       | CF - BP - CA - LR - DA           | 4/2         | EN 16578 - S5    |
| H820614     | H866614            | Deep by JIKA  | WP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9/4,5  | CF - BP - CA - LR - DA - WT - VR | 4,5/3       | EN 16578 - S5    |
| H823615     | H823262            | Deep by JIKA  | PP           |                           | EN 997 - CL1 - 6A - 6C  | CF - BP - CA - DA                | 6/3         | EN 16578 - S5    |
| H823615     | H823262            | Deep by JIKA  | PP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9      | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H823616     |                    | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H823616     | H860618            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL2 - 5,9      | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H823617     |                    | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H823617     |                    | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL2 - 5,9      | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H823618     |                    | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H823618     |                    | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL2 - 5,9      | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H824616     | H822616            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824616     | H860616            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824616     | H822616            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL2 - 5,9      | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H824616     | H860616            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL2 - 5,9      | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H824617     | H822617            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824617     | H860617            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824617     | H822617            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL2 - 5,9      | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H824617     | H860617            | Deep by JIKA  | PCS          | 2761.2,3                  | EN 997 - CL2 - 5,9      | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H86S790     |                    | Diana         | WP           | LAUFEN LIS 89466x         | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H860278     |                    | Diana         | PCS          | 2879.2,3                  | EN 997 CL1-6-VRII       | CF - BP - CA - LR - DA - VR      | 6/3         | EN 16578 - S5    |
| H860279     |                    | Diana         | PCS          | 2879.2,3                  | EN 997 CL1-6-VRII       | CF - BP - CA - LR - DA - VR      | 6/3         | EN 16578 - S5    |
| H821370     | H821380<br>H866790 | Dino/Euroline | WP           |                           | EN 997 - CL1 - 6A - 6C  | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821377     | H860377            | Dino rimless  | WP           |                           | EN 997 - CL1 - 6A       | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821377     | H860378            | Dino rimless  | WP           |                           | EN 997 - CL1 - 6A       | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H822000     |                    | Dino          | PP           |                           | EN 997 - CL1 - 6A       | CF - BP - CA - DA                | 6/3         | EN 16578 - S5    |
| H822008     |                    | Dino          | PP           |                           | EN 997 - CL1 - 6A       | CF - BP - CA - DA                | 6/3         | EN 16578 - S5    |
| H827396     |                    | Dino          | PCS          | 2637.0                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H820654     |                    | Ebe           | WP           | LAUFEN LIS 89466x         | EN 997 CL1 6/5 A        | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H820371     | H866390            | Enigma        | WP           | LAUFEN LIS 89466x         | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |

Signed for and on behalf of the manufacturer

P = Pack

## DECLARATION OF PERFORMANCE

DoP no 997

## SUSTAINABILITY ASSESSMENT

| Product No. |                    | Name                | Product type | Matching flushing cistern | Designation code        | Essential characteristics        | min. volume | Designation code |
|-------------|--------------------|---------------------|--------------|---------------------------|-------------------------|----------------------------------|-------------|------------------|
| H824796     | H825796            | Euroline-N          | PCS          | 2879.2,3                  | EN 997 CL1-6-VRII       | CF - BP - CA - LR - DA - VR      | 6/3         | EN 16578 - S5    |
| H824796     | H867796<br>H867798 | Euroline-N          | PCS          | 2879.2,3                  | EN 997 CL1-6-VRII       | CF - BP - CA - LR - DA - VR      | 6/3         | EN 16578 - S5    |
| H824797     | H825797            | Euroline-N          | PCS          | 2879.2,3                  | EN 997 CL1-6-VRII       | CF - BP - CA - LR - DA - VR      | 6/3         | EN 16578 - S5    |
| H824797     | H867797<br>H867799 | Euroline-N          | PCS          | 2879.2,3                  | EN 997 CL1-6-VRII       | CF - BP - CA - LR - DA - VR      | 6/3         | EN 16578 - S5    |
| H820790     | H866790            | Euroline-N          | WP           | LAUFEN LIS 89466x         | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824397     | H861795            | Euroline-N          | PCS          | 2879.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H820790     |                    | Euroline-N          | WP           | LAUFEN LIS 89466x         | EN 997 - CL1 - 6A - 6C  | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821630     | H821632            | Imola               | WP           |                           | EN 997 - CL1 - 6A - 6C  | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821630     | H821390            | Imola               | WP           |                           | EN 997 - CL1 - 6A - 6C  | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821630     | H821633            | Imola               | WP           |                           | EN 997 - CL1 - 6A - 6C  | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821372     | H820263            | Lyra new            | WP           |                           | EN 997 - CL1 - 6A - 6C  | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821372     |                    | Lyra new            | WP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9      | CF - BP - CA - LR - DA - WT - VR | 5,9/3       | EN 16578 - S5    |
| H824276     | H824236            | Lyra new/Concept    | PCS          | 2827.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824276     | H826398            | Lyra new/Troma      | PCS          | 2664.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824276     | H860270            | Lyra new/Easy/Norma | PCS          | 2664.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824276     | H860272            | Lyra new/Euroline   | PCS          | 2827.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824276     | H860274            | Lyra new/RPG        | PCS          | 2634.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824276     | H861640            | Lyra new            | PCS          | 2827.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824276     | H824178            | Lyra new/Uni        | PCS          | 2797.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824277     | H825237            | Lyra new            | PCS          | 2827.2,3                  | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824277     | H824237            | Lyra new/Concept    | PCS          | 2827.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824277     | H826399            | Lyra new/Troma      | PCS          | 2664.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824277     | H860271            | Lyra new/Easy/Norma | PCS          | 2664.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824277     | H860273            | Lyra new/Euroline   | PCS          | 2827.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824277     | H860275            | Lyra new/RPG        | PCS          | 2634.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H824277     | H824179            | Lyra new/Uni        | PCS          | 2797.2                    | EN 997 - CL1 - 6 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |

P = Pack

Signed for and on behalf of the manufacturer



**DoP no 997**

## SUSTAINABILITY ASSESSMENT

| Product No. |                    | Name              | Product type | Matching flushing<br>cistern | Designation code           | Essential characteristics        | min.<br>volume |
|-------------|--------------------|-------------------|--------------|------------------------------|----------------------------|----------------------------------|----------------|
| H821384     | H866384            | Lyra plus rimless | WP           |                              | EN 997 - CL1 - 5/6A        | CF - BP - CA - LR - DA           | 5/3            |
| H821386     |                    | Lyra plus         | PP           |                              | EN 997 - CL1 - 5A          | CF - BP - CA - DA                | 5/3            |
| H821387     |                    | Lyra plus         | PP           |                              | EN 997 - CL1 - 5A          | CF - BP - CA - DA                | 5/3            |
| H823380     | H823261<br>H866380 | Lyra plus         | WP           |                              | EN 997 - CL1 - 6A - 6C     | CF - BP - CA - LR - DA           | 6/3            |
| H823380     | H862383<br>H866380 | Lyra plus         | WP           |                              | EN 997 - CL1 - 6A - 6C     | CF - BP - CA - LR - DA           | 6/3            |
| H823380     | H823261<br>H862383 | Lyra plus         | WP           | LAUFEN LIS 89466x            | EN 997 - CL2 - 5,9/4,5     | CF - BP - CA - LR - DA - WT - VR | 4,5/3          |
| H823382     | H860382            | Lyra plus         | WP           |                              | EN 997 - CL1 - 6A - 6C     | CF - BP - CA - LR - DA           | 6/3            |
| H823382     | H860382            | Lyra plus         | WP           | LAUFEN LIS 89466x            | EN 997 - CL2 - 5,9         | CF - BP - CA - LR - DA - WT - VR | 5,9/3          |
| H823386     | H827386            | Lyra plus         | PCS          | 2738.2,3                     | EN 997 - CL1 - 5/6 - VR II | CF - BP - CA - LR - DA - WT - VR | 5/3            |
| H823387     | H827387            | Lyra plus         | PCS          | 2738.2,3                     | EN 997 - CL1 - 5/6 - VR II | CF - BP - CA - LR - DA - WT - VR | 5/3            |
| H824384     | H826384            | Lyra plus         | PCS          | 2838.2,3                     | EN 997 - CL1 - 6 - VR II   | CF - BP - CA - LR - DA           | 6/3            |
| H824386     | H826386            | Lyra plus         | PCS          | 2838.2,3                     | EN 997 - CL1 - 6 - VR II   | CF - BP - CA - LR - DA           | 6/3            |
| H824386     | H862386            | Lyra plus         | PCS          | 2838.2,3                     | EN 997 - CL1 - 6 - VR II   | CF - BP - CA - LR - DA           | 6/3            |
| H824387     | H826387            | Lyra plus         | PCS          | 2838.2,3                     | EN 997 - CL1 - 6 - VR II   | CF - BP - CA - LR - DA           | 6/3            |
| H824387     | H862387            | Lyra plus         | PCS          | 2838.2,3                     | EN 997 - CL1 - 6 - VR II   | CF - BP - CA - LR - DA           | 6/3            |
| H824726     | H825726            | Lyra plus         | PCS          | 2772.2,3                     | EN 997 - CL1 - 6/5 - VR II | CF - BP - CA - LR - DA           | 5/3            |
| H824726     | H826726            | Lyra plus         | PCS          | 2972.2,3                     | EN 997 - CL1 - 6/5 - VR II | CF - BP - CA - LR - DA           | 5/3            |
| H824727     | H825727            | Lyra plus         | PCS          | 2772.2,3                     | EN 997 - CL1 - 6/5 - VR II | CF - BP - CA - LR - DA           | 5/3            |
| H824727     | H826727            | Lyra plus         | PCS          | 2972.2,3                     | EN 997 - CL1 - 6/5 - VR II | CF - BP - CA - LR - DA           | 5/3            |
| H825386     |                    | Lyra plus         | PP           |                              | EN 997 - CL1 - 6A - 6C     | CF - BP - CA - DA                | 6/3            |
| H825387     |                    | Lyra plus         | PP           |                              | EN 997 - CL1 - 6A - 6C     | CF - BP - CA - DA                | 6/3            |
| H826282     |                    | Lyra plus Scandia | PCS          | 2938.5                       | EN 997 CL1-6-4-VR II       | CF - BP - CA - LR - DA           | 6/3            |
| H826283     |                    | Lyra plus Scandia | PCS          | 2938.5                       | EN 997 CL1-6-4-VR II       | CF - BP - CA - LR - DA           | 6/3            |

[illegible]

Signed for and on behalf of the manufacturer

---

P = Pack

LAUFEN CZ s.r.o.  
The Czech Republic, 26.06.2025

page: 5/8

Joan Pedro Santos  
Manufacturing Manager



# DECLARATION OF PERFORMANCE

DoP no 997

## SUSTAINABILITY ASSESSMENT

| Product No. |         | Name      | Product type | Matching flushing cistern | Designation code            | Essential characteristics        | min. volume | Designation code |
|-------------|---------|-----------|--------------|---------------------------|-----------------------------|----------------------------------|-------------|------------------|
| H820424     | H866424 | Pure      | WP           |                           | EN 997 - CL1 - 6/5A         | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H820424     | H866424 | Pure      | WP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9          | CF - BP - CA - LR - DA - WT - VR | 5,9/3       | EN 16578 - S5    |
| H823424     |         | Pure      | PP           |                           | EN 997 - CL1 - 5A - 6C      | CF - BP - CA - DA                | 6/3         | EN 16578 - S5    |
| H823424     |         | Pure      | PP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9          | CF - BP - CA - DA                | 5,9/3       | EN 16578 - S5    |
| H824426     |         | Pure      | PCS          | 2842.2,3                  | EN 997 - CL1 - 5 - VRII     | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H824426     |         | Pure      | PCS          | 2842.2,3                  | EN 997 - CL2 - 5,9          | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H821156     |         | Roman     | PP           |                           | EN 997 - CL1 - 9A           | CF - BP - CA - DA                | 9           | EN 16578 - S5    |
| H821157     | H821217 | Roman     | PP           |                           | EN 997 - CL1 - 9A           | CF - BP - CA - DA                | 9           | EN 16578 - S5    |
| H821227     |         | Sam       | PP           |                           | EN 997 - CL1 - 6A           | CF - BP - CA - DA                | 6/3         | EN 16578 - S5    |
| H822386     | H826286 | Scandia   | PCS          | 2828.3, 2938.5            | EN 997 - CL1 - 6 - VRII     | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H822386     | H824286 | Scandia   | PCS          | 2828.3, 2938.5            | EN 997 - CL1 - 6 - VRII     | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H825287     | H826287 | Scandia   | PCS          | 2828.3                    | EN 997 - CL1 - 6 - 4 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H825288     | H826289 | Scandia   | PCS          | 2828.3                    | EN 997 - CL1 - 6 - 4 - VRII | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H820213     |         | Tigo      | WP           |                           | EN 997 - CL1 - 5A - 6C      | CF - BP - CA - LR - DA           | 5/3         | EN 16578 - S5    |
| H820213     |         | Tigo      | WP           | LAUFEN LIS 89466x         | EN 997 - CL2 - 5,9          | CF - BP - CA - LR - DA - WT - VR | 5,9/3       | EN 16578 - S5    |
| H824216     |         | Tigo      | PCS          | 2821.2,3                  | EN 997 - CL1 - 5 - VRII     | CF - BP - CA - DA - WT - VR      | 5/3         | EN 16578 - S5    |
| H824216     |         | Tigo      | PCS          | 2821.2,3                  | EN 997 - CL2 - 4,5          | CF - BP - CA - LR - WL - VR - DA | 4,5/3       | EN 16578 - S5    |
| H820TB0     |         | Toba      | WP           | LAUFEN LIS 89466x         | EN 997 - CL1 - 6 - VRII     | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H821390     |         | Troma     | WP           |                           | EN 997 - CL1 - 6A - 6C      | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H820319     |         | UNI/Nilia | WP           |                           | EN 997 CL1 - 6A -6C         | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H820396     | H860396 | Zeta      | WP           |                           | EN 997 - CL1 - 6A           | CF - BP - CA - LR - DA           | 6/3         | EN 16578 - S5    |
| H822396     |         | Zeta      | PP           |                           | EN 997 - CL1 - 6A - 6C      | CF - BP - CA - DA                | 6/3         | EN 16578 - S5    |
| H822397     |         | Zeta      | PP           |                           | EN 997 - CL1 - 6A           | CF - BP - CA - DA                | 6/3         | EN 16578 - S5    |
| H822746     |         | Zeta plus | PP           |                           | EN 997 - CL1 - 5/6A - 6C    | CF - BP - CA - DA                | 5/3         | EN 16578 - S5    |
| H822746     |         | Zeta plus | PP           | LAUFEN LIS 894665         | EN 997 - CL2 - 5,9          | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |
| H822747     |         | Zeta plus | PP           |                           | EN 997 - CL1 - 5/6A - 6C    | CF - BP - CA - DA                | 5/3         | EN 16578 - S5    |
| H822747     |         | Zeta plus | PP           | LAUFEN LIS 894665         | EN 997 - CL2 - 5,9          | CF - BP - CA - DA - WT - VR      | 5,9/3       | EN 16578 - S5    |

Signed for and on behalf of the manufacturer

P = Pack

## DECLARATION OF PERFORMANCE

DoP no 997

## SUSTAINABILITY ASSESSMENT

| Product No. |         | Name         | Product type | Matching flushing cistern | Designation code         | Essential characteristics   | min. volume | Designation code |
|-------------|---------|--------------|--------------|---------------------------|--------------------------|-----------------------------|-------------|------------------|
| H824396     | H860100 | Zeta         | PCS          | 2839.2,3, 2827.2          | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824396     | H825396 | Zeta         | PCS          | 2839.2                    | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824396     | H825496 | Zeta         | PCS          | 2839.2,3, 2827.2          | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824396     | H861393 | Zeta/Neo     | PCS          | 2761.2                    | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824396     | H861390 | Zeta/Neo     | PCS          | 2839.2                    | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824396     | H860276 | Zeta/Diana   | PCS          | 2839.2,3, 2827.2          | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824397     | H825497 | Zeta         | PCS          | 2839.2,3, 2827.2          | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824397     | H860101 | Zeta         | PCS          | 2839.2,3, 2827.2          | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824397     | H825397 | Zeta         | PCS          | 2839.2                    | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824397     | H861395 | Zeta/Neo     | PCS          | 2761.2                    | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824397     | H861399 | Zeta/Neo     | PCS          | 2839.2                    | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824397     | H860277 | Zeta/Diana   | PCS          | 2839.2,3, 2827.2          | EN 997 - CL1 - 6 - VR II | CF - BP - CA - LR - DA      | 6/3         | EN 16578 - S5    |
| H824Z91     |         | Zeta Rimless | PCS          |                           | EN 997 CL1 - 4/5 - VR II | CF - BP - CA - DA - WT - VR | 4.5/3       | EN 16578 - S5    |

Signed for and on behalf of the manufacturer

P = Pack