

Data sheet COMFORT NEW control panel



Control panel COMFORT NEW


The COMFORT NEW control panel is used to regulate the operation of heaters and air curtains. The COMFORT NEW controller allows you to adjust the temperature, operating mode of the device and fan speed.

Control panel COMFORT NEW works with:


- ▮ heaters HEATER CONDENS ONE/CR/MAX (max. 6/3/2 heaters)
- ▮ air-curtains GUARD (max. 2 curtains)
- ▮ industrial air-curtains GUARD PRO (max. 1 curtain)

| TECHNICAL PARAMETERS | | COMFORT NEW |
|------------------------------|------|----------------|
| Power supply | V/Hz | 230/50 |
| Maximum current | A | 5 |
| Temperature adjustment range | °C | From +5 to +35 |
| Operating temperature range | °C | From 0 to +50 |
| IP | - | 20 |

Technical drawing of the COMFORT NEW panel




Description of the COMFORT NEW panel



The control panel has two operating modes, depending on the jumper setting. Defaultly, the device is delivered in the SR1 jumper configuration. After removing the front of the housing, it is possible to change the position of the jumper from SR1 to SR1 CONS.

| FUNCTION | JUMPER SR1 | JUMPER SR1 CONS |
|----------|---|--|
| HEAT | the thermostat gives an operating signal for the actuator and the fan, the fan turns off when the set temperature is reached, the valve closes the water flow | the fan works independently of the thermostat, the valves work up to the set temperature |
| FAN | operation of the fan above the set temperature of the thermostat, valves do not work | operation of the fan in continuous mode at the set speed, regardless of the thermostat, valves do not work |
| COOL | the thermostat gives a signal to the actuator and the fan, the device starts above the set temperature | fan operation independent of the thermostat, valves operate above the set temperature |

Electrical connection



Safety

1. Before installing and using the product, please read the attached manual
2. It is forbidden to use the COMFORT NEW panel for devices not provided for in the material card
3. Do not leave the device within the reach of children
4. To avoid damage, do not throw, hit or splash the device
5. Warning: Danger of electric shock, disconnect the power supply before making the electrical connection.

Producer

Wuxi Huishan Automatic Controller Co., Ltd
No.18 Tianzhu Road, Hudai Industrial Park, Binhu
District,
Wuxi (Jiangsu), 214161, China

Importer

SONNIGER S.A.
81-310 Gdynia
ul. Śląska 35/37
Poland



A CE declaration of conformity has been issued for the product, which is available on request

