



Analog

Dome

# SCD-2080

High Resolution Varifocal Dome Camera



## Key Features

- 1/3" Super HAD color CCD
- Based on W-V, the latest generation of Winner DSP engine
- Built-in 3.6x (2.8 ~ 10mm) varifocal lens with auto iris
- SSNRIII, Upgraded 2D/3D noise reduction technology
- Day & Night with ICR (Infrared Cutfilter Removal)
- High resolution of 600TV lines (Color), 700TV lines (B/W)

# SCD-2080

High Resolution Varifocal Dome Camera



## Specifications

Video	
Imaging Device	1/3" Super HAD CCD II
NETD	2 : 1 Interlace
Pixel Size	Color : 600TV lines, B/W : 700TV lines
Min. Illumination	0.15Lux@F1.2 (50IRE), 0.0003Lux (Sens-up, 512x)
Video Out	CVBS : 1.0 Vp-p / 75Ω composite
Lens	
Focal Length (Zoom Ratio)	2.8 ~ 10mm
Max. Aperture Ratio	1 : 1.2(Wide) ~ 2.8(Tele)
Angular Field of View	H : 94.4°(Wide) ~ 28°(Tele) / V : 69.2°(Wide) ~ 21°(Tele)
Min. Object Distance	0.2m (0.66ft)
Mount Type	Board-in type
Pan / Tilt / Rotate	
Pan / Tilt / Rotate Range	0° ~ 352°
Tilt Range	0° ~ 73°
Operational	
Privacy Masking	Pelco-C (Coaxitron)
Environmental & Electrical	
Operating Temperature / Humidity	-10°C ~ +55°C (+14°F ~ +131°F)
Storage Temperature / Humidity	Less than 90% RH
Input Voltage	Dual (24V AC & 12V DC ±10%)
Mechanical	
Color / Material	Ivory
RAL Code	Plastic (Dome cover : Clear)