

Electronic Panic Button

Code: EPA-NG/PLUS/WH/G3

Panic Button | Electronic | Plus | Grade 3 | White | Keyless



The EPA - NG is the most advanced Hold-Up device available on the market today. Packed with innovative features, this electronic unit is a versatile device capable of many functions.

Features & Benefits

- Second Relay Output (for confirmed operation)
- One or Two Button Operation
- Timed Delay Operation
- LED Indicator
- Latching or Non Latching
- Selectable EOL Settings
- Keyless Reset
- PD6662:2017 BS8243:2010



CQR Security, 125 Pasture Road, Moreton, Wirral, CH46 4TH
Sales: +44(0)151 6061000 (9am to 5pm Monday to Friday) Tech: +44(0)151 606 6311
sales@cqr.co.uk | www.cqr.co.uk

Company Registration Number: 5192024 | VAT Number: 309 0409 27



Product Information

Connection Type	Terminals
-----------------	-----------

Security

EN50131-1 Grade	3
Tamper Protection	Cover

Environmental

EN50130-5 Class	II
IP Rating	4X
Temperature Range	-10° C to +40° C

Housing

Colour	White
Material	ABS
Dimensions (mm)	85 x 85 x 39

Electrical

Voltage Range (Vdc)	Nov-15
Nominal Voltage (Vdc)	12
Connection Type	Terminals
Quiescent Current (mA)	30
Switch Rating	12v 1A

Features

Visual Indication	Yes
Features Selected by	Jumper
Reset Method	Keyless
Confirmed Output	Yes
Operation Mode	Push
Timed	Yes
Mounting Method	Surface / Flush
Built-in Resistor Types	A, B, D, E
No. Terminals	10

Mechanical

Mounting Method	Surface / Flush
-----------------	-----------------

